



2026

Passenger Car,
SUV and Light Truck

LANDSPIDER 
ANYTIME EVERYWHERE

*Made in
Thailand & Cambodia*

TABLE OF CONTENTS

LANDSPIDER TIRE INC., headquartered in California, is a tire company specializing in the American market. Since its establishment, Landspider has been dedicated to developing products based on diverse needs of the market, insisting on providing high-quality products and excellent customer service. After several years of success, Landspider has become one of the most professional tire suppliers with its dealer network stretching across nearly all the states of the USA.

MADE IN THAILAND



GRETRAXX
TOURING 01



CITYTRAXX
G/P 05



CITYTRAXX
H/P 07



CITY
SPORT 11



CITYTRAXX
H/T 13



ROVERTRAXX
X/T 15



EUROTRAXX
A/S 17



DURATRAXX
VAN A/S 19



WILDTRAXX
A/T 21



WILDTRAXX
R/T 23



WILDTRAXX
M/T 25



ROCKTRAXX
M/T 27

MADE IN CAMBODIA



PEAKTRAXX
UHP 29



PEAKTRAXX
ATX 31

WHY LANDSPIDER?

- 1 Specifically for the American/U.S. market
Landspider was specifically designed for the American/U.S. market to meet the diverse needs of customers.
- 2 Constantly Improved Product Line
In order to meet the changing needs of the market, Landspider keeps on updating and refining its product series based on valuable market feedback. Furthermore, we can provide customized services for our clients.
- 3 Industry 4.0 Smart Plant
4.0 smart plant with cutting-edge equipment to ensure stable high quality.
- 4 Excellent After-Sales Service
Professional technical personnel and a well-trained after-sales team provide efficient support.

GRETRAXX TOURING

ECO COMFORT

UTQG: 380 A A M+S

- ▶ Non-symmetric from outside to inside for high-class performance.
- ▶ With close stiffness of two shoulders design, more freedom is allowed.
- ▶ High performance compound and optimal block/void ratio ensure for great dry braking and handling.
- ▶ Anti-closing design to improve road grip especially in wet conditions.

SW	Series	Number of groove
≤175	all	3
185	≥70	3
	≤65	4
≥195	all	4



ECO COMFORT

Rim	Sizes Description	Sidewall Description	Tread Depth MM 1/32"	
13	145/70R13 71T	BSW	6.4	8.1
	145/80R13 75T	BSW	6.4	8.1
	155/65R13 73T	BSW	6.4	8.1
	155/70R13 75T	BSW	6.4	8.1
	155/80R13 79T	BSW	6.4	8.1
	165/70R13 79T	BSW	6.4	8.1
	175/65R13 80T	BSW	6.6	8.3
	175/70R13 82T	BSW	6.6	8.3
14	155/65R14 75T	BSW	6.4	8.1
	165/60R14 75H	BSW	6.4	8.1
	165/65R14 79T	BSW	6.4	8.1
	165/70R14 81T	BSW	6.4	8.1
	165/70R14 85TXL	BSW	6.4	8.1
	175/65R14 82H	BSW	6.6	8.3
	175/65R14 86TXL	BSW	6.6	8.3
	175/70R14 84T	BSW	6.6	8.3
15	175/70R14 88TXL	BSW	6.6	8.3
	185/55R14 80V	BSW	6.6	8.3
	185/60R14 82H	BSW	6.6	8.3
	185/65R14 86H	BSW	6.6	8.3
	185/70R14 88T	BSW	6.6	8.3
	155/60R15 74T	BSW	6.4	8.1
	165/60R15 81TXL	BSW	6.4	8.1
	165/65R15 81T	BSW	6.4	8.1
	175/55R15 77H	BSW	6.6	8.3
	175/60R15 81H	BSW	6.6	8.3
	175/65R15 84H	BSW	6.6	8.3
	185/55R15 82V	BSW	6.6	8.3
	185/60R15 84H	BSW	6.6	8.3
	185/60R15 88HXL	BSW	6.6	8.3
	185/65R15 88H	BSW	6.6	8.3
	185/65R15 92TXL	BSW	6.6	8.3

Rim	Sizes Description	Sidewall Description	Tread Depth MM 1/32"	
15	195/50R15 82V	BSW	6.8	8.6
	195/55R15 85V	BSW	6.8	8.6
	195/60R15 88H	BSW	6.8	8.6
	195/60R15 88V	BSW	6.8	8.6
	195/65R15 91V	BSW	6.8	8.6
	195/65R15 95HXL	BSW	6.8	8.6
	205/60R15 91V	BSW	6.8	8.6
	205/65R15 94V	BSW	6.8	8.6
16	215/65R15 96H	BSW	6.8	8.6
	185/55R16 87VXL	BSW	6.6	8.3
	195/50R16 84V	BSW	6.8	8.6
	195/55R16 87V	BSW	6.8	8.6
	195/55R16 91VXL	BSW	6.8	8.6
	195/60R16 89H	BSW	6.8	8.6
	205/55R16 91V	BSW	6.8	8.6
	205/55R16 91W	BSW	6.8	8.6
	205/60R16 92V	BSW	6.8	8.6
	205/60R16 96VXL	BSW	6.8	8.6
	215/55R16 97WXL	BSW	6.8	8.6
	215/60R16 95V	BSW	6.8	8.6
	215/60R16 99VXL	BSW	6.8	8.6
	215/65R16 98H	BSW	6.8	8.6
	215/70R16 100H	BSW	6.8	8.6
	225/50R16 96WXL	BSW	6.8	8.6
	225/55R16 99WXL	BSW	6.8	8.6
	225/60R16 102VXL	BSW	6.8	8.6
	235/60R16 100H	BSW	6.8	8.6

Made in Thailand



Rim	Sizes Description	Sidewall Description	Tread Depth	
			MM	1/32"
17	* 205/40R17 84WXL	BSW	6.6	8.3
	* 205/45R17 88WXL	BSW	6.6	8.3
	* 205/50R17 93WXL	BSW	6.6	8.3
	* 205/55R17 95WXL	BSW	6.6	8.3
	* 215/40R17 87WXL	BSW	6.6	8.3
	* 215/45R17 91WXL	BSW	6.6	8.3
	* 215/50R17 95WXL	BSW	6.6	8.3
	* 215/55R17 98WXL	BSW	6.6	8.3
	* 215/60R17 100VXL	BSW	6.6	8.3
	* 215/65R17 99V	BSW	6.6	8.3
	* 225/45R17 94WXL	BSW	7.0	8.8
	* 225/50R17 98WXL	BSW	7.0	8.8
	* 225/55R17 101WXL	BSW	7.0	8.8
	* 225/60R17 103VXL	BSW	7.0	8.8
	* 225/65R17 106VXL	BSW	7.0	8.8
	* 235/45R17 97WXL	BSW	7.0	8.8
	* 235/55R17 103WXL	BSW	7.0	8.8
	* 235/60R17 106VXL	BSW	7.0	8.8
	* 235/65R17 108VXL	BSW	7.0	8.8
	* 245/45R17 99WXL	BSW	7.0	8.8

Rim	Sizes Description	Sidewall Description	Tread Depth	
			MM	1/32"
	* 215/40R18 89WXL	BSW	6.6	8.3
	* 215/45R18 93WXL	BSW	6.6	8.3
	* 215/50R18 92W	BSW	6.6	8.3
	* 215/55R18 99VXL	BSW	6.6	8.3
	* 225/40R18 92WXL	BSW	7.0	8.8
	* 225/45R18 95WXL	BSW	7.0	8.8
	* 225/50R18 99WXL	BSW	7.0	8.8
	* 225/55R18 102VXL	BSW	7.0	8.8
	* 225/60R18 104VXL	BSW	7.0	8.8
	18 * 235/40R18 95WXL	BSW	7.0	8.8
	* 235/45R18 98WXL	BSW	7.0	8.8
	* 235/50R18 101WXL	BSW	7.0	8.8
	* 235/55R18 104WXL	BSW	7.0	8.8
	* 235/60R18 107VXL	BSW	7.0	8.8
	* 245/40R18 97WXL	BSW	7.0	8.8
	* 245/45R18 100WXL	BSW	7.0	8.8
	* 255/35R18 94WXL	BSW	7.0	8.8
	* 255/45R18 103WXL	BSW	7.0	8.8
	* 255/55R18 109WXL	BSW	7.0	8.8

*UNDER DEVELOPMENT



CITYTRAXX G/P

ALL SEASON TOURING

UTQG: 560 A A M+S

- ▶ The value-oriented year-round tire for cars, minivans, and CUVs.
- ▶ Long tread life and comfortable ride.
- ▶ Highly engineered contour and internal structure for even contact and durability.
- ▶ Special silica compound for better wet and fuel efficiency performance.



Made in Thailand



ALL SEASON TOURING

Rim	Sizes Description	Sidewall Description	Tread Depth MM 1/32"	
13	155/80R13 79T	BSW	7.4	9.3
	165/80R13 83T	BSW	7.4	9.3
	175/70R13 82T	BSW	7.4	9.3
14	165/60R14 75H	BSW	7.4	9.3
	165/65R14 79H	BSW	7.4	9.3
	175/65R14 86TXL	BSW	7.4	9.3
	175/70R14 84H	BSW	7.4	9.3
	185/60R14 82H	BSW	7.4	9.3
	185/65R14 86H	BSW	7.4	9.3
	185/70R14 88H	BSW	7.4	9.3
	195/70R14 91H	BSW	7.4	9.3
	205/70R14 95H	BSW	7.4	9.3
	175/55R15 77H	BSW	7.4	9.3
15	175/60R15 81V	BSW	7.4	9.3
	175/65R15 84H	BSW	7.4	9.3
	185/55R15 82V	BSW	7.4	9.3
	185/60R15 84H	BSW	7.4	9.3
	185/65R15 88H	BSW	7.4	9.3
	195/50R15 82V	BSW	7.4	9.3
	195/55R15 85V	BSW	7.4	9.3
	195/60R15 88H	BSW	7.4	9.3
	195/65R15 91H	BSW	7.4	9.3
	205/60R15 91V	BSW	7.4	9.3
	205/65R15 94H	BSW	7.8	9.8
	205/70R15 96H	BSW	7.8	9.8
	215/65R15 96H	BSW	7.8	9.8
	215/70R15 98H	BSW	7.8	9.8
	225/70R15 100H	BSW	7.8	9.8

Rim	Sizes Description	Sidewall Description	Tread Depth MM 1/32"	
16	185/55R16 83V	BSW	7.4	9.3
	195/50R16 84V	BSW	7.4	9.3
	195/55R16 87V	BSW	7.4	9.3
	195/60R16 89H	BSW	7.4	9.3
	205/55R16 91V	BSW	7.4	9.3
	205/60R16 92V	BSW	7.4	9.3
	205/65R16 95H	BSW	7.8	9.8
	215/55R16 97VXL	BSW	7.4	9.3
	215/60R16 95V	BSW	7.8	9.8
	215/65R16 98H	BSW	7.8	9.8
16	225/55R16 99VXL	BSW	7.4	9.3
	225/60R16 98H	BSW	7.8	9.8
	225/65R16 100H	BSW	7.8	9.8

CITYTRAXX H/P

HIGH PERFORMANCE

UTQG: 420 A A M+S

- ▶ Outstanding stylish pattern design for HP and UHP.
- ▶ The optimized pitch-alignment by simulation for quiet ride.
- ▶ High-density and wavy sipes design for comfortable and stable ride.
- ▶ High-dispersion silica compound for wet safety and efficiency.



HIGH PERFORMANCE

Rim	Sizes Description	Sidewall Description	Tread Depth MM 1/32"	
	205/40ZR17 84WXL	BSW	7.4	9.3
	205/45ZR17 88WXL	BSW	7.4	9.3
	205/50ZR17 93WXL	BSW	7.4	9.3
	205/55ZR17 95WXL	BSW	7.4	9.3
	215/45ZR17 91WXL	BSW	7.4	9.3
	215/50ZR17 95WXL	BSW	7.4	9.3
	215/55ZR17 98WXL	BSW	7.4	9.3
	225/45ZR17 94WXL	BSW	7.4	9.3
17	225/50ZR17 98WXL	BSW	7.4	9.3
	225/55ZR17 101WXL	BSW	7.4	9.3
	235/45ZR17 97WXL	BSW	7.4	9.3
	235/50ZR17 100WXL	BSW	7.4	9.3
	235/55ZR17 103WXL	BSW	7.4	9.3
	245/40ZR17 95WXL	BSW	7.4	9.3
	245/45ZR17 99WXL	BSW	7.4	9.3
	215/45ZR18 93WXL	BSW	7.4	9.3
	215/55ZR18 99WXL	BSW	7.4	9.3
	225/40ZR18 92WXL	BSW	7.4	9.3
	225/45ZR18 95WXL	BSW	7.4	9.3
	225/50ZR18 99WXL	BSW	7.4	9.3
	225/55ZR18 102WXL	BSW	7.4	9.3
	235/40ZR18 95WXL	BSW	7.4	9.3
	235/45ZR18 98WXL	BSW	7.4	9.3
	235/50ZR18 101WXL	BSW	7.4	9.3
18	235/55ZR18 104WXL	BSW	7.4	9.3

Made in Thailand



Rim	Sizes Description	Sidewall Description	Tread Depth MM 1/32"	
	245/40ZR18 97WXL	BSW	7.4	9.3
	245/45ZR18 100WXL	BSW	7.4	9.3
	245/50ZR18 104WXL	BSW	7.4	9.3
	255/35ZR18 94WXL	BSW	7.6	9.5
	255/40ZR18 99WXL	BSW	7.6	9.5
	255/45ZR18 103WXL	BSW	7.6	9.5
	265/35ZR18 97WXL	BSW	7.6	9.5
	225/40ZR19 93WXL	BSW	7.4	9.3
	225/45ZR19 96WXL	BSW	7.4	9.3
	225/55ZR19 103WXL	BSW	7.4	9.3
	235/40ZR19 96WXL	BSW	7.4	9.3
	235/45ZR19 99WXL	BSW	7.4	9.3
	235/50ZR19 103WXL	BSW	7.4	9.3
	235/55ZR19 105WXL	BSW	7.4	9.3
	245/35ZR19 93WXL	BSW	7.4	9.3
	245/40ZR19 98WXL	BSW	7.4	9.3
19	245/45ZR19 102WXL	BSW	7.4	9.3
	245/55ZR19 107WXL	BSW	7.4	9.3
	255/35ZR19 96WXL	BSW	7.6	9.5
	255/40ZR19 100WXL	BSW	7.6	9.5
	255/45ZR19 104WXL	BSW	7.6	9.5
	255/50ZR19 107WXL	BSW	7.6	9.5
	255/55ZR19 111WXL	BSW	7.6	9.5
	275/35ZR19 100WXL	BSW	7.6	9.5
	275/40ZR19 105WXL	BSW	7.6	9.5

Rim	Sizes Description	Sidewall Description	Tread Depth MM 1/32"
20	225/35ZR20 93WXL	BSW	7.4 9.3
	235/35ZR20 92WXL	BSW	7.4 9.3
	235/45ZR20 100WXL	BSW	7.4 9.3
	235/55ZR20 105WXL	BSW	7.4 9.3
	245/35ZR20 95WXL	BSW	7.4 9.3
	245/40ZR20 99WXL	BSW	7.4 9.3
	245/45ZR20 103WXL	BSW	7.4 9.3
	245/50ZR20 105WXL	BSW	7.4 9.3
	255/35ZR20 97WXL	BSW	7.6 9.5
	255/40ZR20 101WXL	BSW	7.6 9.5
	255/45ZR20 105WXL	BSW	7.6 9.5
	255/50ZR20 109WXL	BSW	7.6 9.5
	255/55ZR20 110WXL	BSW	7.6 9.5
	265/50ZR20 111WXL	BSW	7.6 9.5
	275/30ZR20 97WXL	BSW	7.6 9.5
	275/35ZR20 102WXL	BSW	7.6 9.5
21	275/40ZR20 106WXL	BSW	7.6 9.5
	275/45ZR20 110WXL	BSW	7.6 9.5
	315/35ZR20 110WXL	BSW	7.8 9.8
	265/45ZR21 108WXL	BSW	7.6 9.5
	275/40ZR21 107WXL	BSW	7.6 9.5
	275/45ZR21 110WXL	BSW	7.6 9.5
21	275/50ZR21 113WXL	BSW	7.6 9.5
	285/45ZR21 113WXL	BSW	7.8 9.8
	295/35ZR21 107WXL	BSW	7.8 9.8

Rim	Sizes Description	Sidewall Description	Tread Depth MM 1/32"
21	295/40ZR21 111WXL	BSW	7.8 9.8
	315/35ZR21 111WXL	BSW	7.8 9.8
22	245/30ZR22 92WXL	BSW	7.8 9.8
	255/30ZR22 95WXL	BSW	7.8 9.8
	265/30ZR22 97WXL	BSW	7.8 9.8
	265/35ZR22 102WXL	BSW	7.8 9.8
	265/40ZR22 106WXL	BSW	7.8 9.8
	265/50ZR22 112WXL	BSW	7.6 9.5
	275/40ZR22 108WXL	BSW	7.6 9.5
	275/45ZR22 112WXL	BSW	7.6 9.5
	275/50ZR22 115WXL	BSW	7.6 9.5
	285/35ZR22 106WXL	BSW	7.8 9.8
24	285/40ZR22 110WXL	BSW	7.8 9.8
	285/45ZR22 114WXL	BSW	7.8 9.8
	305/40ZR22 114WXL	BSW	7.8 9.8
	305/45ZR22 118WXL	BSW	7.8 9.8
	255/30ZR24 97WXL	BSW	7.8 9.8
	275/25ZR24 96WXL	BSW	7.8 9.8
26	295/35ZR24 110WXL	BSW	7.8 9.8
	305/35ZR24 112WXL	BSW	7.8 9.8
	295/30ZR26 107WXL	BSW	7.8 9.8
26	305/30ZR26 109WXL	BSW	7.8 9.8



CITY SPORT

SPORTY HIGH PERFORMANCE

UTQG: 240 A A M+S

- ▶ Stylish and striking pattern design.
- ▶ Large contact patch for great traction.
- ▶ Wide grooves and slanted 3-D blocks enhance performance on wet surfaces.



Made in Thailand



SPORTY HIGH PERFORMANCE

Rim	Sizes Description	Sidewall Description	Tread Depth	
			MM	1/32"
18	245/45ZR18 100WXL	BSW	7.4	9.3
	275/40ZR18 103WXL	BSW	7.4	9.3
	255/50R18 106VXL	BSW	7.4	9.3
	255/55R18 109VXL	BSW	7.4	9.3



CITYTRAXX H/T

HIGHWAY TERRAIN

UTQG: 480 A A (Only for P series) M+S

- ▶ Balancing optimal comfort, silence performance and reliable handling on highway-terrain.
- ▶ Even-wearing design and specialized compound for 50,000 mile limited tread wear.
- ▶ Strong shoulder design and highly inner engineering for durability.



HIGHWAY TERRAIN

Rim	Sizes Description	Sidewall Description	Tread Depth	
			MM	1/32"
16	205/70R16 97H	BSW	8.2	10.3
	215/70R16 100H	BSW	8.2	10.3
	225/70R16 107HXL	BSW	8.2	10.3
	235/60R16 100H	BSW	8.2	10.3
	235/65R16 107HXL	BSW	8.2	10.3
	235/70R16 106H	BSW	8.2	10.3
	245/70R16 111HXL	BSW	8.2	10.3
	255/70R16 111H	BSW	8.2	10.3
	265/70R16 112H	BSW	8.2	10.3
	275/70R16 114H	BSW	8.2	10.3
17	215/60R17 100HXL	BSW	8.2	10.3
	215/65R17 99H	BSW	8.2	10.3
	225/60R17 99H	BSW	8.2	10.3
	225/65R17 102H	BSW	8.2	10.3
	235/60R17 102H	BSW	8.2	10.3
	235/65R17 108HXL	BSW	8.2	10.3
	245/65R17 111HXL	BSW	8.2	10.3
	245/70R17 110H	BSW	8.2	10.3
	255/65R17 110H	BSW	8.2	10.3
	265/65R17 112H	BSW	8.2	10.3
18	265/70R17 115H	BSW	8.2	10.3
	275/65R17 115H	BSW	8.2	10.3
	285/65R17 116H	BSW	8.2	10.3
	225/60R18 100H	BSW	8.2	10.3
	235/60R18 107HXL	BSW	8.2	10.3
	235/65R18 110HXL	BSW	8.2	10.3
	245/60R18 105H	BSW	8.2	10.3
	255/55R18 109HXL	BSW	8.2	10.3
	255/60R18 112HXL	BSW	8.2	10.3
	255/65R18 111H	BSW	8.2	10.3

Rim	Sizes Description	Sidewall Description	Tread Depth	
			MM	1/32"
18	255/70R18 113H	BSW	8.2	10.3
	265/60R18 110H	BSW	8.2	10.3
	265/65R18 114H	BSW	8.2	10.3
	265/70R18 116H	BSW	8.2	10.3
	275/65R18 116H	BSW	8.2	10.3
	285/60R18 120HXL	BSW	8.2	10.3
20	265/55R20 115HXL	BSW	8.2	10.3
	275/55R20 117HXL	BSW	8.2	10.3
	275/60R20 119HXL	BSW	8.2	10.3
	285/50R20 116HXL	BSW	8.2	10.3
22	265/50R22 112HXL	BSW	8.2	10.3
	275/50R22 115HXL	BSW	8.2	10.3

Rim	Sizes Description	Ply	Sidewall Description	Tread Depth	
				MM	1/32"
15	LT235/75R15 104/101R	6PR/LR C	BSW	9.7	12.2
	215/70R16C 108/106T	6PR/LR C	BSW	9.7	12.2
	LT215/85R16 115/112R	10PR/LR E	BSW	9.7	12.2
16	LT225/75R16 115/112S	10PR/LR E	BSW	9.7	12.2
	235/65R16C 122/119R	10PR/LR E	BSW	9.7	12.2
	LT235/85R16 120/116S	10PR/LR E	BSW	9.7	12.2
	LT245/75R16 120/116S	10PR/LR E	BSW	9.7	12.2
	LT265/75R16 123/120S	10PR/LR E	BSW	9.7	12.2
	LT235/80R17 120/117S	10PR/LR E	BSW	9.7	12.2
17	LT245/70R17 119/116S	10PR/LR E	BSW	9.7	12.2
	LT245/75R17 121/118S	10PR/LR E	BSW	9.7	12.2
	LT265/70R17 121/118S	10PR/LR E	BSW	9.7	12.2
18	LT275/65R18 123/120S	10PR/LR E	BSW	9.7	12.2
	LT275/70R18 125/122S	10PR/LR E	BSW	9.7	12.2

ROVERTRAXX X/T

CROSSOVER TERRAIN

UTQG: 600 A A

M+S

- ▶ To improve your CUV's and SUV's performance with quiet and comfortable riding.
- ▶ The limited tread wear of 50,000 miles provides confidence with traction across many seasons.
- ▶ Serrated lateral grooves and wide circumferential grooves enhance off-road traction.
- ▶ Highly engineered for durability.



CROSSOVER TERRAIN

Rim	Sizes Description	Sidewall Description	Tread Depth MM 1/32"	
17	225/60R17 103HXL	RBL	9.0	11.3
	225/65R17 106HXL	RBL	9.0	11.3
	235/65R17 108HXL	RBL	9.0	11.3
	245/65R17 111HXL	RBL	9.0	11.3
	265/65R17 116TXL	RBL	9.0	11.3
	265/70R17 115T	RBL	9.0	11.3
18	225/55R18 102VXL	RBL	9.0	11.3
	235/55R18 104VXL	RBL	9.0	11.3
	235/60R18 107HXL	RBL	9.0	11.3
	235/65R18 110HXL	RBL	9.0	11.3
	245/60R18 109HXL	RBL	9.0	11.3
	265/60R18 114HXL	RBL	9.0	11.3
	265/65R18 118H	RBL	9.0	11.3
	275/65R18 116H	RBL	9.0	11.3

Made in Thailand



Rim	Sizes Description	Sidewall Description	Tread Depth MM 1/32"	
19	235/55R19 105VXL	RBL	9.0	11.3
	245/55R19 107VXL	RBL	9.0	11.3
	255/60R19 109H	RBL	9.0	11.3
	255/65R19 114V	RBL	9.0	11.3
20	245/50R20 105VXL	RBL	9.0	11.3
	245/60R20 107H	RBL	9.0	11.3
	255/50R20 109VXL	RBL	9.0	11.3
	255/55R20 110VXL	RBL	9.0	11.3
	255/60R20 113V	RBL	9.0	11.3
	265/50R20 111VXL	RBL	9.0	11.3
	275/55R20 117VXL	RBL	9.0	11.3
	275/60R20 116HXL	RBL	9.0	11.3
22	285/60R20 116H	RBL	9.0	11.3
	275/50R22 115VXL	RBL	9.0	11.3
	285/45R22 114H	RBL	9.0	11.3
	305/40R22 114V	RBL	9.0	11.3

EUROTRAXX A/S

ALL-SEASON HIGH PERFORMANCE

M+S



- Wide lateral grooves;Improved drain performance with wide and high angled grooves.
- High-density all season sipes;Enhanced block stiffness provides better driving performance on dry roads.
- Pitch variation technology;Optimized pitch variation technology provides more comfortable driving.
- The product's construction with 3D sipes provides outstanding grip performance in all season conditions.



Made in Thailand



ALL-SEASON HIGH PERFORMANCE

Rim	Sizes Description	Sidewall Description	Tread Depth	
			MM	1/32"
13	155/65R13 73T	BSW	6.4	8.1
	155/70R13 75T	BSW	6.4	8.1
	155/80R13 79T	BSW	6.4	8.1
	165/70R13 79T	BSW	6.4	8.1
	165/70R13 83TXL	BSW	6.4	8.1
	175/70R13 82T	BSW	6.6	8.3
14	155/65R14 75T	BSW	6.6	8.3
	165/60R14 79HXL	BSW	6.6	8.3
	165/65R14 79T	BSW	6.6	8.3
	165/70R14 81T	BSW	6.6	8.3
	175/65R14 82T	BSW	6.6	8.3
	175/65R14 86TXL	BSW	6.6	8.3
	175/70R14 84T	BSW	6.6	8.3
	175/70R14 88TXL	BSW	6.4	8.1
	185/60R14 82H	BSW	6.4	8.1
	185/65R14 86H	BSW	6.4	8.1
	185/70R14 88T	BSW	6.6	8.3
	195/70R14 91T	BSW	6.6	8.3
15	165/65R15 81H	BSW	6.6	8.3
	175/65R15 84H	BSW	6.6	8.3
	185/55R15 82H	BSW	6.6	8.3
	185/60R15 88HXL	BSW	6.6	8.3
	185/65R15 88H	BSW	6.6	8.3
	185/65R15 92HXL	BSW	6.6	8.3
	195/50R15 82V	BSW	6.8	8.6
	195/55R15 85V	BSW	6.8	8.6
	195/60R15 88V	BSW	6.8	8.6
	195/65R15 91H	BSW	6.8	8.6
	195/65R15 95HXL	BSW	6.8	8.6
	205/65R15 94V	BSW	6.8	8.6
16	215/65R15 96H	BSW	6.8	8.6
	195/45R16 84VXL	BSW	6.8	8.6
	195/50R16 88VXL	BSW	6.8	8.6
	195/55R16 87V	BSW	6.8	8.6
	195/55R16 91VXL	BSW	6.8	8.6
	195/60R16 89V	BSW	6.8	8.6
	205/45ZR16 87WXL	BSW	6.8	8.6
	205/50ZR16 91WXL	BSW	6.8	8.6
	205/55R16 91V	BSW	6.8	8.6
	205/55R16 94VXL	BSW	6.8	8.6
16	205/60R16 96VXL	BSW	6.8	8.6

Rim	Sizes Description	Sidewall Description	Tread Depth	
			MM	1/32"
16	215/45R16 90VXL	BSW	6.4	8.1
	215/55ZR16 97WXL	BSW	6.4	8.1
	215/60R16 99VXL	BSW	6.4	8.1
	215/65R16 98V	BSW	6.4	8.1
	225/55ZR16 99WXL	BSW	6.4	8.1
	225/60R16 102VXL	BSW	6.6	8.3
17	205/45ZR17 88WXL	BSW	6.6	8.3
	205/50ZR17 93WXL	BSW	6.6	8.3
	205/55ZR17 95WXL	BSW	6.6	8.3
	215/40ZR17 87WXL	BSW	6.6	8.3
	215/45ZR17 91WXL	BSW	6.6	8.3
	215/50ZR17 95WXL	BSW	6.6	8.3
	215/55ZR17 98WXL	BSW	6.6	8.3
	215/60R17 100VXL	BSW	6.4	8.1
	215/65R17 99V	BSW	6.4	8.1
	225/45ZR17 94YXL	BSW	6.4	8.1
	225/50ZR17 98YXL	BSW	6.6	8.3
	225/55ZR17 101WXL	BSW	6.6	8.3
18	225/60R17 103VXL	BSW	6.6	8.3
	225/65R17 106VXL	BSW	6.6	8.3
	235/45ZR17 97WXL	BSW	6.6	8.3
	235/55ZR17 103WXL	BSW	6.6	8.3
	235/65ZR17 108WXL	BSW	6.6	8.3
	215/55R18 99VXL	BSW	6.6	8.3
	225/40ZR18 92YXL	BSW	6.8	8.6
	225/45ZR18 95WXL	BSW	6.8	8.6
	225/55R18 98V	BSW	6.8	8.6
	235/45ZR18 98YXL	BSW	6.8	8.6
	235/50ZR18 101WXL	BSW	6.8	8.6
	235/55R18 104VXL	BSW	6.8	8.6
19	235/60ZR18 107WXL	BSW	6.8	8.6
	245/40ZR18 97YXL	BSW	6.8	8.6
	245/45ZR18 100YXL	BSW	6.8	8.6
	225/40ZR19 93YXL	BSW	6.8	8.6
	225/45ZR19 96YXL	BSW	6.8	8.6
	225/55ZR19 99W	BSW	6.8	8.6
	235/55ZR19 105WXL	BSW	6.8	8.6
	245/45ZR19 102YXL	BSW	6.8	8.6
	255/35ZR19 96YXL	BSW	6.8	8.6
	255/40ZR19 100YXL	BSW	6.8	8.6

DURATRAXX VAN A/S

ALL-SEASON COMMERCIAL VAN

M+S



- ▶ Straight 3-channel waterway resists hydroplaning for a safer drive in wet road conditions.
- ▶ Wide shoulder blocks are applied for a better grip and maximum road contact. Groove width is optimized for all-season performance.
- ▶ All season performance compound features a new compound developed with highly concentrated silica to maximize grip performance in wet, dry, and light snow.
- ▶ The product's construction with 3D sipes provides outstanding grip performance in all season conditions.



Made in Thailand



ALL-SEASON COMMERCIAL VAN

Rim	Sizes Description	Ply	Sidewall Description	Tread Depth	
				MM	1/32"
14	175/65R14C 90/88T	6PR/LR C	BSW	8.4	10.6
	175/70R14C 95/93T	6PR/LR C	BSW	8.4	10.6
15	195/70R15C 104/102S	8PR/LR D	BSW	8.7	11.0
	215/70R15C 109/107S	8PR/LR D	BSW	8.7	11.0
	225/70R15C 112/110S	8PR/LR D	BSW	8.7	11.0
16	185/75R16C 104/102S	8PR/LR D	BSW	8.4	10.6
	195/60R16C 99/97H	6PR/LR C	BSW	8.7	11.0
	195/65R16C 104/102S	8PR/LR D	BSW	8.7	11.0
	195/75R16C 107/105S	8PR/LR D	BSW	8.7	11.0
	205/65R16C 107/105T	8PR/LR D	BSW	8.7	11.0
	205/75R16C 113/111S	10PR/LR E	BSW	8.7	11.0
	215/60R16C 103/101T	6PR/LR C	BSW	8.7	11.0
	215/65R16C 109/107T	8PR/LR D	BSW	8.7	11.0
	215/75R16C 113/111S	8PR/LR D	BSW	8.7	11.0
	225/65R16C 112/110S	8PR/LR D	BSW	8.7	11.0
	235/65R16C 115/113S	8PR/LR D	BSW	8.7	11.0
	235/65R16C 121/119R	10PR/LR E	BSW	8.7	11.0

WILDTRAXX A/T

ALL TERRAIN

UTQG: 520 A B (Only for P series) M+S

- Specially designed to improve your everyday on and off adventures.
- All-terrain compound harmonized system to ensure longevity of tread wear.
- Highly engineered internal structure for durability.



ALL TERRAIN

Rim	Sizes Description	Sidewall Description	Tread Depth	
			MM	1/32"
16	245/70R16 111TXL	RWL	10.0	12.5
	245/75R16 111T	RWL	10.0	12.5
	255/70R16 111T	RWL	10.0	12.5
	265/70R16 112T	RWL	8.5	10.7
17	245/65R17 111TXL	RWL	10.0	12.5
	245/70R17 110T	RWL	10.0	12.5
	265/65R17 112T	RWL	8.5	10.7
	265/70R17 115T	RWL	10.0	12.5
18	265/60R18 114TXL	RWL	10.0	12.5
	265/65R18 116TXL	RWL	10.0	12.5
	265/70R18 116T	RWL	10.0	12.5
	275/65R18 116T	RWL	10.0	12.5
20	265/50R20 111TXL	RWL	10.0	12.5
	275/55R20 117TXL	RWL	10.0	12.5
	275/60R20 119TXL	RWL	10.0	12.5
	285/50R20 116TXL	RWL	10.0	12.5

Made in Thailand



Rim	Sizes Description	Ply	Sidewall Description	Tread Depth	
				MM	1/32"
15	LT235/75R15 104/101S	6PR/LRC	RWL	12.3	15.4
	31X10.50R15LT 109S	6PR/LRC	RWL	12.3	15.4
	33X12.50R15LT 108S	6PR/LRC	RWL	12.3	15.4
	35X12.50R15LT 113R	6PR/LRC	RWL	12.3	15.4
16	LT235/85R16120/116S	10PR/LRE	RWL	12.3	15.4
	LT245/75R16120/116S	10PR/LRE	RWL	12.3	15.4
	LT265/75R16123/120S	10PR/LRE	RWL	12.3	15.4
	LT285/75R16126/123S	10PR/LRE	RWL	12.3	15.4
17	LT305/70R16124/121S	10PR/LRE	RWL	12.3	15.4
	LT315/75R16127/124S	10PR/LRE	RWL	12.3	15.4
	LT235/80R17120/117S	10PR/LRE	RWL	12.3	15.4
	LT245/75R17121/118S	10PR/LRE	RWL	12.3	15.4
18	LT265/70R17121/118S	10PR/LRE	RWL	12.3	15.4
	LT285/70R17121/118S	10PR/LRE	RWL	12.3	15.4
	LT265/70R18124/121S	10PR/LRE	RWL	12.3	15.4
	LT275/65R18123/120S	10PR/LRE	RWL	12.3	15.4
20	LT275/70R18125/122S	10PR/LRE	RWL	12.3	15.4
	LT285/65R18125/122S	10PR/LRE	RWL	12.3	15.4
	LT265/60R20121/118S	10PR/LRE	RWL	12.3	15.4
	LT275/60R20123/120S	10PR/LRE	RWL	12.3	15.4

WILDTRAXX R/T

RUGGED TERRAIN

M+S

- Dynamic hybrid tread design for comfortable and capable on/off-road ride.
- Reinforcing construction with 3-body plies to resist road hazards.
- The specialized tread compound for long wearing service.



Made in Thailand

RUGGED TERRAIN

3PLY
SIDEWALL

50KI
MILE

Stronger

ON&OFF

Control

Mileage

Rim	Sizes Description	Ply	Sidewall Description	Tread Depth	
				MM	1/32"
16	LT265/75R16 123/120S	10PR/LR E	RBL	13.1	16.5
	LT285/75R16 126/123S	10PR/LR E	RBL	13.1	16.5
17	LT265/70R17 121/118S	10PR/LR E	RBL	13.1	16.5
	LT285/70R17 121/118S	10PR/LR E	RBL	13.1	16.5
	LT305/65R17 121/118S	10PR/LR E	RBL	13.1	16.5
	LT315/70R17 121/118S	10PR/LR E	RBL	13.1	16.5
18	LT285/65R18 125/122Q	10PR/LR E	RBL	13.1	16.5
	LT285/70R18 127/124Q	10PR/LR E	RBL	13.1	16.5
	LT305/60R18 121/118S	10PR/LR E	RBL	13.1	16.5
	LT325/65R18 127/124S	10PR/LR E	RBL	13.1	16.5
20	LT275/55R20 120/117S	10PR/LR E	RBL	13.1	16.5
	LT285/55R20 122/119S	10PR/LR E	RBL	13.1	16.5
	33X12.50R20LT 123R	12PR/LR F	RBL	13.1	16.5
	35X12.50R20LT 126R	12PR/LR F	RBL	13.1	16.5
22	33X12.50R22LT 123R	12PR/LR F	RBL	13.1	16.5
	35X12.50R22LT 126R	12PR/LR F	RBL	13.1	16.5
24	35X12.50R24LT 126R	12PR/LR F	RBL	13.1	16.5
	37X13.50R24LT 129R	12PR/LR F	RBL	13.1	16.5

WILDTRAXX M/T

MUD TERRAIN

M+S

- The aggressive tread blocks are designed for super off-road performance.
- Self-cleaning, deep grooves provide 50,000-mile service.
- Highly engineered 3-body plies ensure long-mileage durability.
- An anti-cutting compound with strong construction resists various hazards.



Made in Thailand

3PLY
SIDEWALL

50K MILE

ON/OFF

Stronger

Control

Mileage

MUD TERRAIN

Rim	Sizes Description	Ply	Sidewall Description	Tread Depth	
				MM	1/32"
15	31X10.50R15LT 109Q	6PR/LR C	RBL	15.0	18.8
	33X12.50R15LT 108Q	6PR/LR C	RBL	15.0	18.8
16	LT245/75R16 120/116Q	10PR/LR E	RBL	15.0	18.8
	LT265/75R16 123/120Q	10PR/LR E	RBL	15.0	18.8
	LT285/75R16 126/123Q	10PR/LR E	RBL	15.0	18.8
	LT315/75R16 127/124Q	10PR/LR E	RBL	15.0	18.8
17	LT265/70R17 121/118Q	10PR/LR E	RBL	15.0	18.8
	LT285/70R17 121/118Q	10PR/LR E	RBL	15.0	18.8
	33X12.50R17LT 120Q	10PR/LR E	RBL	15.0	18.8
	35X12.50R17LT 121Q	10PR/LR E	RBL	15.0	18.8
18	LT275/65R18 123/120Q	10PR/LR E	RBL	15.0	18.8
	LT285/65R18 125/122Q	10PR/LR E	RBL	15.0	18.8
	33X12.50R18LT 118Q	10PR/LR E	RBL	15.0	18.8
	35X12.50R18LT 123Q	10PR/LR E	RBL	15.0	18.8
20	33X12.50R20LT 114Q	10PR/LR E	RBL	15.0	18.8
	35X12.50R20LT 121Q	10PR/LR E	RBL	15.0	18.8
	37X13.50R20LT 127Q	10PR/LR E	RBL	15.0	18.8
	40X15.50R20LT 130Q	10PR/LR E	RBL	15.0	18.8
22	33X12.50R22LT 109Q	10PR/LR E	RBL	15.0	18.8
	35X12.50R22LT 117Q	10PR/LR E	RBL	15.0	18.8
	37X13.50R22LT 123Q	10PR/LR E	RBL	15.0	18.8
	40X15.50R22LT 128Q	10PR/LR E	RBL	15.0	18.8
24	33X12.50R24LT 104Q	10PR/LR E	RBL	15.0	18.8
	35X12.50R24LT 114Q	10PR/LR E	RBL	15.0	18.8

ROCKTRAXX M/T

MUD TERRAIN

M+S

- ▶ Large side lugs with unique striking design.
- ▶ Tread with high-frequency biting edges and surfaces.
- ▶ 3-body plies construction.
- ▶ Specialized tread compound offers high tread wear resistance.



Made in Thailand

MUD TERRAIN

3 PLY
SIDEWALL

50KI
MILE

ON&OFF

Stronger

Control

Mileage

Rim	Sizes Description	Ply	Sidewall Description	Tread Depth	
				MM	1/32"
17	37X12.50R17LT 128Q	10PR/LR E	RBL	15.5	19.5

The ROCKTRAXX M/T features an innovative design to deliver versatile mud terrain performance, providing excellent traction both on and off-road. The tread pattern design in BBDT@ theory and 3-Ply internal engineering provide off-road performance, quick steering response and stability .



PEAKTRAXX UHP

ULTRA HIGH PERFORMANCE

UTQG: 420 A A

M+S

- ▶ Asymmetrical tread block geometry for even tread wear, excellent handling, and high-speed highway stability.
- ▶ Large outside blocks for enhanced braking and cornering responsiveness.
- ▶ Two wide circumferential grooves, efficiently channel water away to minimize hydroplaning.
- ▶ Variable pitch layout, optimized sipes distribution and grooves design to improve driving comfort.



Made in Cambodia



ULTRA HIGH PERFORMANCE

Rim	Sizes Description	Sidewall Description	Tread Depth	
			MM	1/32"
22	245/30ZR22 92WXL	BSW	7.6	9.6
	255/30ZR22 95WXL	BSW	7.6	9.6
	265/30ZR22 97WXL	BSW	7.6	9.6
	265/35ZR22 102WXL	BSW	7.6	9.6
	265/40ZR22 106WXL	BSW	7.6	9.6
	275/50ZR22 115WXL	BSW	7.6	9.6
	285/35ZR22 106WXL	BSW	7.6	9.6
	285/40ZR22 110WXL	BSW	7.6	9.6
	285/45ZR22 114WXL	BSW	7.6	9.6
	295/25ZR22 97WXL	BSW	7.6	9.6
	305/40ZR22 114WXL	BSW	7.6	9.6
	305/45ZR22 118WXL	BSW	7.6	9.6
24	255/30ZR24 97WXL	BSW	7.6	9.6
	275/25ZR24 96WXL	BSW	7.6	9.6
	295/35ZR24 110WXL	BSW	7.6	9.6
	305/35ZR24 112WXL	BSW	7.6	9.6
26	295/30ZR26 107WXL	BSW	7.6	9.6
	305/30ZR26 109WXL	BSW	7.6	9.6

PEAKTRAXX ATX

ALL TERRAIN

UTQG: 500 A A (Only for P series) M+S

- ▶ Strength engineering and central large blocks deliver off-road traction + on-road stability.
- ▶ Rugged and extended over-the-shoulder tread for enough gripping and cuts prevented in harsh off-roading.
- ▶ Wide-narrow groove arrangement reduces road noise and improves traction.
- ▶ Strong inner structure + optimal biting edges: better handling, stable dirt/mud/snow performance, quiet rides.



Made in Cambodia



ALL TERRAIN

Rim	Sizes Description	Sidewall Description	Tread Depth	
			MM	1/32"
17	P225/65R17 102T	RWL	9.0	11.3
	P235/65R17 104T	RWL	9.0	11.3
	P245/65R17 111TXL	RWL	9.0	11.3
	P245/70R17 110T	RWL	9.0	11.3
18	P235/60R18 107TXL	RWL	9.0	11.3
	P245/60R18 105T	RWL	9.0	11.3
19	P235/55R19 105TXL	RWL	9.0	11.3
	P245/55R19 103T	RWL	9.0	11.3
20	P245/50R20 102T	RWL	9.0	11.3
	P255/50R20 109TXL	RWL	9.0	11.3
22	P275/50R22 115HXL	RWL	9.0	11.3
	P285/45R22 114HXL	RWL	9.0	11.3

Rim	Sizes Description	Ply	Sidewall Description	Tread Depth	
				MM	1/32"
17	LT305/65R17 121/118S	10PR/LR E	RWL	11.3	14.2
	LT315/70R17 121/118S	10PR/LR E	RWL	11.3	14.2
18	LT285/65R18 125/122S	10PR/LR E	RWL	11.3	14.2
	LT285/75R18 129/126R	10PR/LR E	RWL	11.3	14.2
	LT305/70R18 126/123R	10PR/LR E	RWL	11.3	14.2
	LT325/65R18 127/124S	10PR/LR E	RWL	11.3	14.2
20	LT285/55R20 122/119S	10PR/LR E	RWL	11.3	14.2
	LT285/60R20 125/122S	10PR/LR E	RWL	11.3	14.2
	LT295/60R20 126/123R	10PR/LR E	RWL	11.3	14.2
	LT305/55R20 121/118S	10PR/LR E	RWL	11.3	14.2
	33X12.50R20LT 114R	10PR/LR E	RWL	11.3	14.2
	35X12.50R20LT 125R	12PR/LR F	RWL	11.3	14.2
22	33X12.50R22LT 109S	10PR/LR E	RWL	11.3	14.2
	35X12.50R22LT 121R	12PR/LR F	RWL	11.3	14.2
24	35X12.50R24LT 116R	12PR/LR F	RWL	11.3	14.2
	37X13.50R24LT 124R	12PR/LR F	RWL	11.3	14.2



LANDSPIDER TIRE INC.
WWW.LANDSPIDERTIREUSA.COM
ADD.: 2790 SKYPARK DRIVE SUITE 210 TORRANCE, CA 90505