LANDSPIDER

MADE IN THAILAND

CATALOGUE 2026

Passenger Car, SUV and Light Truck

MIDDLE EAST&AFRICA

Introduction

Experience the difference with Landspider - your trusted partner for all your tire needs at anytime,everywhere.

Qingdao Landspider Tire Corp., Ltd is dedicated to enhancing the driving experience for every customer by crafting exceptional tires that prioritize comfort, safety, and performance. With over 12 years of rapid expansion, we have emerged as the leading tire supplier in China, achieving a total turnover of $430 million in 2023 and aiming for $500 million in 2025, with a global reach extending to more than 150 countries and regions.

With a deep understanding of the unique demands of middle east&africa consumers, we specialize in developing cutting-edge products tailored specifically for this market segment. Our tires are meticulously designed and developed to address the diverse needs and preferences of middle east&africa consumers, meeting stringent standards and requirements. Leveraging advanced Industry 4.0 production techniques, our state-of-the-art facilities guarantee superior performance and reliability in every tire we produce.

As a new entrant in the market, Landspider brand offers a diverse range of tire options to meet the evolving demands of consumers, ranging from compact to luxury vehicles. Our tires are engineered to deliver superior performance, including improved fuel economy, a quiet and comfortable ride, and extended longevity. We prioritize teamwork, innovation, safety, and market orientation, ensuring professional-grade products that can be customized to meet individual requirements.

Choose Landspider for premium-quality tires tailored to the European market, continuous innovation, industry-leading manufacturing processes, and exceptional after-sales service.

Contents

passenger car,suv,light truck

01 CITYTRAXX G/P

03 GRETRAXX TOURING

05 CITYTRAXX H/P

09 CITY SPORT

11 CITYTRAXX H/T

13 ROVERTRAXX X/T

15 WILDTRAXX A/T

17 WILDTRAXX R/T

19 WILDTRAXX M/T

21 ROCKTRAXX M/T

Made In Thailand

UTQG:560 A A M+S

CITYTRAXX G/P

RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
13-16	H/T/V	50-80	155-225

Benefits and Features

The value-oriented year-round tire for car, Minivans and CUVs.
Long tread life and comfortable ride.
Highly engineered contour and internal structure for even contact and durability.
Special silica compound for better wet and fuel efficiency performance.

ALL SEASON TOURING

Control | Mileage | Comfortable | Quieter Ride

Sizes Description	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
155/80R13 79T	BSW	7.4	9.3
165/80R13 83T	BSW	7.4	9.3
175/70R13 82T	BSW	7.4	9.3
165/60R14 75H	BSW	7.4	9.3
165/65R14 79H	BSW	7.4	9.3
175/65R14 86TXL	BSW	7.4	9.3
175/70R14 84H	BSW	7.4	9.3
185/60R14 82H	BSW	7.4	9.3
185/65R14 86H	BSW	7.4	9.3
185/70R14 88H	BSW	7.4	9.3
195/70R14 91H	BSW	7.4	9.3
205/70R14 95H	BSW	7.4	9.3
175/55R15 77H	BSW	7.4	9.3
175/60R15 81V	BSW	7.4	9.3
175/65R15 84H	BSW	7.4	9.3
185/55R15 82V	BSW	7.4	9.3
185/60R15 84H	BSW	7.4	9.3
185/65R15 88H	BSW	7.4	9.3
195/50R15 82V	BSW	7.4	9.3
195/55R15 85V	BSW	7.4	9.3
195/60R15 88H	BSW	7.4	9.3

Sizes Description	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
195/65R15 91H	BSW	7.4	9.3
205/60R15 91V	BSW	7.4	9.3
205/65R15 94H	BSW	7.8	9.8
205/70R15 96H	BSW	7.8	9.8
215/65R15 96H	BSW	7.8	9.8
215/70R15 98H	BSW	7.8	9.8
225/70R15 100H	BSW	7.8	9.8
185/55R16 83V	BSW	7.4	9.3
195/50R16 84V	BSW	7.4	9.3
195/55R16 87V	BSW	7.4	9.3
195/60R16 89H	BSW	7.4	9.3
205/55R16 91V	BSW	7.4	9.3
205/60R16 92V	BSW	7.4	9.3
205/65R16 95H	BSW	7.8	9.8
215/55R16 97VXL	BSW	7.4	9.3
215/60R16 95V	BSW	7.8	9.8
215/65R16 98H	BSW	7.8	9.8
225/55R16 99VXL	BSW	7.4	9.3
225/60R16 98H	BSW	7.8	9.8
225/65R16 100H	BSW	7.8	9.8

UTQG:380 A A

GRETRAXX TOURING

RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
14-18	H/T/V/W	45-70	155-235

Benefits and Features

Non-symmetric from outside to inside for high-class performance.
With close stiffness of two shoulders design, more freedom is allowed.
High performance compound and optimal block/voild ratio ensures for great dry braking and handling.
Anti-closing design to improve road grip especiall in wet conditions.

SW	Series	Number of groove
≤175	all	3
185	≥70	3
	≤65	4
≥195	all	4

ECO COMFORT

Quieter Ride | Comfortable | Efficiency | Control

Sizes Description	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
155/65R14 75T	BSW	6.4	8.1
165/60R14 75H	BSW	6.4	8.1
165/65R14 79T	BSW	6.4	8.1
165/70R14 81T	BSW	6.4	8.1
165/70R14 85TXL	BSW	6.4	8.1
175/65R14 82H	BSW	6.6	8.3
175/65R14 86TXL	BSW	6.6	8.3
175/70R14 84H	BSW	6.6	8.3
175/70R14 88TXL	BSW	6.6	8.3
185/55R14 80V	BSW	6.6	8.3
185/60R14 82H	BSW	6.6	8.3
185/65R14 86H	BSW	6.6	8.3
185/70R14 88T	BSW	6.6	8.3
155/60R15 74H	BSW	6.4	8.1
165/60R15 81TXL	BSW	6.4	8.1
165/65R15 81H	BSW	6.4	8.1
175/55R15 77H	BSW	6.6	8.3
175/60R15 81H	BSW	6.6	8.3
175/65R15 84H	BSW	6.6	8.3
185/55R15 82V	BSW	6.6	8.3
185/60R15 84H	BSW	6.6	8.3
185/60R15 88HXL	BSW	6.6	8.3
185/65R15 88H	BSW	6.6	8.3
185/65R15 92HXL	BSW	6.6	8.3
195/50R15 82V	BSW	6.8	8.6
195/55R15 85V	BSW	6.8	8.6
195/60R15 88H	BSW	6.8	8.6
195/65R15 91V	BSW	6.8	8.6
195/65R15 95HXL	BSW	6.8	8.6
205/60R15 91V	BSW	6.8	8.6
205/65R15 94V	BSW	6.8	8.6
215/65R15 96H	BSW	6.8	8.6

Sizes Description	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
185/55R16 87VXL	BSW	6.6	8.3
195/45R16 84VXL	BSW	6.8	8.6
195/50R16 84V	BSW	6.8	8.6
195/55R16 87V	BSW	6.8	8.6
195/55R16 91VXL	BSW	6.8	8.6
195/60R16 89V	BSW	6.8	8.6
205/45R16 87WXL	BSW	6.8	8.6
205/50R16 87W	BSW	6.8	8.6
205/50R16 91WXL	BSW	6.8	8.6
205/55R16 91V	BSW	6.8	8.6
205/55R16 94WXL	BSW	6.8	8.6
205/60R16 92V	BSW	6.8	8.6
205/60R16 96VXL	BSW	6.8	8.6
215/45R16 90WXL	BSW	6.8	8.6
215/55R16 97WXL	BSW	6.8	8.6
215/60R16 99VXL	BSW	6.8	8.6
215/65R16 98V	BSW	6.8	8.6
215/70R16 100H	BSW	6.8	8.6
225/55R16 99WXL	BSW	7.0	8.8
225/60R16 102VXL	BSW	7.0	8.8
235/60R16 100H	BSW	7.0	8.8
215/60R17 100VXL	BSW	6.8	8.6
215/65R17 99V	BSW	6.8	8.6
225/60R17 103VXL	BSW	7.0	8.8
225/65R17 106VXL	BSW	7.0	8.8
235/65R17 108VXL	BSW	7.0	8.8
225/60R18 104VXL	BSW	7.0	8.8
235/60R18 107VXL	BSW	7.0	8.8

UTQG:420 A A M+S

CITYTRAXX H/P

RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
17-26	W/Y	25-55	205-315

Benefits and Features

Outstanding stylish pattern design for HP and UHP.
The optimized pitch-alignment by simulation for quiet ride.
High-dense and wavy sipes design for comfortable and stable ride.
High-dispersion silica compound.

HIGH PERFORMANCE

Wet Traction | Comfortable | Control | Mileage

Sizes Description	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
205/40ZR17 84WXL	BSW	7.4	9.3
205/45ZR17 88WXL	BSW	7.4	9.3
205/50ZR17 93WXL	BSW	7.4	9.3
205/55ZR17 95WXL	BSW	7.4	9.3
215/45ZR17 91WXL	BSW	7.4	9.3
215/50ZR17 95WXL	BSW	7.4	9.3
215/55ZR17 98WXL	BSW	7.4	9.3
225/45ZR17 94WXL	BSW	7.4	9.3
225/50ZR17 98WXL	BSW	7.4	9.3
225/55ZR17 101WXL	BSW	7.4	9.3
235/45ZR17 97WXL	BSW	7.4	9.3
235/50ZR17 100WXL	BSW	7.4	9.3
235/55ZR17 103WXL	BSW	7.4	9.3
245/40ZR17 95WXL	BSW	7.4	9.3
245/45ZR17 99WXL	BSW	7.4	9.3

Sizes Description	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
215/45ZR18 93WXL	BSW	7.4	9.3
215/55ZR18 99WXL	BSW	7.4	9.3
225/40ZR18 92WXL	BSW	7.4	9.3
225/45ZR18 95WXL	BSW	7.4	9.3
225/50ZR18 99WXL	BSW	7.4	9.3
225/55ZR18 102WXL	BSW	7.4	9.3
235/40ZR18 95WXL	BSW	7.4	9.3
235/45ZR18 98WXL	BSW	7.4	9.3
235/50ZR18 101WXL	BSW	7.4	9.3
235/55ZR18 104WXL	BSW	7.4	9.3
245/40ZR18 97WXL	BSW	7.4	9.3
245/45ZR18 100WXL	BSW	7.4	9.3
245/50ZR18 104WXL	BSW	7.4	9.3
255/35ZR18 94WXL	BSW	7.6	9.5
255/40ZR18 99WXL	BSW	7.6	9.5
255/45ZR18 103WXL	BSW	7.6	9.5
265/35ZR18 97WXL	BSW	7.6	9.5

Sizes Description	Sidewall Description	Tread Depth MM	1/32"
225/40ZR19 93WXL	BSW	7.4	9.3
225/45ZR19 96WXL	BSW	7.4	9.3
225/55ZR19 103WXL	BSW	7.4	9.3
235/40ZR19 96WXL	BSW	7.4	9.3
235/45ZR19 99WXL	BSW	7.4	9.3
235/50ZR19 103WXL	BSW	7.4	9.3
235/55ZR19 105WXL	BSW	7.4	9.3
245/35ZR19 93WXL	BSW	7.4	9.3
245/40ZR19 98WXL	BSW	7.4	9.3
245/45ZR19 102WXL	BSW	7.4	9.3
245/55ZR19 107WXL	BSW	7.4	9.3
255/35ZR19 96WXL	BSW	7.6	9.5
255/40ZR19 100WXL	BSW	7.6	9.5
255/45ZR19 104WXL	BSW	7.6	9.5
255/50ZR19 107WXL	BSW	7.6	9.5
255/55ZR19 111WXL	BSW	7.6	9.5
275/35ZR19 100WXL	BSW	7.6	9.5
275/40ZR19 105WXL	BSW	7.6	9.5
225/35ZR20 93WXL	BSW	7.4	9.3
235/35ZR20 92WXL	BSW	7.4	9.3
235/45ZR20 100WXL	BSW	7.4	9.3
235/55ZR20 105WXL	BSW	7.4	9.3
245/35ZR20 95WXL	BSW	7.4	9.3
245/40ZR20 99WXL	BSW	7.4	9.3
245/45ZR20 103WXL	BSW	7.4	9.3
245/50ZR20 105WXL	BSW	7.4	9.3
255/35ZR20 97WXL	BSW	7.6	9.5
255/40ZR20 101WXL	BSW	7.6	9.5
255/45ZR20 105WXL	BSW	7.6	9.5
255/50ZR20 109WXL	BSW	7.6	9.5
255/55ZR20 110WXL	BSW	7.6	9.5
265/50ZR20 111WXL	BSW	7.6	9.5
275/30ZR20 97WXL	BSW	7.6	9.5
275/35ZR20 102WXL	BSW	7.6	9.5
275/40ZR20 106WXL	BSW	7.6	9.5
275/45ZR20 110WXL	BSW	7.6	9.5
315/35ZR20 110WXL	BSW	7.8	9.8

Sizes Description	Sidewall Description	Tread Depth MM	1/32"
265/45ZR21 108YXL	BSW	7.6	9.5
275/40ZR21 107YXL	BSW	7.6	9.5
275/45ZR21 110WXL	BSW	7.6	9.5
275/50ZR21 113WXL	BSW	7.6	9.5
285/45ZR21 113WXL	BSW	7.8	9.8
295/35ZR21 107WXL	BSW	7.8	9.8
295/40ZR21 111WXL	BSW	7.8	9.8
315/35ZR21 111YXL	BSW	7.8	9.8
245/30ZR22 92WXL	BSW	7.8	9.8
255/30ZR22 95WXL	BSW	7.8	9.8
265/30ZR22 97WXL	BSW	7.8	9.8
265/35ZR22 102WXL	BSW	7.8	9.8
265/40ZR22 106WXL	BSW	7.8	9.8
265/50ZR22 112YXL	BSW	7.6	9.5
275/40ZR22 108YXL	BSW	7.6	9.5
275/45ZR22 112YXL	BSW	7.6	9.5
275/50ZR22 115YXL	BSW	7.6	9.5
285/35ZR22 106WXL	BSW	7.8	9.8
285/40ZR22 110WXL	BSW	7.8	9.8
285/45ZR22 114WXL	BSW	7.8	9.8
305/40ZR22 114WXL	BSW	7.8	9.8
305/45ZR22 118WXL	BSW	7.8	9.8
255/30ZR24 97WXL	BSW	7.8	9.8
275/25ZR24 96WXL	BSW	7.8	9.8
295/35ZR24 110WXL	BSW	7.8	9.8
305/35ZR24 112WXL	BSW	7.8	9.8
295/30ZR26 107WXL	BSW	7.8	9.8
305/30ZR26 109WXL	BSW	7.8	9.8

UTQG:240 A A M+S

CITY SPORT

RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
18	W/V	40-55	245-275

Benefits and Features

Stylish and striking pattern design.
Large contact patch for great traction.
Wide grooves and slanted 3-D blocks increase wet performance.

SPORTY HIGH PERFORMANCE

Control | Comfortable | Wet Traction | Mileage

Sizes Description	Sidewall Description	Tread Depth MM	1/32"
245/45ZR18 100WXL	BSW	7.4	9.3
275/40ZR18 103WXL	BSW	7.4	9.3
255/50R18 106VXL	BSW	7.4	9.3
255/55R18 109VXL	BSW	7.4	9.3

UTQG:480 A A M+S

CITYTRAXX H/T

RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
16-18	H/T/R/S	55-85	205-285

Benefits and Features

Balancing optimal comfort, silence performance and reliable handling on highway-terrain.
Even-wearing design and specialized compound for 50,000 mile limited tread wear.
Strong shoulder design and highly inner engineering for durability.

HIGH WAY TERRAIN

50K MILE

Control | Mileage | Comfortable | Stronger

Sizes Description	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
205/70R16 97H	BSW	8.2	10.3
215/70R16 100H	BSW	8.2	10.3
225/70R16 107HXL	BSW	8.2	10.3
235/60R16 100H	BSW	8.2	10.3
235/65R16 107HXL	BSW	8.2	10.3
235/70R16 106H	BSW	8.2	10.3
245/70R16 111HXL	BSW	8.2	10.3
255/70R16 111H	BSW	8.2	10.3
265/70R16 112H	BSW	8.2	10.3
275/70R16 114H	BSW	8.2	10.3
215/60R17 100HXL	BSW	8.2	10.3
215/65R17 99H	BSW	8.2	10.3
225/60R17 99H	BSW	8.2	10.3
225/65R17 102H	BSW	8.2	10.3
235/60R17 102H	BSW	8.2	10.3
235/65R17 108HXL	BSW	8.2	10.3
245/65R17 111HXL	BSW	8.2	10.3
245/70R17 110H	BSW	8.2	10.3
255/65R17 110H	BSW	8.2	10.3
265/65R17 112H	BSW	8.2	10.3
265/70R17 115H	BSW	8.2	10.3
275/65R17 115H	BSW	8.2	10.3
285/65R17 116H	BSW	8.2	10.3
225/60R18 100H	BSW	8.2	10.3
235/60R18 107HXL	BSW	8.2	10.3
235/65R18 110HXL	BSW	8.2	10.3
245/60R18 105H	BSW	8.2	10.3
255/55R18 109HXL	BSW	8.2	10.3

Sizes Description	Ply	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
255/60R18 112HXL		BSW	8.2	10.3
255/65R18 111H		BSW	8.2	10.3
255/70R18 113H		BSW	8.2	10.3
265/60R18 110H		BSW	8.2	10.3
265/65R18 114H		BSW	8.2	10.3
265/70R18 116H		BSW	8.2	10.3
275/65R18 116H		BSW	8.2	10.3
285/60R18 120HXL		BSW	8.2	10.3
265/55R20 115HXL		BSW	8.2	10.3
275/55R20 117HXL		BSW	8.2	10.3
275/60R20 119HXL		BSW	8.2	10.3
285/50R20 116HXL		BSW	8.2	10.3
215/70R16C 108/106T	6PR/LR C	BSW	9.7	12.2
235/65R16C 122/119R	10PR/LR E	BSW	9.7	12.2
LT235/75R15 104/101R	6PR/LR C	BSW	9.7	12.2
LT215/85R16 115/112R	10PR/LR E	BSW	9.7	12.2
LT225/75R16 115/112S	10PR/LR E	BSW	9.7	12.2
LT235/85R16 120/116S	10PR/LR E	BSW	9.7	12.2
LT245/75R16 120/116S	10PR/LR E	BSW	9.7	12.2
LT265/75R16 123/120S	10PR/LR E	BSW	9.7	12.2
LT235/80R17 120/117S	10PR/LR E	BSW	9.7	12.2
LT245/70R17 119/116S	10PR/LR E	BSW	9.7	12.2
LT245/75R17 121/118S	10PR/LR E	BSW	9.7	12.2
LT265/70R17 121/118S	10PR/LR E	BSW	9.7	12.2
LT275/65R18 123/120S	10PR/LR E	BSW	9.7	12.2
LT275/70R18 125/122S	10PR/LR E	BSW	9.7	12.2



UTQG:600 A A M+S

ROVERTRAXX X/T

RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
17-22	H/T/V	45-70	225-285

Benefits and Features

To improve your CUV's and SUV's performance with quiet and comfortable riding.
The limited tread wear of 50,000 miles provides confidence with traction across many seasons.
Serrated lateral grooves and wide circumferential grooves enhance off-road traction.
Highly engineered for durability.

CROSSOVER TERRAIN

50K MILE

Control | Comfortable | Stronger | Mileage

Sizes Description	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
225/60R17 103HXL	RBL	9.0	11.3
225/65R17 106HXL	RBL	9.0	11.3
235/65R17 108HXL	RBL	9.0	11.3
245/65R17 111HXL	RBL	9.0	11.3
265/65R17 116TXL	RBL	9.0	11.3
265/70R17 115T	RBL	9.0	11.3
225/55R18 102VXL	RBL	9.0	11.3
235/55R18 104VXL	RBL	9.0	11.3
235/60R18 107HXL	RBL	9.0	11.3
235/65R18 110HXL	RBL	9.0	11.3
245/60R18 109HXL	RBL	9.0	11.3
265/60R18 114HXL	RBL	9.0	11.3
265/65R18 116HXL	RBL	9.0	11.3
275/65R18 116H	RBL	9.0	11.3

Sizes Description	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
235/55R19 105VXL	RBL	9.0	11.3
245/55R19 107VXL	RBL	9.0	11.3
245/50R20 105VXL	RBL	9.0	11.3
255/50R20 109VXL	RBL	9.0	11.3
255/55R20 110VXL	RBL	9.0	11.3
265/50R20 111VXL	RBL	9.0	11.3
275/55R20 117VXL	RBL	9.0	11.3
275/60R20 116HXL	RBL	9.0	11.3
275/50R22 111H	RBL	9.0	11.3
285/45R22 114VXL	RBL	9.0	11.3

UTQG:520 A B M+S

WILDTRAXX A/T

RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
15-20	T/S	50-85	235-315

Benefits and Features

Specially designed to improve your everyday on and off adventures.
All-terrain compound harmonized system to ensure longevity of tread wear.
Highly engineered internal structure for durability.

ALL TERRAIN

55K MILE

Control | Stronger | Mileage | ON&OFF

Sizes Description	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
P245/70R16 111TXL	RWL	10.0	12.5
P245/75R16 111T	RWL	10.0	12.5
P255/70R16 111T	RWL	10.0	12.5
P265/70R16 112T	RWL	8.5	10.7
P245/65R17 111TXL	RWL	10.0	12.5
P245/70R17 110T	RWL	10.0	12.5
P265/65R17 112T	RWL	8.5	10.7
P265/70R17 115T	RWL	10.0	12.5
P265/60R18 114TXL	RWL	10.0	12.5
P265/65R18 116TXL	RWL	10.0	12.5
P265/70R18 116T	RWL	10.0	12.5
P275/65R18 116T	RWL	10.0	12.5
P265/50R20 111TXL	RWL	10.0	12.5
P275/55R20 117TXL	RWL	10.0	12.5
P275/60R20 119TXL	RWL	10.0	12.5
P285/50R20 116TXL	RWL	10.0	12.5

Sizes Description	Ply	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
31X10.50R15LT 109S	6PR/LR C	RWL	12.3	15.4
33X12.50R15LT 108S	6PR/LR C	RWL	12.3	15.4
35X12.50R15LT 113R	6PR/LR C	RWL	12.3	15.4
LT235/75R15 104/101S	6PR/LR C	RWL	12.3	15.4
LT235/85R16 120/116S	10PR/LR E	RWL	12.3	15.4
LT245/75R16 120/116S	10PR/LR E	RWL	12.3	15.4
LT265/75R16 123/120S	10PR/LR E	RWL	12.3	15.4
LT285/75R16 126/123S	10PR/LR E	RWL	12.3	15.4
LT305/70R16 124/121S	10PR/LR E	RWL	12.3	15.4
LT315/75R16 127/124S	10PR/LR E	RWL	12.3	15.4
LT235/80R17 120/117S	10PR/LR E	RWL	12.3	15.4
LT245/75R17 121/118S	10PR/LR E	RWL	12.3	15.4
LT265/70R17 121/118S	10PR/LR E	RWL	12.3	15.4
LT285/70R17 121/118S	10PR/LR E	RWL	12.3	15.4
LT265/70R18 124/121S	10PR/LR E	RWL	12.3	15.4
LT275/65R18 123/120S	10PR/LR E	RWL	12.3	15.4
LT275/70R18 125/122S	10PR/LR E	RWL	12.3	15.4
LT285/65R18 125/122S	10PR/LR E	RWL	12.3	15.4
LT265/60R20 121/118S	10PR/LR E	RWL	12.3	15.4
LT275/60R20 123/120S	10PR/LR E	RWL	12.3	15.4
LT275/65R20 126/123S	10PR/LR E	RWL	12.3	15.4
LT305/55R20 121/118S	10PR/LR E	RWL	12.3	15.4

WILDTRAXX R/T M+S

RANGE 16-24

SPEED RATE R/S/Q

ASPECT RATIO 55-75

SECTION WIDTH 265-325

Benefits and Features

Dynamic hybrid tread design for comfortable and capable on/off-road ride,
Reinforcing construction with 3-body plies to resist road hazards.
The specialized tread compound for long wearing service.

RUGGED TERRAIN

3 PLY SIDEWALL 50K MILE Stronger ON&OFF Control Mileage

Sizes Description	Ply	Sidewall Description	Tread Depth MM	1/32"
LT265/75R16 123/120S	10PR/LR E	RBL	13.1	16.5
LT285/75R16 126/123S	10PR/LR E	RBL	13.1	16.5
LT265/70R17 121/118S	10PR/LR E	RBL	13.1	16.5
LT285/70R17 121/118S	10PR/LR E	RBL	13.1	16.5
LT305/65R17 121/118S	10PR/LR E	RBL	13.1	16.5
LT315/70R17 121/118S	10PR/LR E	RBL	13.1	16.5
LT285/65R18 125/122Q	10PR/LR E	RBL	13.1	16.5
LT285/70R18 127/124Q	10PR/LR E	RBL	13.1	16.5
LT305/60R18 121/118S	10PR/LR E	RBL	13.1	16.5
LT325/65R18 127/124S	10PR/LR E	RBL	13.1	16.5
LT275/55R20 120/117S	10PR/LR E	RBL	13.1	16.5
LT285/55R20 122/119S	10PR/LR E	RBL	13.1	16.5
33X12.50R20LT 123R	12PR/LR F	RBL	13.1	16.5
35X12.50R20LT 126R	12PR/LR F	RBL	13.1	16.5
33X12.50R22LT 123R	12PR/LR F	RBL	13.1	16.5
35X12.50R22LT 126R	12PR/LR F	RBL	13.1	16.5
35X12.50R24LT 126R	12PR/LR F	RBL	13.1	16.5
37X13.50R24LT 129R	12PR/LR F	RBL	13.1	16.5

WILDTRAXX M/T M+S

RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
15-24	Q	65-75	245-315

Benefits and Features

The aggressive tread blocks design for super off-road performance.
Self-cleaning, deep grooves for 50, 000 miles services.
Highly engineered 3-body plies for long-mileage durability.
Anti-cutting compound with strong construction to resist various hazards.

MUD TERRAIN

3 PLY SIDEWALL 50K MILE ON&OFF Stronger Control Mileage

Sizes Description	Ply	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
LT245/75R16 120/116Q	10PR/LR E	RBL	15.0	18.8
LT265/75R16 123/120Q	10PR/LR E	RBL	15.0	18.8
LT285/75R16 126/123Q	10PR/LR E	RBL	15.0	18.8
LT315/75R16 127/124Q	10PR/LR E	RBL	15.0	18.8
LT265/70R17 121/118Q	10PR/LR E	RBL	15.0	18.8
LT285/70R17 121/118Q	10PR/LR E	RBL	15.0	18.8
LT275/65R18 123/120Q	10PR/LR E	RBL	15.0	18.8
LT285/65R18 125/122Q	10PR/LR E	RBL	15.0	18.8
31X10.50R15LT 109Q	6PR/LR C	RBL	15.0	18.8
33X12.50R15LT 108Q	6PR/LR C	RBL	15.0	18.8
33X12.50R17LT 120Q	10PR/LR E	RBL	15.0	18.8
35X12.50R17LT 121Q	10PR/LR E	RBL	15.0	18.8
33X12.50R18LT 118Q	10PR/LR E	RBL	15.0	18.8
35X12.50R18LT 123Q	10PR/LR E	RBL	15.0	18.8
33X12.50R20LT 114Q	10PR/LR E	RBL	15.0	18.8
35X12.50R20LT 121Q	10PR/LR E	RBL	15.0	18.8
37X13.50R20LT 127Q	10PR/LR E	RBL	15.0	18.8
40X15.50R20LT 130Q	10PR/LR E	RBL	15.0	18.8
33X12.50R22LT 109Q	10PR/LR E	RBL	15.0	18.8
35X12.50R22LT 117Q	10PR/LR E	RBL	15.0	18.8
37X13.50R22LT 123Q	10PR/LR E	RBL	15.0	18.8
40X15.50R22LT 128Q	10PR/LR E	RBL	15.0	18.8
33X12.50R24LT 104Q	10PR/LR E	RBL	15.0	18.8
35X12.50R24LT 114Q	10PR/LR E	RBL	15.0	18.8

ROCKTRAXX M/T M+S

RANGE	SPEED RATE	OVERALL DIA.	SECTION WIDTH
17	Q	37"	12.5"

Benefits and Features

Large side lugs with unique striking design.
Tread with high-frequency biting edges and surfaces.
3-body plies construction.
Specialized tread compound offers high tread wear resistance.

MUD TERRAIN

3 PLY SIDEWALL 50K MILE ON&OFF Stronger Control Mileage

The ROCKTRAXX M/T features an innovative design to deliver versatile mud terrain performance, providing excellent traction both on and off-road. The tread pattern design in BBDT@ theory and 3-Ply internal engineering provide off-road performance, quick steering response and stability .

Sizes Description	Ply	Sidewall Description	Tread Depth MM	Tread Depth 1/32"
37X12.50R17LT 128Q	10PR/LR E	RBL	15.5	19.5

NOTES

LANDSPIDER

ANYTIME EVERYWHERE

WWW.LANDSPIDERTIRE.COM