

TRACMAX

WHEREVER THE ROAD GOES, THERE GOES TRACMAX



2026
PRODUCT CATALOGUE



EV / UHP / SUV / LTR

BRAND INTRODUCTION

TRACMAX brand was founded in 2016, which originated from the demand of The German market. Its high-speed safety performance, fuel-saving and comfortable performance are deeply loved by consumers. It enjoys high popularity in more than 100 countries, and the cumulative sales volume in the European market is nearly 50 million.

Dedicating to create the world first class brand, Tracmax has successfully obtained China CCC, US DOT, EU E-mark, EU Regulation 117, Gulf Country GCC , Saudi Arabia SASO, Nigeria SONCAP, Brazil INMETRO, Uruguay LATU, and other product certifications.

"Wherever The Road Goes, There Goes Tracmax", with high quality, reasonable pricing and excellent service,we would like to be one of your best tyre suppliers and long term business partner.

SAMART MANUFACTURER IN 2026 INDUSTRIAL 4.0



REVOLUTIONARY POINTS

• A well-dispersed silica is combined with polymer sloution of SBR and BR

• Minimal proportions of impurities

• Has properties aligned with HIGHEST tire lable ratings

• MAXIMUM ENERGY EFFICIENCY

• Better filler-polymer interactions

• REDUCED CARBON EMISSIONS

• Higher tensil strength

• LOW-CARBON DEVELOPMENT



CONTENTS

ELECTRIC	P.01-04
PASSENGER	P.07-18
COMMERCIAL VAN	P.21-24
SUV/4X4	P.27-40

ELECTRIC



X-PRIVIO ET07 P.01-02
X-PRIVIO ET08 P.03-04

PASSENGER



X-PRIVIO TXS P.07-10
X-PRIVIO TX3 P.11-14
X-PRIVIO RS01 P.15-16
SPARTAN TX6 P.17-18

COMMERCIAL VAN



X-PRIVIO RF28 P.21-22
TRANSPORTER RF09 P.23-24

SUV/4X4



X-PRIVIO TX9 P.27-28
X-PRIVIO H/T P.29-30
X-PRIVIO AT01 P.31-32
X-PRIVIO AT08 P.33-34
X-PRIVIO RF06 P.35-36



X-PRIVIO AT03 P.37-38
X-PRIVIO M/T P.39-40

ELECTRIC



X-PRIVIO ET07

X-PRIVIO ET08


X-PRIVIO ET07



TECHNICAL FEATURE

- Optimised groove position Better water evacuation, improved wet grip.
- Efficient bottom roll resistance rubber formula for tire shoulders reduces energy consumption and increases range.
- Wider tread blocks More torque support, EV dedicated tyre.

PERFORMANCE



SIZE LIST

RANGE:	17-22
SPEED RATE:	Y/W
ASPECT RATIO:	35-60
SECTION WIDTH:	215-285



HIGH PERFORMANCE ELECTRIC VEHICLE TIRES

The X-PRIVIO ET07 is designed for high-end and electrified vehicle. It delivers optimal traction / braking performance, quiet driving, and ultralow energy consumption.



X-PRIVIO ET07

ELECTRIC

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL	Code
17	225/45ZR17	94	Y	XL	B	B	71	B	✓			
	235/55ZR17	103	W	XL	B	B	71	B	✓			
18	225/45ZR18	95	Y	XL	B	B	71	B	✓			
	235/45ZR18	98	Y	XL	B	B	71	B	✓			
	235/55ZR18	104	W	XL	B	B	71	B	✓			
	235/60ZR18	107	W	XL	B	B	71	B	✓			
	245/40ZR18	97	Y	XL	B	B	71	B	✓			
	245/45ZR18	100	Y	XL	B	B	71	B	✓			
	245/50ZR18	104	W	XL	B	B	71	B	✓			
19	255/40ZR18	99	Y	XL	B	B	72	B	✓			
	225/45ZR19	96	Y	XL	B	B	71	B	✓			
	225/55ZR19	103	W	XL	B	B	71	B	✓			
	235/40ZR19	96	Y	XL	B	B	71	B	✓			
	235/45ZR19	99	Y	XL	B	B	71	B	✓			
	235/50ZR19	103	Y	XL	B	B	71	B	✓			
	235/55ZR19	105	W	XL	B	B	71	B	✓			
	245/40ZR19	98	Y	XL	B	B	71	B	✓			
	245/45ZR19	102	Y	XL	B	B	71	B	✓			
	245/55ZR19	107	W	XL	B	B	71	B	✓			
20	255/45ZR19	104	Y	XL	B	B	72	B	✓			
	255/50ZR19	107	W	XL	B	B	72	B	✓			
	255/55ZR19	111	W	XL	B	B	72	B	✓			
	215/45ZR20	95	Y	XL	B	B	71	B	✓			
	235/50ZR20	104	Y	XL	B	B	71	B	✓			
	245/40ZR20	99	Y	XL	B	B	71	B	✓			
	245/45ZR20	103	Y	XL	B	B	71	B	✓			
	245/50ZR20	105	W	XL	B	B	71	B	✓			
	255/40ZR20	101	Y	XL	B	B	72	B	✓			
	255/45ZR20	105	Y	XL	B	B	72	B	✓			
	255/50ZR20	109	Y	XL	B	B	72	B	✓			
	265/40ZR20	104	Y	XL	B	B	72	B	✓			
	265/45ZR20	108	Y	XL	B	B	72	B	✓			
21	275/50ZR20	113	W	XL	B	B	72	B	✓			
	285/45ZR20	112	Y	XL	B	B	73	B	✓			
	245/45ZR21	104	Y	XL	B	B	71	B	✓			
	255/35ZR21	98	Y	XL	B	B	72	B	✓			
	255/45ZR21	103	Y	XL	B	B	72	B	✓			
	265/45ZR21	108	Y	XL	B	B	72	B	✓			
	275/35ZR21	103	Y	XL	B	B	72	B	✓			
22	275/40ZR21	107	Y	XL	B	B	72	B	✓			
	285/45ZR21	113	Y	XL	B	B	73	B	✓			
	255/45ZR22	107	Y	XL	B	B	72	B	✓			
	265/40ZR22	106	Y	XL	B	B	72	B	✓			
	285/40ZR22	110	Y	XL	B	B	73	B	✓			

*UNDER DEVELOPMENT

ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4


X-PRIVILO ET08



TECHNICAL FEATURE

- Achieves uniform contact pressure by optimizing contact structure and provides the overall lifespan with uniform tread wear.
- Composed with advanced fillers and flexible rubber materials,Compound provides higher mileage.
- The 3D sipes to keep the tire in an optimize shape. This helps to provide outstanding grip performance on dry, wet roads and light snow.

PERFORMANCE



SIZE LIST

RANGE:	16-19
SPEED RATE:	H/V
ASPECT RATIO:	45-65
SECTION WIDTH:	175-245

ENGINEERED TO OUTLAST NO MATTER THE DISTANCE

The X-PRIVILO ET08 meets the design needs of modern vehicles. It offers the increased tread life that today's families expect on their passenger cars and CUVs.



X-PRIVILO ET08

ELECTRIC

Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
16	175/55R16	80	H		✓		700	A	A
	195/60R16	89	H		✓		700	A	A
	205/55R16	91	V		✓		700	A	A
	205/60R16	92	H		✓		700	A	A
	215/60R16	95	H		✓		700	A	A
	225/60R16	98	V		✓		700	A	A
17	205/50R17	93	V	XL	✓		700	A	A
	205/55R17	95	V	XL	✓		700	A	A
	215/50R17	95	V	XL	✓		700	A	A
	215/55R17	98	V	XL	✓		700	A	A
	215/60R17	100	V	XL	✓		700	A	A
	225/50R17	98	V	XL	✓		700	A	A
18	225/55R17	101	V	XL	✓		700	A	A
	225/65R17	102	H		✓		700	A	A
	215/50R18	96	V	XL	✓		700	A	A
	215/55R18	99	V	XL	✓		700	A	A
	225/50R18	99	V	XL	✓		700	A	A
	225/55R18	102	V	XL	✓		700	A	A
19	225/60R18	104	V	XL	✓		700	A	A
	235/50R18	101	V	XL	✓		700	A	A
	235/50R19	103	V	XL	✓		700	A	A
	245/45R19	102	V	XL	✓		700	A	A



PASSENGER



X-PRIVIO TX5



X-PRIVIO TX3



X-PRIVIO RS01



SPARTAN TX6


X-PRIVILO TX5 UTQG: 400 A A



TECHNICAL FEATURE

- Four main grooves design ensures anti-hydroplaning performance.
- Improve stability and straight-line performance at high speed.
- Reduce noise level and improve wet grip.

PERFORMANCE



SIZE LIST

RANGE:	12-18
SPEED RATE:	T/H/V/W
ASPECT RATIO:	40-80
SECTION WIDTH:	145-245

NEW COMFORT ON THE WAY

X-PRIVILO TX5 is a high-performance symmetric tyre for compact vehicles, the unique design offers a responsive drive in all conditions. Outstanding versatile performance tyre for a fuel-efficient and comfortable drive.



X-PRIVILO TX5

PASSENGER

Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
12	145/70R12	69	T		✓		400	A	A
	145/80R12	74	T		✓		400	A	A
	155/70R12	73	T		✓		400	A	A
	155/80R12	77	T		✓		400	A	A
	165/70R12	77	T		✓		400	A	A
	175/70R12	80	T		✓		400	A	A
13	145/70R13	71	T		✓		400	A	A
	145/80R13	75	T		✓		400	A	A
	155/65R13	73	T		✓		400	A	A
	155/70R13	75	T		✓		400	A	A
	155/80R13	79	T		✓		400	A	A
	165/60R13	73	H		✓		400	A	A
	165/65R13	77	T		✓		400	A	A
	165/70R13	79	T		✓		400	A	A
	165/80R13	83	T		✓		400	A	A
	175/60R13	77	H		✓		400	A	A
	175/65R13	80	T		✓		400	A	A
	175/70R13	82	T		✓		400	A	A
14	185/70R13	86	T		✓		400	A	A
	155/65R14	75	T		✓		400	A	A
	155/70R14	77	T		✓		400	A	A
	165/55R14	72	V		✓		400	A	A
	165/60R14	75	H		✓		400	A	A
	165/65R14	79	T		✓		400	A	A
	165/70R14	81	T		✓		400	A	A
	175/60R14	79	H		✓		400	A	A
	175/65R14	82	H		✓		400	A	A
	175/65R14	86	T	XL	✓		400	A	A
	175/70R14	84	T		✓		400	A	A
	175/70R14	88	T	XL	✓		400	A	A
	185/50R14	77	V		✓		400	A	A
	185/55R14	80	H		✓		400	A	A
	185/60R14	82	H		✓		400	A	A
	185/65R14	86	H		✓		400	A	A
	185/70R14	88	T		✓		400	A	A
	195/60R14	86	H		✓		400	A	A
	195/65R14	89	H		✓		400	A	A
	195/70R14	91	T		✓		400	A	A
15	205/60R14	88	H		✓		400	A	A
	205/70R14	95	T		✓		400	A	A
	155/60R15	74	T		✓		400	A	A
	165/50R15	72	V		✓		400	A	A
	165/60R15	81	T	XL	✓		400	A	A
	165/65R15	81	T		✓		400	A	A
	175/50R15	75	V		✓		400	A	A
	175/55R15	77	T		✓		400	A	A
	175/60R15	81	V		✓		400	A	A
	175/65R15	84	H		✓		400	A	A
	185/55R15	82	V		✓		400	A	A
	185/60R15	84	H		✓		400	A	A
	185/60R15	88	H	XL	✓		400	A	A
	185/65R15	88	H		✓		400	A	A
	185/65R15	92	H	XL	✓		400	A	A

Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
15	195/50R15	82	V		✓		400	A	A
	195/55R15	85	V		✓		400	A	A
	195/60R15	88	H		✓		400	A	A
	195/60R15	88	H		✓		400	A	A
	195/65R15	91	V		✓		400	A	A
	195/65R15	95	H	XL	✓		400	A	A
	205/60R15	91	V		✓		400	A	A
	205/65R15	94	V		✓		400	A	A
	205/65R15	94	H		✓		400	A	A
	205/70R15	96	T		✓		400	A	A
	215/65R15	96	H		✓		400	A	A
	215/65R15	100	H	XL	✓		400	A	A
	215/70R15	98	T		✓		400	A	A
16	175/50R16	77	V		✓		400	A	A
	185/50R16	81	V		✓		400	A	A
	185/55R16	83	V		✓		400	A	A
	195/50R16	84	V		✓		400	A	A
	195/55R16	87	V		✓		400	A	A
	195/60R16	89	H		✓		400	A	A
	205/50R16	87	W		✓		400	A	A
	205/55R16	91	V		✓		400	A	A
	205/60R16	92	V		✓		400	A	A
	205/65R16	95	H		✓		400	A	A
	215/55R16	97	W	XL	✓		400	A	A
	215/60R16	95	V		✓		400	A	A
	215/60R16	99	H	XL	✓		400	A	A
	215/65R16	98	H		✓		400	A	A
	225/50R16	96	W	XL	✓		400	A	A
	225/55R16	99	W	XL	✓		400	A	A
	225/60R16	98	H		✓		400	A	A
	225/60R16	102	V	XL	✓		400	A	A
17	*205/50R17	93	W	XL	✓		400	A	A
	*215/45R17	91	W	XL	✓		400	A	A
	*215/50R17	95	W	XL	✓		400	A	A
	*215/55R17	98	V	XL	✓		400	A	A
	*215/55R17	98	W	XL	✓		400	A	A
	*225/45R17	94	W	XL	✓		400	A	A
	*225/50R17	98	W	XL	✓		400	A	A
	*225/55R17	101	V	XL	✓		400	A	A
	*225/55R17	101	W	XL	✓		400	A	A
18	*225/40R18	92	W	XL	✓		400	A	A
	*225/45R18	95	W	XL	✓		400	A	A
	*235/45R18	98	W	XL	✓		400	A	A
	*245/40R18	97	W	XL	✓		400	A	A
	*245/45R18	100	W	XL	✓		400	A	A

*UNDER DEVELOPMENT




X-PRIVILO TX3 *UTQG: 320 A A*



TECHNICAL FEATURE

- Four main asymmetric grooves design ensures anti-hydroplaning performance.
- A Continuous, circumferential solid center rib ensures linear stability at speed and provides crisp steering response.
- The sharp cross-cutting grooves and the sipe design improve anti-hydroplaning performance.

PERFORMANCE



SIZE LIST

RANGE:	15-20
SPEED RATE:	H/V/W/Y
ASPECT RATIO:	30-55
SECTION WIDTH:	165-285

HIGH PERFORMANCE FORWARD SPEED

X-PRIVILO TX3 is dynamically engineered deliver high speed, safety and driving pleasure. Perfect performance and handling control for speed enthusiasts with special profile. Maximum grip in bends on wet and dry surfaces. Wide area of use from sport cars to luxury vehicles with high-tech structure and aesthetic appearance.



X-PRIVILO TX3

PASSENGER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL	Code
15	195/45R15	78	V		C	B	69	B				606893
	165/45R16	74	V	XL	C	B	69	A				2210277
	195/45R16	84	V	XL	C	B	69	A				607365
	205/45ZR16	87	W	XL	C	B	69	A				607411
16	205/55ZR16	94	W	XL	C	B	69	A				607593
	215/40ZR16	86	W	XL	C	B	69	A				607372
	215/45R16	86	H		C	B	69	B				607423
	215/45R16	90	V	XL	C	B	69	A				607740
	195/40ZR17	81	W	XL	C	B	69	A				607764
	195/45ZR17	85	W	XL	C	B	69	A				607591
17	205/40ZR17	84	W	XL	C	B	69	A				609360
	205/45ZR17	88	W	XL	C	B	69	A				606957
	205/50ZR17	93	W	XL	C	B	69	A				606906
	205/55ZR17	95	W	XL	C	B	69	A				607419
	215/40ZR17	87	W	XL	C	B	69	A				608542
	215/45ZR17	91	W	XL	C	B	69	A				607429
	215/50ZR17	95	W	XL	C	B	69	A				606914
	215/55ZR17	98	W	XL	C	B	69	A				606940
	225/45ZR17	94	W	XL	C	B	69	A				607342
	225/45ZR17	94	Y	XL	C	B	69	A				604690
	225/50ZR17	98	Y	XL	C	B	69	A				606535
	225/55ZR17	101	W	XL	C	B	69	A				607460
	235/45ZR17	97	W	XL	C	B	69	A				607596
	235/50ZR17	100	W	XL	C	B	69	A				607374
	235/55ZR17	103	W	XL	C	B	69	A				607436
	245/40ZR17	95	W	XL	C	B	69	A				607638
	245/45ZR17	99	W	XL	C	B	69	A				613468
18	205/40ZR18	86	Y	XL	C	B	69	A				999028
	215/35ZR18	84	W	XL	C	B	69	A				606753
	215/40ZR18	89	Y	XL	C	B	69	A				607843
	215/45ZR18	93	Y	XL	C	B	69	A				607366
	215/50ZR18	92	W		C	B	69	B				606928
	215/55R18	99	V	XL	C	B	69	A				607468
	225/35ZR18	87	Y	XL	C	B	69	A				607433
	225/40ZR18	92	Y	XL	C	B	69	A				604831
	225/45ZR18	95	Y	XL	C	B	69	A				607373
	225/50ZR18	99	W	XL	C	B	69	A				606885
	225/55R18	98	H		C	B	69	B				613732
	225/55R18	98	V		C	B	69	B				609328
	235/40ZR18	95	Y	XL	C	B	69	A				607451
	235/45ZR18	98	W	XL	C	B	69	A				607566
	235/50ZR18	97	W		C	B	69	B				607983
	235/50ZR18	101	Y	XL	C	B	69	A				607488
	235/55ZR18	104	W	XL	C	B	69	A				607344
	235/55ZR18	104	Y	XL	C	B	69	A				607747

X-PRIVLO TX3

PASSENGER

Rim	Size	LI	SR	XL					M+S	3PMSF	EPREL	Code
18	245/35ZR18	92	Y	XL	C	B	69	A				607536
	245/40ZR18	97	Y	XL	C	B	69	A				607370
	245/45ZR18	100	Y	XL	C	B	69	A				607381
	245/50ZR18	104	W	XL	C	B	69	A				606990
	255/35ZR18	94	W	XL	C	B	69	A				613517
	255/35ZR18	94	Y	XL	C	B	69	A				613465
	255/40ZR18	99	Y	XL	C	B	69	A				607917
	255/45ZR18	103	Y	XL	C	B	69	A				613359
	255/55R18	109	V	XL	C	B	69	A				613589
	255/55ZR18	109	Y	XL	C	B	69	A				606959
	265/35ZR18	97	Y	XL	C	B	69	A				606456
	*275/35ZR18	95	Y		C	B	69	A				
	*275/35ZR18	99	Y		C	B	69	A				
	*275/40ZR18	103	Y	XL	C	B	69	A				2488444
	*275/45ZR18	107	Y	XL	C	B	71	B				2322073
	*285/35ZR18	101	Y	XL	C	B	71	B				2322074
19	205/55ZR19	97	W	XL	C	B	69	A				607567
	225/30ZR19	84	Y	XL	C	B	69	A				607922
	225/35ZR19	88	Y	XL	C	B	69	A				607575
	225/40ZR19	93	Y	XL	C	B	69	A				607585
	225/45ZR19	96	Y	XL	C	B	69	A				608610
	225/50ZR19	100	W	XL	C	B	69	A				2210280
	225/55ZR19	103	W	XL	C	B	69	A				607417
	235/35ZR19	91	Y	XL	C	B	69	A				607382
	235/40ZR19	96	Y	XL	C	B	69	A				613211
	235/45ZR19	99	Y	XL	C	B	69	A				609354
	235/50ZR19	103	Y	XL	C	B	69	A				607473
	235/55ZR19	105	Y	XL	C	B	69	A				613243
	245/35ZR19	93	Y	XL	C	B	69	A				608533
	245/40ZR19	98	Y	XL	C	B	69	A				608890
	245/45ZR19	102	Y	XL	C	B	69	A				607464
	245/50ZR19	105	Y	XL	C	B	69	A				2186724
	245/55ZR19	107	W	XL	C	B	69	A				607453
20	255/30ZR19	91	Y	XL	C	B	69	A				609450
	255/35ZR19	96	Y	XL	C	B	69	A				607391
	255/40ZR19	100	Y	XL	C	B	69	A				608660
	255/45ZR19	104	Y	XL	C	B	69	A				607363
	255/50ZR19	107	Y	XL	C	B	69	A				607492
	255/55ZR19	111	W	XL	C	B	69	A				606723
	265/30ZR19	93	W	XL	C	B	69	A				607564
	*265/35ZR19	98	Y	XL	C	B	69	A				2210288
	265/50ZR19	110	Y	XL	C	B	69	A				607857
	*265/55ZR19	113	Y	XL	C	B	69	A				2205908
	275/30ZR19	96	Y	XL	C	B	71	B				613388
	275/35ZR19	100	Y	XL	C	B	71	B				607447
	275/40ZR19	105	Y	XL	C	B	71	B				608512

Rim	Size	LI	SR	XL					M+S	3PMSF	EPREL	Code
19	275/45ZR19	108	Y	XL	C	B	71	B				607636
	275/55ZR19	111	W		C	B	71	B				613562
	275/55ZR19	115	W	XL	C	B	71	B				
	*285/30ZR19	98	Y	XL	C	B	71	A				
	*285/35ZR19	103	Y	XL	C	B	72	A				2322075
	285/45ZR19	111	Y	XL	C	B	72	A				606991
	195/50R20	93	V	XL	C	B	69	A				999033
	195/55R20	95	H	XL	C	B	69	A				999034
20	215/45ZR20	95	W	XL	C	B	69	A				999035
	225/30ZR20	85	W	XL	C	B	69	A				613488
	225/35ZR20	93	W	XL	C	B	69	A				607723
	*225/40ZR20	94	Y	XL	C	B	69	A				
	235/30ZR20	88	Y	XL	C	B	69	A				608618
	*235/35ZR20	92	Y	XL	C	B	69	A				
	235/45ZR20	100	Y	XL	C	B	69	A				999036
	235/50ZR20	104	W	XL	C	B	69	A				2205904
	235/55ZR20	105	W	XL	C	B	69	A				2186723
	245/30ZR20	95	Y	XL	C	B	69	A				607982
	245/35ZR20	95	Y	XL	C	B	69	A				613333
	245/40ZR20	99	Y	XL	C	B	69	A				606756
	245/45ZR20	103	Y	XL	C	B	69	A				607892
	245/50ZR20	105	Y	XL	C	B	69	A				607491
	255/30ZR20	92	Y	XL	C	B	69	A				613226
	255/35ZR20	97	Y	XL	C	B	69	A				613201
	255/40ZR20	101	Y	XL	C	B	69	A				607632
	255/45ZR20	105	Y	XL	C	B	69	A				606962
21	255/50ZR20	109	Y	XL	C	B	69	A				608539
	255/55ZR20	110	W	XL	C	B	69	A				608889
	*265/35ZR20	99	Y	XL	C	B	69	A				2464531
	265/40ZR20	104	Y	XL	C	B	69	A				2210292
	275/30ZR20	97	Y	XL	C	B	71	B				606873
	275/35ZR20	102	Y	XL	C	B	71	B				608657
	*285/30ZR20	99	Y	XL	C	B	72	A				
	285/35ZR20	104	Y	XL	C	B	72	A				2232467

*UNDER DEVELOPMENT



X-PRIVILO RS01

UTQG: 340 A A




SPORTY SUV

X-PRIVILO RS01 is designed as a premium summer pattern with high performance capability. The tread profile enables exceptional high-speed, superb handling and cornering response on dry and wet surfaces. Modern tread design with special compound provides fuel economy as well as durability.

TECHNICAL FEATURE

- Continuous center ribs can improve stability of handling and straight performance at high speed.
- The sipe design can disperse the noise to improve the ride performance.
- One narrow groove on outside can increase the block stiffness and improve handling and steering stability during cornering.

PERFORMANCE



SIZE LIST

RANGE:	20-23
SPEED RATE:	W/Y
ASPECT RATIO:	30-55
SECTION WIDTH:	225-325



X-PRIVILO RS01

PASSENGER

Rim	Size	LI	SR	XL					M+S	3PMSF	EPREL	Code	
20	265/45ZR20	108	Y	XL	C	C	72	B	✓			607393	
	265/50ZR20	111	W	XL	C	C	72	B	✓			607515	
	265/55ZR20	113	W	XL	C	C	72	B	✓			2322069	
	275/40ZR20	106	Y	XL	C	C	72	B	✓			608896	
	275/45ZR20	110	Y	XL	C	C	72	B	✓			607428	
	275/50ZR20	113	W	XL	C	C	72	B	✓			607959	
	275/50ZR20	113	Y	XL	C	C	72	B	✓			613571	
	275/55ZR20	117	W	XL	C	C	72	B	✓			613600	
	285/50ZR20	116	W	XL	C	C	72	A	✓			607599	
	295/40ZR20	110	Y	XL	C	C	72	A	✓			985648	
	305/40ZR20	112	Y	XL	C	C	72	A	✓			607545	
	315/35ZR20	110	Y	XL	C	C	72	A	✓			609474	
21	225/45ZR21	95	Y	XL	C	C	71	B	✓			2441974	
	235/45ZR21	101	Y	XL	C	C	71	B	✓			2322065	
	235/50ZR21	101	Y	XL	C	C	71	B	✓				
	245/35ZR21	96	Y	XL	C	C	71	B	✓			607561	
	245/40ZR21	100	Y	XL	C	C	71	B	✓			999037	
	255/35ZR21	98	Y	XL	C	C	72	B	✓				
	255/40ZR21	102	Y	XL	C	C	72	B	✓			999108	
	255/45ZR21	106	Y	XL	C	C	72	B	✓			2322066	
	265/35ZR21	101	Y	XL	C	C	72	B	✓			2464530	
	265/40ZR21	105	Y	XL	C	C	72	B	✓			999112	
	265/45ZR21	108	Y	XL	C	C	72	B	✓			999114	
	275/30ZR21	98	Y	XL	C	C	72	B	✓			613144	
	275/35ZR21	103	Y	XL	C	C	72	B	✓			999152	
	275/40ZR21	107	Y	XL	C	C	72	B	✓			607984	
	275/45ZR21	110	W	XL	C	C	72	B	✓			607549	
	275/45ZR21	110	Y	XL	C	C	72	B	✓			607761	
	275/50ZR21	113	Y	XL	C	C	72	B	✓			2322071	
	285/35ZR21	105	Y	XL	C	C	72	A	✓			2210267	
	285/40ZR21	109	Y	XL	C	C	72	A	✓			999144	
	285/45ZR21	113	Y	XL	C	C	72	A	✓			999150	
	295/35ZR21	107	Y	XL	C	C	72	A	✓			607813	
	295/40ZR21	111	Y	XL	C	C	72	A	✓			607743	
	315/30ZR21	105	Y	XL	C	C	72	A	✓			2322072	
	315/35ZR21	111	Y	XL	C	C	72	A	✓			607459	
315/40ZR21	115	Y	XL	C	C	72	A	✓			607978		
22	265/35ZR22	102	Y	XL	C	C	72	B	✓			607449	
	265/40ZR22	106	Y	XL	C	C	72	B	✓			607435	
	265/50ZR22	112	Y	XL	C	C	72	B	✓			2322067	
	275/35ZR22	104	Y	XL	C	C	72	B	✓				
	275/40ZR22	108	Y	XL	C	C	72	B	✓			999278	
	275/50ZR22	115	Y	XL	C	C	72	B	✓			2234373	
	285/35ZR22	106	Y	XL	C	C	72	A	✓			607876	
	285/40ZR22	110	Y	XL	C	C	72	A	✓			607681	
	285/45ZR22	114	Y	XL	C	C	72	A	✓			999326	
	315/30ZR22	107	Y	XL	C	C	72	A	✓				
	315/35ZR22	111	Y	XL	C	C	72	A	✓			2234379	
	325/40ZR22	114	Y		C	C	72	A	✓			2234387	
	23	285/35ZR23	107	Y	XL					✓			
		285/40ZR23	111	Y	XL	C	C	72	A	✓			2196855
295/35ZR23		108	Y	XL	C	C	72	A	✓			2196856	
305/35ZR23		111	Y	XL					✓				
325/35ZR23		115	Y	XL	C	C	72	A	✓			2196857	

*UNDER DEVELOPMENT

SPARTAN TX6

UTQG: 240 A A




SPORTY RACE

Aggressive tread pattern features minimal grooves. The Intuitive Responsive Profile technology enables greater cornering line flexibility, paired with exceptionally linear steering response.

TECHNICAL FEATURE

- The main zigzag grooves and aggressive pattern design provide outstanding traction for plus-sized wheel fitments of SUV.
- High void ratio and non-directional asymmetrical pattern offers more evenly traction and cross rotated driving feature.
- The sporty pattern design provides a comfortable ultra high performance with quieter ride and longer life.

PERFORMANCE



SIZE LIST

RANGE:	18-20
SPEED RATE:	V
ASPECT RATIO:	40-60
SECTION WIDTH:	245-275



SPARTAN TX6

PASSENGER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF
18	245/45R18	100	V	XL	C	B	73	B	✓	
	255/50R18	106	V	XL	C	B	73	B	✓	
	255/55R18	109	V	XL	C	B	73	B	✓	
	265/60R18	114	V	XL	C	B	73	B	✓	
	275/40R18	103	V	XL	C	B	73	B	✓	
20	265/50R20	111	V	XL	C	B	73	B	✓	



ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4

COMMERCIAL VAN



X-PRIVIO RF28

TRANSPORTER RF09


X-PRIVILO RF28



TECHNICAL FEATURE

- Excellent braking and steering capability.
- Design of extra-deep pattern grooves and outstanding tread compound improves the anti-abrasion capability.
- Excellent grip on dry and wet roads for safe ride with zigzagging pattern grooves, robust pattern blocks.

PERFORMANCE



SIZE LIST

RANGE:	12 -16
SPEED RATE:	Q/R
ASPECT RATIO:	65-75
SECTION WIDTH:	145-235

COMMERCIAL VAN

Exceptionally durable all-season tire with improved mileage for commercial vans and transporters.



X-PRIVILO RF28 COMMERCIAL VAN

Rim	Size	LI	SR	XL			dB		M+S	3PMSF
12	145R12C	86/84	Q		C	C	72	B	✓	
	155R12C	88/86	Q		C	C	72	B	✓	
	165R14C	97/95	Q		C	C	72	B	✓	
14	175R14C	99/98	Q		C	C	72	B	✓	
	WSW 185R14C	102/100	R		C	C	72	B	✓	
	WSW 195R14C	106/104	R		C	C	72	B	✓	
	WSW 205/75R14C	109/107	R		C	C	72	B	✓	
15	185/65R15C	97/95	R		C	C	72	B	✓	
	185/65R15C	99/96	Q		C	C	72	B	✓	
	185R15C	103/102	R		C	C	72	B	✓	
	195/70R15C	104/102	R		C	C	72	B	✓	
	195/70R15C	104/101	Q		C	C	72	B	✓	
	WSW 195R15C	106/104	R		C	C	72	B	✓	
	215/70R15C	109/107	R		C	C	72	B	✓	
	215/70R15C	113/111	Q		C	C	72	B	✓	
	225/70R15C	112/110	R		C	C	72	B	✓	
	225/70R15C	116/114	Q		C	C	72	B	✓	
16	175/75R16C	101/99	Q		C	C	72	B	✓	
	195/75R16C	107/105	R		C	C	72	B	✓	
	195/75R16C	110/108	Q		C	C	72	B	✓	
	215/65R16C	109/107	R		C	C	72	B	✓	
	215/65R16C	109/105	Q		C	C	72	B	✓	
	215/75R16C	113/111	R		C	C	72	B	✓	
	215/75R16C	116/114	Q		C	C	72	B	✓	
	235/65R16C	121/119	R		C	C	72	B	✓	



WSW TIRE


TRANSPORTER RF09



TECHNICAL FEATURE

- Increased strong structure offers greater load ability.
- Continuous solid center ribs enhance steering stability.
- Special tread compound offers longer mileage.

PERFORMANCE



SIZE LIST

RANGE:	14-16
SPEED RATE:	Q/R/T/H
ASPECT RATIO:	60-80
SECTION WIDTH:	175-235

TRANSPORTER RF09

COMMERCIAL VAN

Rim	Size	LI	SR	XL			dB		M+S	3PMSF
14	185R14C	102/100	Q		D	C	72	B		
	195R14C	106/104	Q		D	C	72	B		
	195/70R15C	104/102	R		D	C	72	B		
	195R15C	106/104	R		D	C	72	B		
15	205/70R15C	106/104	R		D	C	72	B		
	215/70R15C	109/107	R		D	C	72	B		
	225/70R15C	112/110	R		D	C	72	B		
	175/75R16C	101/99	R		D	C	72	B		
16	185/75R16C	104/102	R		D	C	72	B		
	195/60R16C	99/97	H		D	C	72	B		
	195/65R16C	104/102	T		D	C	72	B		
	195/75R16C	107/105	R		D	C	72	B		
	205/65R16C	107/105	T		D	C	72	B		
	205/75R16C	110/108	R		D	C	72	B		
	215/60R16C	103/101	T		D	C	72	B		
	215/65R16C	109/107	R		D	C	72	B		
	215/75R16C	113/111	R		D	C	72	B		
	225/65R16C	112/110	R		D	C	72	B		
	235/65R16C	115/113	R		D	C	72	B		

COMMERCIAL VAN

Transporter RF09 is a high-performance symmetric pattern for next-generation MPVS. Its wider tread design increases the contact patch, enhancing driving stability and improving wear resistance.



SUV/4X4



X-PRIVIO TX9

X-PRIVIO H/T

X-PRIVIO AT01

X-PRIVIO AT08

X-PRIVIO RF06

X-PRIVIO AT03

X-PRIVIO M/T

X-PRIVILO TX9


UTQG: 500 A A



TECHNICAL FEATURE

- Four wide main longitudinal grooves boost water evacuation efficiency, delivering exceptional hydroplaning resistance at high speeds.
- The optimized multi-pitch tread arrangement significantly reduces tire noise. By adjusting the number and size of the pitches, it ensures a quieter driving experience.
- The optimized composite material delivers superior wet grip while reducing rolling resistance.

PERFORMANCE



SIZE LIST

RANGE:	1S-20
SPEED RATE:	T/H/V
ASPECT RATIO:	50-75
SECTION WIDTH:	20S-28S

HIGHWAY TERRAIN

X-PRIVILO TX9 features a symmetrical tread design, delivering an exhilarating driving experience tailored for consumers who seek driving thrills. It provides precise handling and exceptional grip in both dry and wet conditions.



Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
15	215/75R15	100	T		✓		500	A	A
	235/75R15	109	T	XL	✓		500	A	A
	205/70R16	97	H		✓		500	A	A
	215/70R16	100	H		✓		500	A	A
	225/70R16	107	H	XL	✓		500	A	A
16	235/60R16	100	H		✓		500	A	A
	235/70R16	106	H		✓		500	A	A
	245/70R16	111	H	XL	✓		500	A	A
	245/75R16	111	T		✓		500	A	A
	255/65R16	109	H		✓		500	A	A
	255/70R16	111	H		✓		500	A	A
	265/70R16	112	H		✓		500	A	A
	275/70R16	114	H		✓		500	A	A
	205/60R17	97	V	XL	✓		500	A	A
	215/60R17	100	H	XL	✓		500	A	A
17	215/65R17	99	H		✓		500	A	A
	225/60R17	99	H		✓		500	A	A
	225/65R17	102	H		✓		500	A	A
	235/60R17	106	H	XL	✓		500	A	A
	235/65R17	108	H	XL	✓		500	A	A
	245/65R17	111	H	XL	✓		500	A	A
	245/70R17	110	H		✓		500	A	A
	255/60R17	110	V	XL	✓		500	A	A
	255/65R17	110	V		✓		500	A	A
	265/65R17	112	H		✓		500	A	A
18	265/70R17	115	H		✓		500	A	A
	275/65R17	115	H		✓		500	A	A
	285/65R17	116	H		✓		500	A	A
	225/60R18	100	V		✓		500	A	A
	235/60R18	107	H	XL	✓		500	A	A
	235/65R18	110	H	XL	✓		500	A	A
	245/60R18	105	H		✓		500	A	A
	255/60R18	112	V	XL	✓		500	A	A
	255/70R18	113	H		✓		500	A	A
	265/60R18	110	H		✓		500	A	A
19	265/65R18	114	H		✓		500	A	A
	265/70R18	116	H		✓		500	A	A
	275/65R18	116	H		✓		500	A	A
	285/60R18	120	H	XL	✓		500	A	A
	225/55R19	103	V	XL	✓		500	A	A
	235/55R19	105	V	XL	✓		500	A	A
	235/60R19	107	V	XL	✓		500	A	A
	235/65R19	109	H	XL	✓		500	A	A
	245/55R19	107	V	XL	✓		500	A	A
	255/55R19	111	V	XL	✓		500	A	A
20	255/60R19	113	V	XL	✓		500	A	A
	275/55R20	117	V	XL	✓		500	A	A
	275/60R20	116	V	XL	✓		500	A	A
	285/50R20	116	V	XL	✓		500	A	A

X-PRIVILO H/T

UTQG: 500 A A




HIGHWAY TERRAIN

X-PRIVILO H/T is a professional tread pattern engineered for SUVs, delivering excellent handling, comfort and safety on paved highways.

TECHNICAL FEATURE

- The reinforced shoulder design ensures great handling and even wearing performance.
- Four wide circumferential tread grooves deliver the ride stability. Improved grooves and bead profile design.
- High-density sipes with special compound improve traction on dry and wet roads.

PERFORMANCE



SIZE LIST

RANGE:	16-18
SPEED RATE:	H/V
ASPECT RATIO:	55-70
SECTION WIDTH:	215-285



X-PRIVILO H/T

SUV/4X4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL	Code
16	215/70R16	100	H		C	C	70	B	✓			607699
	225/70R16	107	H	XL	C	C	70	B	✓			613538
	235/60R16	100	H		C	C	70	B	✓			613549
	235/65R16	107	H	XL	C	C	70	B	✓			607866
	235/70R16	106	H		C	C	70	B	✓			607750
	245/70R16	111	H	XL	C	C	70	B	✓			607543
	255/65R16	109	H		C	C	71	B	✓			608514
	255/70R16	111	H		C	C	71	B	✓			607757
	265/70R16	112	H		C	C	71	B	✓			607782
	275/70R16	114	H		C	C	71	B	✓			607666
17	215/60R17	100	H	XL	C	C	70	B	✓			613653
	215/65R17	99	H		C	C	70	B	✓			607479
	225/60R17	99	H		C	C	70	B	✓			607853
	225/65R17	102	H		C	C	70	B	✓			609312
	235/60R17	106	H	XL	C	C	70	B	✓			606908
	235/65R17	108	H	XL	C	C	70	B	✓			607395
	235/65R17	108	V	XL	C	C	70	B	✓			607477
	245/65R17	111	H	XL	C	C	70	B	✓			607597
	245/70R17	110	H		C	C	70	B	✓			607754
	255/60R17	110	V	XL	C	C	71	B	✓			613696
	255/65R17	110	H		C	C	71	B	✓			607606
	255/65R17	110	V		C	C	71	B	✓			607947
	265/65R17	112	H		C	C	71	B	✓			607952
	265/70R17	115	H		C	C	71	B	✓			607953
	275/65R17	115	H		C	C	71	B	✓			613539
18	285/65R17	116	H		C	C	72	B	✓			613541
	215/60R18	98	H		C	C	70	B	✓			613231
	225/55R18	98	H		C	C	70	B	✓			607883
	225/60R18	100	V		C	C	70	B	✓			607727
	235/60R18	107	H	XL	C	C	70	B	✓			607963
	235/60R18	107	V	XL	C	C	70	B	✓			607613
	235/65R18	110	H	XL	C	C	70	B	✓			607954
	245/60R18	105	H		C	C	70	B	✓			607981
	255/55R18	109	V	XL	C	C	71	B	✓			607990
	255/60R18	112	V	XL	C	C	71	B	✓			613494
	255/70R18	113	H		C	C	71	B	✓			607507
	265/60R18	110	H		C	C	71	B	✓			613632
	265/65R18	114	H		C	C	71	B	✓			608867
	275/65R18	116	H		C	C	71	B	✓			613542
	285/60R18	120	H	XL	C	C	72	A	✓			1002124

ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4


X-PRIVILO AT01 UTQG: 500 A A
ONLY FOR P TIRE



TECHNICAL FEATURE

- Wide shoulder block design and enhanced block stiffness increase stability and durability, even on tough roads.
- Sidewall pattern design can guard against cuts, bruises and impact breaks to improve off-road endurance.
- Block chamfer design can enhance the wear resistance and comfort performance, and help prevent tire damage from stones or external impacts.

PERFORMANCE



SIZE LIST

RANGE:	15-16
SPEED RATE:	S/T/H
ASPECT RATIO:	70-80
SECTION WIDTH:	195-265

X-PRIVILO AT01

SUV/4X4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	195/80R15	100	T	XL	C	C	71	B	✓		606888
	235/75R15	109	T	XL	C	C	71	B	✓		613432
	255/70R15	112	H	XL	C	C	71	B	✓		608523
	265/70R15	112	H		C	C	71	B	✓		608530
16	215/70R16	100	H		C	C	71	B	✓		607969

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	255/70R15C	112/110	S		C	C	71	B	✓		607790

ALL TERRAIN

X-PRIVILO AT01 series is completely suitable for multiple road conditions, provides excellent road contacting stability for more safe running. Intensive structure of the sidewall guarantees durability in all weather and road conditions.




X-PRIVILO AT08 *UTQG: S60 A B*
ONLY FOR P TIRE



TECHNICAL FEATURE

- Serrated snow patterns with fine sipes provide great grip under snow & ice conditions.
- The wide open shoulder grooves enhance wet grip and provide excellent water & snow evacuation.
- The wide tread enhance the traction under ice and snow conditions.

PERFORMANCE



SIZE LIST

RANGE:	15-20
SPEED RATE:	S/T/H
ASPECT RATIO:	50-75
SECTION WIDTH:	215-285

ALL TERRAIN

X-PRIVILO AT08 series has excellent performance for multi road conditions. The whole design offers efficient water drainage and enhance vehicle performance on both on and off roads. Aggressive sidewall protections increase off-road bite and prevent damage from sidewall cut and abrasions.



X-PRIVILO AT08

SUV/4X4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
16	215/70R16	100	T		D	C	71	B	✓		613467
	225/70R16	103	T		D	C	71	B	✓		607793
	225/75R16	104	T		D	C	71	B	✓		607503
	235/70R16	106	T		D	C	71	B	✓		607608
	245/70R16	111	T	XL	D	C	72	B	✓		606942
	255/70R16	111	T		D	C	72	B	✓		607531
	265/70R16	112	T		D	C	72	B	✓		606947
	275/70R16	114	T		D	C	72	B	✓		613482
17	225/60R17	99	T		D	C	71	B	✓		613556
	225/65R17	102	T		D	C	71	B	✓		613575
	235/65R17	104	T		D	C	71	B	✓		607797
	245/65R17	111	T	XL	D	C	72	B	✓		607554
	245/70R17	110	T		D	C	71	B	✓		613661
	255/65R17	110	T		D	C	72	B	✓		607408
	265/65R17	112	T		D	C	72	B	✓		607386
	265/70R17	115	T		D	C	72	B	✓		613551
18	265/60R18	110	T		D	C	72	B	✓		668629
	265/60R18	114	T	XL	D	C	72	B	✓		613566
	285/60R18	116	T		D	C	73	B	✓		613543
20	265/50R20	111	H	XL	D	C	72	B	✓		613752
	285/50R20	116	H	XL	D	C	75	B	✓		607971

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	LT215/75R15	100/97	S		-	-	-	-	✓		
	LT235/75R15	104/101	S		-	-	-	-	✓		
	LT235/75R15	116/113	S		-	-	-	-	✓		

X-PRIVILO RF06


UTQG: 460 A B
ONLY FOR P TIRE



TECHNICAL FEATURE

- The open shoulder grooves enhance wet grip performance and provide excellent water evacuation. Whiteletter is beautifully designed.
- The block tread design with multiple sipes provide outstanding off-road traction.
- 3 main zigzag grooves and rough lateral blocks provide excellent traction on all kinds of roads.

PERFORMANCE



SIZE LIST

RANGE:	15-17
SPEED RATE:	S/T
ASPECT RATIO:	70-75
SECTION WIDTH:	225-315

ALL TERRAIN

The special tread compound provides a longer wear life on off-road. Aggressive sidewall protectors are strategically located near the tyre shoulders to increase loose-surface bite while resisting cuts and abrasions from rocks and stumps.



X-PRIVILO RF06 SUV/4X4

Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
15	31X10.50R15LT	109	S		✓		-	-	-
	33X12.50R15LT	108	S		✓		-	-	-
16	LT225/75R16	115/112	S		✓		-	-	-
	LT245/75R16	120/116	S		✓		-	-	-
	LT265/75R16	123/120	S		✓		-	-	-
	LT285/75R16	126/123	S		✓		-	-	-
	LT305/70R16	124/121	S		✓		-	-	-
	LT315/75R16	127/124	S		✓		-	-	-
17	LT245/70R17	119/116	S		✓		-	-	-
	LT245/75R17	121/118	S		✓		-	-	-
	LT265/70R17	121/118	S		✓		-	-	-
	LT285/70R17	121/118	S		✓		-	-	-

Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
16	P235/70R16	106	T		✓		460	A	B
	P245/70R16	107	T		✓		460	A	B



ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4


X-PRIVILO AT03



TECHNICAL FEATURE

- A complex network of aggressive tread elements, bionic design from caterpillar, work together to provide stable handling both on and off road.
- Interlocking blocks and innovative siping stabilize tread center to enhanced rigidity for improved everyday straight driving.
- The cut-, chip- and tear-resistant tread compound, by using multi-functionalized S-SBR and highly well-organized carbonblack, provide longer life with 50,000miles warranty.

PERFORMANCE



SIZE LIST

RANGE:	13-18
SPEED RATE:	T/H/R/S
ASPECT RATIO:	60-80
SECTION WIDTH:	175-265

X-PRIVILO AT03

SUV/4X4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
13	175/75R13	85	T		D	C	70	B	✓		
14	175/75R14	87	T		D	C	70	B	✓		
	175/80R14	92	T	XL	D	C	70	B	✓		
	205/60R15	91	H		D	C	71	B	✓		
	205/65R15	94	H		D	C	71	B	✓		
15	205/70R15	96	T		D	C	71	B	✓		
	215/75R15	100	T		C	C	71	B	✓		
	235/75R15	109	T	XL	C	C	71	B	✓		
	205/60R16	92	H		C	C	71	B	✓		
	215/65R16	102	H	XL	C	C	71	B	✓		
16	245/70R16	111	T	XL	C	C	71	B	✓		
	245/75R16	111	T		C	C	71	B	✓		
	265/70R16	116	T	XL	C	C	71	B	✓		
	225/65R17	102	T		C	C	71	B	✓		
17	265/65R17	112	T		C	C	72	B	✓		
	265/70R17	115	T		C	C	72	B	✓		
	225/60R18	104	H	XL	C	C	72	B	✓		
18	265/60R18	114	T	XL	C	C	72	B	✓		

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
	LT205/70R15	102/99	R		C	C	72	B	✓		
15	LT215/75R15	100/97	R		C	C	72	B	✓		
	LT235/75R15	104/101	R		C	C	72	B	✓		
	31X10.50R15LT	109	S		C	C	72	B	✓		
	LT215/65R16	103/100	R		C	C	72	B	✓		
16	LT245/70R16	118/115	R		C	C	72	B	✓		
	LT245/75R16	120/116	R		C	C	72	B	✓		
	LT265/70R16	121/118	R		C	C	72	B	✓		
	LT225/65R17	107/103	R		C	C	72	B	✓		
17	LT265/65R17	120/117	R		C	C	72	B	✓		
	LT265/70R17	121/118	R		C	C	72	B	✓		
	LT225/60R18	101/98	R		C	C	72	B	✓		
18	LT265/60R18	119/116	R		C	C	72	B	✓		



The X-PRIVILO AT03, including P series and LT series, is an Off-Road All-Terrain tire developed to meet the needs of jeep, pickup truck and sport utility vehicle drivers who want confidence and control on and off road.


X-PRIVILO M/T



TECHNICAL FEATURE

- Three main zigzag grooves and aggressive pattern design provide outstanding traction.
- The block tread design with multiple-sipes provide outstanding off-road traction and reduce tread damage on off-road condition.
- Jointless Nylon band and strong structure design enhance the reliability and durability. Special tread compound and widefootprint deliver excellent braking on wet and dry roads.

PERFORMANCE



SIZE LIST

RANGE:	15-18
SPEED RATE:	Q
ASPECT RATIO:	50-75
SECTION WIDTH:	225-315

INCLUDING FLOATATION SIZES

X-PRIVILO M/T

SUV/4X4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	31X10.50R15LT	109	Q		-	-	-	-	✓		
	33X12.50R15LT	108	Q		-	-	-	-	✓		
16	LT225/75R16	115/112	Q		-	-	-	-	✓		
	LT245/75R16	120/116	Q		-	-	-	-	✓		
	LT265/75R16	123/120	Q		-	-	-	-	✓		
	LT285/75R16	126/123	Q		-	-	-	-	✓		
	LT305/70R16	124/121	Q		-	-	-	-	✓		
	LT315/75R16	127/124	Q		-	-	-	-	✓		
17	LT265/70R17	121/118	Q		-	-	-	-	✓		
	LT285/70R17	121/118	Q		-	-	-	-	✓		
	33X12.50R17LT	120	Q		-	-	-	-	✓		
18	35X12.50R17LT	125	Q		-	-	-	-	✓		
	33X12.50R18LT	118	Q		-	-	-	-	✓		
	35X12.50R18LT	123	Q		-	-	-	-	✓		

MUD TERRAIN

X-PRIVILO M/T series is borned for professional off-road conditions. Strong tyre structure brings reliability and durability. The robust design provides excellent traction performance on various tough road conditions. Pretty shoulder design increases the entertainment of refitted vehicle.



ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4

TRACMAX

WHEREVER THE ROAD GOES, THERE GOES TRACMAX

WWW.LANDSPIDERTIRE.COM