



WINDFORCE

ENJOY YOUR TRIPS WITH WINDFORCE TYRES

/// 2026 · CATALOGUE UPGRADE

HP/UHP/SUV/LTR/ALL-SEASON/WINTER





Fearless Progress, Steering into a New Era

No adventure without risk, no driving without safeguarding. On the way to the future, WINDFORCE is always upgrading and around you.

WINDFORCE brand, since 2012, unremitting team efforts and innovation, has developed 1200 tyre sizes covering PCR, UHP, SUV, 4 × 4, VAN, WINTER, ALL SEASON, etc.

WINDFORCE provides safety and value for the global customers, is constantly striving to create the best solutions for each application.

WINDFORCE provides a wide variety of PCR/TBR to customers, based on the demand from local market.

WINDFORCE persists on green tyres to protect the environment in a concept of low carbon development and lowers the rolling resistance of tyres.

WINDFORCE supplied by global TOP 10 manufacturer, has perfect quality supervision system, after-sales system and quality certification system to guarantee the product quality and improve the customer satisfaction.



Sustainable Ecdsystem

We are steadfast in our commitment to sustainable development, seamlessly integrating environmental, social, and governance (ESG) considerations into our strategic and operational frameworks.



Circular Technology

Recycling of waste tyre resources

- Recycling, repairing, renovating and reusing old tyres.
- Recycling and recycling of waste tyre resources.

Rubber raw materials

Every drop of our rubber is taken from the optimal temperature at 4-7 a.m. Strictly conforming to the latest regulations in EU.

Rubber Factory

Build an industrial ET brain smart factory

- Land utilization rate increases by 15%-25%.
- Reduce labor costs by 20%-30%.
- Increase molding efficiency by 20%-30%.
- Overall system production efficiency is improved by 15%-20% .

TABLES OF CONTENTS

 **MADE IN THAILAND**

 **MADE IN CHINA**

SUMMER



ADVANFORS H/P **3**



ADVANFORS UHP **7**



TERRAMASTER H/P **11**



ADVANFORS VAN **15**



TRANSMASER VAN **17**

ALL SEASON



TERRAMASTER A/S **21**



TRANSMASER VAN A/S **25**

WINTER



SNOWMASTER **29**

SUMMER



ADVANFORS H/P **35**



ADVANFORS UHP II **39**



ADVANFORS A/T **45**



CATCHFORS MAX **47**

SUV & VAN

WINTER



ARCTICBLAZER SUV **51**



ARCTICBLAZER **53**



ARCTIC POWER **57**

SUMMER




ADVANFORS TOURING **63**



ADVANFORS SUV **67**



ADVANFORS MAX **71**



ADVANFORS A/T II **73**

SUMMER



ADVANFORS H/P

ADVANFORS UHP

TERRAMASTER H/P

ADVANFORS VAN

TRANSMASTER VAN

ADVANFORS H/P

RANGE:

13-18

SPEED RATE:

H/T/V/W/Y

ASPECT RATIO:

35-80

SECTION WIDTH:



145-255




| SW | Series | Number of groove |
|-------|--------|------------------|
| ≤ 175 | all | 3 |
| 185 | ≥ 70 | 3 |
| | ≤ 65 | 4 |
| ≥ 195 | all | 4 |

ECO COMFORT PCR


The summer tyre ADVANFORS H/P , is designed to provide you safety all the while and to offer the best longevity in its category.



Non-symmetric from outside to inside for high-class performance. With close stiffness of two shoulders design, more freedom is allowed .



High performance compound and optimal block/void ratio ensures for great dry braking and handling.



The calculation of circumferential grooves for the series can efficiently avoid aquaplaning and delivering a strong brake performance.



Anti-closing design to improve road grip, especial in wet conditions.

| Rim | Size | LI / SR | XL | | | | |
|-----------|-----------|---------|----|---|----|----|---|
| 13 | 145/70R13 | 71T | | C | B | 70 | B |
| | 145/80R13 | 75T | | C | B | 70 | B |
| | 155/65R13 | 73T | | C | B | 70 | B |
| | 155/70R13 | 75T | | C | B | 70 | B |
| | 155/80R13 | 79T | | C | B | 70 | B |
| | 165/70R13 | 79T | | C | B | 70 | B |
| | 175/65R13 | 80T | | C | B | 70 | B |
| | 175/70R13 | 82T | | C | B | 70 | B |
| 14 | 155/65R14 | 75T | | C | B | 70 | B |
| | 165/60R14 | 75H | | C | B | 70 | B |
| | 165/65R14 | 79T | | C | B | 70 | B |
| | 165/70R14 | 81T | | C | B | 70 | B |
| | 165/70R14 | 85T | XL | C | B | 70 | B |
| | 175/65R14 | 82H | | C | B | 70 | B |
| | 175/65R14 | 86T | XL | C | B | 70 | B |
| | 175/70R14 | 84T | | C | B | 70 | B |
| | 175/70R14 | 88T | XL | C | B | 70 | B |
| | 185/55R14 | 80V | | C | B | 70 | B |
| | 185/60R14 | 82H | | C | B | 70 | B |
| | 185/65R14 | 86H | | C | B | 70 | B |
| 185/70R14 | 88T | | C | B | 70 | B | |
| 15 | 155/60R15 | 74T | | C | B | 70 | B |
| | 165/60R15 | 81T | XL | C | B | 70 | B |
| | 165/65R15 | 81T | | C | B | 70 | B |
| | 175/55R15 | 77H | | C | B | 70 | B |
| | 175/60R15 | 81H | | C | B | 70 | B |
| | 175/65R15 | 84H | | C | B | 70 | B |
| | 185/55R15 | 82V | | C | B | 70 | B |
| | 185/60R15 | 84H | | C | B | 70 | B |
| | 185/60R15 | 88H | XL | C | B | 70 | B |
| | 185/65R15 | 88H | | C | B | 70 | B |
| | 185/65R15 | 92T | XL | C | B | 70 | B |
| 195/50R15 | 82V | | C | B | 70 | B | |

| Rim | Size | LI / SR | XL | | | dB | |
|------------|-------------|---------|----|---|----|----|---|
| 15 | 195/55R15 | 85V | | C | B | 70 | B |
| | 195/60R15 | 88H | | C | B | 70 | B |
| | 195/60R15 | 88V | | C | B | 70 | B |
| | 195/65R15 | 91V | | C | B | 70 | B |
| | 195/65R15 | 95H | XL | C | B | 70 | B |
| | 205/60R15 | 91V | | C | B | 70 | B |
| | 205/65R15 | 94V | | C | B | 70 | B |
| | 215/65R15 | 96H | | C | B | 70 | B |
| 16 | 185/55R16 | 87V | XL | C | B | 70 | B |
| | 195/50R16 | 84V | | C | B | 70 | B |
| | 195/55R16 | 87V | | C | B | 70 | B |
| | 195/55R16 | 91V | XL | C | B | 70 | B |
| | 195/60R16 | 89H | | C | B | 70 | B |
| | 205/55R16 | 91V | | C | B | 70 | B |
| | 205/55R16 | 91W | | C | B | 70 | B |
| | 205/60R16 | 92V | | C | B | 70 | B |
| | 205/60R16 | 96V | XL | C | B | 70 | B |
| | 215/55R16 | 97W | XL | C | B | 70 | B |
| | 215/60R16 | 95V | | C | B | 70 | B |
| | 215/60R16 | 99V | XL | C | B | 70 | B |
| | 215/65R16 | 98H | | C | B | 70 | B |
| | 215/70R16 | 100H | | C | B | 70 | B |
| | 225/50R16 | 96W | XL | C | B | 70 | B |
| | 225/55R16 | 99W | XL | C | B | 70 | B |
| | 225/60R16 | 98H | | C | B | 70 | B |
| | 225/60R16 | 102V | XL | C | B | 70 | B |
| 235/60R16 | 100H | | C | B | 70 | B | |
| 17 | *205/40R17 | 84W | XL | C | B | 70 | B |
| | *205/45R17 | 88W | XL | C | B | 70 | B |
| | *205/50R17 | 93W | XL | C | B | 70 | B |
| | *205/55R17 | 95W | XL | C | B | 70 | B |
| | *215/40R17 | 87W | XL | C | B | 70 | B |
| | *215/45R17 | 91W | XL | C | B | 70 | B |
| | *215/50R17 | 95W | XL | C | B | 70 | B |
| | *215/55R17 | 98W | XL | C | B | 70 | B |
| | *215/60R17 | 100V | XL | C | B | 70 | B |
| | *215/65R17 | 99V | | C | B | 70 | B |
| | *225/45ZR17 | 94Y | XL | C | B | 70 | B |
| | *225/50ZR17 | 98Y | XL | C | B | 70 | B |
| | *225/55R17 | 101W | XL | C | B | 70 | B |
| | *225/60R17 | 103V | XL | C | B | 70 | B |
| | *225/65R17 | 106V | XL | C | B | 70 | B |
| | *235/45R17 | 97W | XL | C | B | 70 | B |
| | *235/55R17 | 103W | XL | C | B | 70 | B |
| | *235/60R17 | 106V | XL | C | B | 70 | B |
| *235/65R17 | 108V | XL | C | B | 70 | B | |
| *245/45R17 | 99W | XL | C | B | 70 | B | |
| 18 | *215/40ZR18 | 89Y | XL | C | B | 70 | B |
| | *215/45ZR18 | 93Y | XL | C | B | 70 | B |
| | *215/50R18 | 92W | | C | B | 70 | B |
| | *215/55R18 | 99V | XL | C | B | 70 | B |
| | *225/40ZR18 | 92Y | XL | C | B | 70 | B |
| | *225/45ZR18 | 95Y | XL | C | B | 70 | B |

| Rim | Size | LI / SR | XL | | | dB | |
|-----------|-------------|---------|----|---|---|----|---|
| 18 | *225/50R18 | 99W | XL | C | B | 70 | B |
| | *225/55R18 | 102V | XL | C | B | 70 | B |
| | *225/60R18 | 104V | XL | C | B | 70 | B |
| | *235/40ZR18 | 95Y | XL | C | B | 70 | B |
| | *235/45ZR18 | 98Y | XL | C | B | 70 | B |
| | *235/50ZR18 | 101Y | XL | C | B | 70 | B |
| | *235/55R18 | 104W | XL | C | B | 70 | B |
| | *235/60R18 | 107V | XL | C | B | 70 | B |
| | *245/40ZR18 | 97Y | XL | C | B | 70 | B |
| | *245/45ZR18 | 100Y | XL | C | B | 70 | B |
| | *255/35ZR18 | 94Y | XL | C | B | 70 | B |
| | *255/45ZR18 | 103Y | XL | C | B | 70 | B |
| | *255/55R18 | 109W | XL | C | B | 70 | B |

*UNDER DEVELOPMENT



ADVANFORS UHP

RANGE:

15-20

SPEED RATE:

V/W/Y

ASPECT RATIO:

30-65



SECTION WIDTH:

195-315




SPORTY PERFORMANCE PCR

The ADVANFORS UHP aims to maximize road performance and driving pleasure of their newest sport car, super SUVs and electrified vehicles.




The adaptive tread design specially for sporty Ultra-High-Performance ensures greater stability and ride comfort on both wet and dry roads.



Stylish and strong shoulder design to form enough ground contact in the outer area for crisp cornering.



Wide longitudinal grooves and shoulder lateral openings provide optimum drainage when driving straight ahead.



The whole 3-D edges design for smooth tread block entry into the footprint to improve acoustic comfort.

| Rim | Size | LI / SR | XL | | | | |
|-----------|------------|---------|----|---|----|----|---|
| 15 | 195/45R15 | 78V | | C | B | 71 | B |
| | 195/45R16 | 84V | XL | C | B | 72 | B |
| 16 | 205/45R16 | 87W | XL | C | B | 72 | B |
| | 205/50R16 | 87W | | C | B | 71 | B |
| | 205/50R16 | 91W | XL | C | B | 72 | B |
| | 205/55R16 | 94W | XL | C | B | 72 | B |
| | 215/45R16 | 90W | XL | C | B | 72 | B |
| | 195/40R17 | 81W | XL | C | B | 72 | B |
| 17 | 205/40R17 | 84W | XL | C | B | 72 | B |
| | 205/45R17 | 88W | XL | C | B | 72 | B |
| | 205/50R17 | 93W | XL | C | B | 72 | B |
| | 205/55R17 | 95W | XL | C | B | 72 | B |
| | 215/40R17 | 87W | XL | C | B | 72 | B |
| | 215/45R17 | 91W | XL | C | B | 72 | B |
| | 215/50R17 | 95W | XL | C | B | 72 | B |
| | 215/55R17 | 98W | XL | C | B | 72 | B |
| | 215/60R17 | 100V | XL | C | B | 72 | B |
| | 225/45ZR17 | 94Y | XL | C | B | 72 | B |
| | 225/50ZR17 | 98Y | XL | C | B | 72 | B |
| | 225/55R17 | 101W | XL | C | B | 72 | B |
| | 225/60R17 | 103V | XL | C | B | 72 | B |
| | 225/65R17 | 106V | XL | C | B | 72 | B |
| | 235/45R17 | 97W | XL | C | B | 72 | B |
| 235/55R17 | 103W | XL | C | B | 72 | B | |
| 235/60R17 | 106V | XL | C | B | 72 | B | |
| 235/65R17 | 108V | XL | C | B | 72 | B | |
| 245/45R17 | 99W | XL | C | B | 72 | B | |
| 18 | 205/40ZR18 | 86Y | XL | C | B | 72 | B |
| | 215/40ZR18 | 89Y | XL | C | B | 72 | B |
| | 215/45ZR18 | 93Y | XL | C | B | 72 | B |
| | 215/50R18 | 92W | | C | B | 71 | B |
| | 215/55R18 | 99W | XL | C | B | 72 | B |
| | 225/40ZR18 | 92Y | XL | C | B | 72 | B |



| Rim | Size | LI / SR | XL | | | dB | |
|------------|------------|---------|----|---|----|----|---|
| 18 | 225/45ZR18 | 95Y | XL | C | B | 72 | B |
| | 225/50R18 | 99W | XL | C | B | 72 | B |
| | 225/55R18 | 102W | XL | C | B | 72 | B |
| | 225/60R18 | 104V | XL | C | B | 72 | B |
| | 235/40ZR18 | 95Y | XL | C | B | 72 | B |
| | 235/45ZR18 | 98Y | XL | C | B | 72 | B |
| | 235/50ZR18 | 101Y | XL | C | B | 72 | B |
| | 235/55R18 | 104W | XL | C | B | 72 | B |
| | 235/60R18 | 107V | XL | C | B | 72 | B |
| | 245/40ZR18 | 97Y | XL | C | B | 72 | B |
| | 245/45ZR18 | 100Y | XL | C | B | 72 | B |
| | 245/50R18 | 104W | XL | C | B | 72 | B |
| | 255/35ZR18 | 94Y | XL | C | B | 73 | B |
| | 255/40ZR18 | 99Y | XL | C | B | 73 | B |
| | 255/45ZR18 | 103Y | XL | C | B | 73 | B |
| | 265/35ZR18 | 97Y | XL | C | B | 73 | B |
| 19 | 225/35ZR19 | 88Y | XL | C | B | 72 | B |
| | 225/40ZR19 | 93Y | XL | C | B | 72 | B |
| | 225/45ZR19 | 96Y | XL | C | B | 72 | B |
| | 225/55R19 | 103W | XL | C | B | 72 | B |
| | 235/35ZR19 | 91Y | XL | C | B | 72 | B |
| | 235/40ZR19 | 96Y | XL | C | B | 72 | B |
| | 235/45ZR19 | 99Y | XL | C | B | 72 | B |
| | 235/50ZR19 | 103Y | XL | C | B | 72 | B |
| | 235/55ZR19 | 105Y | XL | C | B | 72 | B |
| | 245/35ZR19 | 93Y | XL | C | B | 72 | B |
| | 245/40ZR19 | 98Y | XL | C | B | 72 | B |
| | 245/45ZR19 | 102Y | XL | C | B | 72 | B |
| | 255/30ZR19 | 91Y | XL | C | B | 73 | B |
| | 255/35ZR19 | 96Y | XL | C | B | 73 | B |
| | 255/40ZR19 | 100Y | XL | C | B | 73 | B |
| | 255/50ZR19 | 107Y | XL | C | B | 73 | B |
| 255/55R19 | 111W | XL | C | B | 73 | B | |
| 275/30ZR19 | 96Y | XL | C | B | 73 | B | |
| 275/35ZR19 | 100Y | XL | C | B | 73 | B | |
| 20 | 245/30ZR20 | 90Y | XL | C | B | 72 | B |
| | 245/35ZR20 | 95Y | XL | C | B | 72 | B |
| | 245/40ZR20 | 99Y | XL | C | B | 72 | B |
| | 245/45ZR20 | 103Y | XL | C | B | 72 | B |
| | 255/30ZR20 | 92Y | XL | C | B | 73 | B |
| | 255/35ZR20 | 97Y | XL | C | B | 73 | B |
| | 255/40ZR20 | 101Y | XL | C | B | 73 | B |
| | 255/45ZR20 | 105Y | XL | C | B | 73 | B |
| | 265/45ZR20 | 108Y | XL | C | B | 73 | B |
| | 265/50R20 | 111W | XL | C | B | 73 | B |
| | 275/30ZR20 | 97Y | XL | C | B | 73 | B |
| | 275/35ZR20 | 102Y | XL | C | B | 73 | B |
| | 275/40ZR20 | 106Y | XL | C | B | 73 | B |
| | 275/45ZR20 | 110Y | XL | C | B | 73 | B |
| 315/35ZR20 | 110Y | XL | C | B | 74 | B | |





TERRAMASTER H/P

RANGE:

13-21

SPEED RATE:

H/T/V/W/Y

ASPECT RATIO:

30-80


SECTION WIDTH:

155-315




PREMIUM TOURING PCR


The TERRAMASTER H/P offers the broadest size range for passengers vehicles, ensures comfort through improved construction, enhances wet grip and reduces rolling resistance with an optimized compound, and delivers exceptional dry/wet handling performance.




Covering a most wide range of sizes for eco, HP/UHP vehicles.



Matrix body ply structure, which enhances steering stability, improves precision in steering without compromising comfort and contributes to excellent performance in the dry by conveying power to the road's surface.



The "3+1" wider main grooves in variable width circumferential grooves offer exceptional water-evacuation performance for wet driving safety.











High performance compounding and optimized block/ratio ensures for great road grips and lower rolling resistance.

| Rim | Size | LI / SR | XL | | | | |
|-----------|-----------|---------|----|---|----|----|---|
| 13 | 155/65R13 | 73T | | D | B | 70 | B |
| | 155/70R13 | 75T | | D | B | 70 | B |
| | 155/80R13 | 79T | | D | B | 70 | B |
| | 165/70R13 | 79T | | D | B | 70 | B |
| | 165/80R13 | 83T | | D | B | 70 | B |
| | 175/70R13 | 82T | | D | B | 70 | B |
| | 185/70R13 | 86T | | D | B | 70 | B |
| 14 | 155/65R14 | 75T | | D | B | 70 | B |
| | 165/60R14 | 75H | | D | B | 70 | B |
| | 165/65R14 | 79T | | D | B | 70 | B |
| | 165/70R14 | 81T | | D | B | 70 | B |
| | 175/60R14 | 79H | | D | B | 70 | B |
| | 175/65R14 | 82H | | D | B | 70 | B |
| | 175/70R14 | 84T | | D | B | 70 | B |
| | 175/70R14 | 88T | XL | D | B | 70 | B |
| | 185/55R14 | 80V | | D | B | 70 | B |
| | 185/60R14 | 82H | | D | B | 70 | B |
| | 185/65R14 | 86H | | D | B | 70 | B |
| | 185/70R14 | 88T | | D | B | 70 | B |
| 15 | 195/65R14 | 89H | | D | B | 71 | B |
| | 195/70R14 | 91T | | C | B | 71 | B |
| | 155/60R15 | 74H | | D | B | 70 | B |
| | 165/60R15 | 81T | XL | D | B | 70 | B |
| | 165/65R15 | 81H | | D | B | 70 | B |
| | 175/55R15 | 77H | | D | B | 70 | B |
| | 175/60R15 | 81H | | D | B | 70 | B |
| | 175/65R15 | 84H | | D | B | 70 | B |
| | 185/55R15 | 82V | | D | B | 70 | B |
| | 185/55R15 | 86V | XL | D | B | 70 | B |
| | 185/60R15 | 84H | | D | B | 70 | B |
| | 185/60R15 | 88H | XL | D | B | 70 | B |
| | 185/65R15 | 88H | | D | B | 70 | B |
| | 195/45R15 | 78V | | D | B | 71 | B |
| 195/50R15 | 82V | | D | B | 71 | B | |
| 195/55R15 | 85V | | D | B | 71 | B | |
| 195/60R15 | 88H | | D | B | 71 | B | |



| SW | Series | Number of groove |
|-------|--------|------------------|
| ≤ 185 | all | 3 |
| ≥ 195 | all | 4 |

| Rim | Size | LI / SR | XL |  |  |  |  | |
|-----------|-----------|-----------|-----|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|---|
| 15 | 195/60R15 | 88V | | D | B | 71 | B | |
| | 195/65R15 | 91V | | C | B | 71 | B | |
| | 195/65R15 | 91H | | C | B | 71 | B | |
| | 195/65R15 | 95H | XL | C | B | 71 | B | |
| | 205/60R15 | 91H | | C | B | 71 | B | |
| | 205/65R15 | 94V | | C | B | 71 | B | |
| | 205/70R15 | 96H | | C | B | 71 | B | |
| | 215/65R15 | 96H | | C | B | 71 | B | |
| | 215/70R15 | 98H | | C | B | 71 | B | |
| | 215/70R15 | 98H | | C | B | 71 | B | |
| 16 | 185/55R16 | 83V | | D | B | 70 | B | |
| | 195/45R16 | 84V | XL | D | B | 71 | B | |
| | 195/50R16 | 84V | | D | B | 71 | B | |
| | 195/50R16 | 88V | XL | D | B | 71 | B | |
| | 195/55R16 | 87V | | D | B | 71 | B | |
| | 195/55R16 | 91V | XL | C | B | 71 | B | |
| | 195/60R16 | 89V | | D | B | 71 | B | |
| | 205/45R16 | 87W | XL | D | B | 71 | B | |
| | 205/50R16 | 87V | | D | B | 71 | B | |
| | 205/50R16 | 91V | XL | C | B | 71 | B | |
| | 205/55R16 | 91V | | C | B | 71 | B | |
| | 205/55R16 | 94W | XL | C | B | 71 | B | |
| | 205/60R16 | 92V | | C | B | 71 | B | |
| | 205/60R16 | 96V | XL | C | B | 71 | B | |
| | 205/65R16 | 95H | | C | B | 71 | B | |
| | 215/40R16 | 86W | XL | D | B | 71 | B | |
| | 215/45R16 | 90W | XL | D | B | 71 | B | |
| | 215/55R16 | 97W | XL | C | B | 71 | B | |
| | 215/60R16 | 99V | XL | C | B | 71 | B | |
| | 215/65R16 | 98V | | C | B | 71 | B | |
| | 215/70R16 | 100H | | C | B | 71 | B | |
| | 225/55R16 | 99W | XL | C | B | 71 | B | |
| | 225/60R16 | 98H | | C | B | 71 | B | |
| | 235/60R16 | 100H | | C | B | 71 | B | |
| 17 | 195/45R17 | 85W | XL | D | B | 71 | B | |
| | 205/40R17 | 84W | XL | D | B | 71 | B | |
| | 205/45R17 | 88W | XL | D | B | 71 | B | |
| | 205/50R17 | 93W | XL | C | B | 71 | B | |
| | 205/55R17 | 95W | XL | C | B | 71 | B | |
| | 215/40R17 | 87W | XL | D | B | 71 | B | |
| | 215/45R17 | 91W | XL | C | B | 71 | B | |
| | 215/50R17 | 95W | XL | C | B | 71 | B | |
| | 215/55R17 | 98W | XL | C | B | 71 | B | |
| | 215/60R17 | 96V | | C | B | 71 | B | |
| | 225/45R17 | 94W | XL | C | B | 71 | B | |
| | 225/50R17 | 98W | XL | C | B | 71 | B | |
| | 225/55R17 | 101W | XL | C | B | 71 | B | |
| | 225/60R17 | 103V | XL | C | B | 71 | B | |
| | 225/65R17 | 106V | XL | C | B | 71 | B | |
| | 235/45R17 | 97W | XL | C | B | 71 | B | |
| | 235/50R17 | 100W | XL | C | B | 71 | B | |
| | 235/55R17 | 103W | XL | C | B | 71 | B | |
| | 235/65R17 | 108V | XL | C | B | 71 | B | |
| | 245/40R17 | 95W | XL | C | B | 71 | B | |
| | 245/45R17 | 99W | XL | C | B | 71 | B | |
| | 255/40R17 | 94V | | C | B | 72 | B | |
| | 18 | 205/40R18 | 86W | XL | D | B | 71 | B |
| | | 215/40R18 | 89W | XL | D | B | 71 | B |
| 215/45R18 | | 93W | XL | C | B | 71 | B | |

| Rim | Size | LI / SR | XL |  |  |  |  |
|-----------|-----------|---------|----|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| 18 | 215/50R18 | 92W | | C | B | 71 | B |
| | 215/55R18 | 99V | XL | C | B | 71 | B |
| | 225/40R18 | 92W | XL | C | B | 71 | B |
| | 225/45R18 | 95W | XL | C | B | 71 | B |
| | 225/50R18 | 99W | XL | C | B | 71 | B |
| | 225/55R18 | 98V | | C | B | 71 | B |
| | 225/60R18 | 100H | | C | B | 71 | B |
| | 235/40R18 | 95W | XL | C | B | 71 | B |
| | 235/45R18 | 98W | XL | C | B | 71 | B |
| | 235/50R18 | 101W | XL | C | B | 71 | B |
| | 235/55R18 | 104W | XL | C | B | 71 | B |
| | 235/60R18 | 107V | XL | C | B | 71 | B |
| | 245/40R18 | 97W | XL | C | B | 71 | B |
| | 245/45R18 | 100W | XL | C | B | 71 | B |
| | 255/35R18 | 94W | XL | C | B | 72 | B |
| | 255/40R18 | 99W | XL | C | B | 72 | B |
| | 255/45R18 | 103W | XL | C | B | 72 | B |
| | 255/55R18 | 109W | XL | C | B | 72 | B |
| 255/60R18 | 112V | XL | C | B | 72 | B | |
| 265/35R18 | 97W | XL | C | B | 72 | B | |
| 19 | 205/55R19 | 97V | XL | C | B | 71 | B |
| | 225/35R19 | 88W | XL | D | B | 71 | B |
| | 225/40R19 | 93W | XL | C | B | 71 | B |
| | 225/45R19 | 96W | XL | C | B | 71 | B |
| | 225/55R19 | 103V | | C | B | 71 | B |
| | 235/35R19 | 91W | XL | C | B | 71 | B |
| | 235/40R19 | 96W | XL | C | B | 71 | B |
| | 235/45R19 | 99W | XL | C | B | 71 | B |
| | 235/50R19 | 103W | XL | C | B | 71 | B |
| | 235/55R19 | 105V | XL | C | B | 71 | B |
| | 245/35R19 | 93W | XL | C | B | 71 | B |
| | 245/40R19 | 98W | XL | C | B | 71 | B |
| | 245/45R19 | 102W | XL | C | B | 71 | B |
| | 255/35R19 | 96W | XL | C | B | 72 | B |
| | 255/40R19 | 100W | XL | C | B | 72 | B |
| | 255/45R19 | 104W | XL | C | B | 72 | B |
| | 255/50R19 | 107W | XL | C | B | 72 | B |
| | 255/55R19 | 111W | XL | C | B | 72 | B |
| 265/35R19 | 98W | XL | C | B | 72 | B | |
| 275/35R19 | 100W | XL | C | B | 72 | B | |
| 275/40R19 | 105W | XL | C | B | 72 | B | |
| 20 | 195/50R20 | 93H | XL | C | B | 71 | B |
| | 195/55R20 | 95H | XL | C | B | 71 | B |
| | 245/35R20 | 95W | XL | C | B | 71 | B |
| | 245/40R20 | 99W | XL | C | B | 71 | B |
| | 245/45R20 | 103W | XL | C | B | 71 | B |
| | 255/35R20 | 97W | XL | C | B | 72 | B |
| | 255/40R20 | 101Y | XL | C | B | 72 | B |
| | 255/45R20 | 105W | XL | C | B | 72 | B |
| | 255/50R20 | 109W | XL | C | B | 72 | B |
| | 275/30R20 | 97W | XL | C | B | 72 | B |
| | 275/35R20 | 102W | XL | C | B | 72 | B |
| | 275/40R20 | 106Y | XL | C | B | 72 | B |
| | 275/45R20 | 110Y | XL | C | B | 72 | B |
| | 315/35R20 | 110Y | XL | C | B | 74 | B |
| 21 | 275/40R21 | 107Y | XL | C | B | 72 | B |
| | 315/35R21 | 111Y | XL | C | B | 74 | B |

ADVANFORS VAN

RANGE: **14-17**

SPEED RATE: **R1S1T**


ASPECT RATIO: **60-80**

SECTION WIDTH: **175-235**




COMMERCIAL VAN

The ADVANFORS VAN, the finest van/light truck commercial tire for Europe, is engineered to meet the multi-purpose needs of safety, durability, comfort and efficiency.







Strong design, extra-durable construction offers durability and excellent wear resistance.



Greatly enhanced tread design delivers confident and reliable handling across a variety of road and weather conditions.



High mileage combined with fuel economy, low operating costs over the long term, boosting your profitability.

| Rim | Size | LI / SR | PR |  |  |  |  |
|-----------|------------|----------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 14 | 175/65R14C | 90/88T | 6PR | C | B | 71 | B |
| | 175/70R14C | 95/93T | 6PR | C | B | 71 | B |
| | 185R14C | 102/100S | 8PR | C | B | 71 | B |
| | 195R14C | 106/104S | 8PR | C | B | 71 | B |
| 15 | 195/70R15C | 104/102S | 8PR | C | B | 71 | B |
| | 205/70R15C | 106/104S | 8PR | C | B | 71 | B |
| | 215/65R15C | 104/102T | 6PR | C | B | 71 | B |
| | 215/70R15C | 109/107S | 8PR | C | B | 71 | B |
| | 225/70R15C | 112/110S | 8PR | C | B | 71 | B |
| 16 | 185/75R16C | 104/102S | 8PR | C | B | 71 | B |
| | 195/65R16C | 104/102T | 8PR | C | B | 71 | B |
| | 195/75R16C | 107/105S | 8PR | C | B | 71 | B |
| | 195/75R16C | 110/108R | 10PR | C | B | 71 | B |
| | 205/65R16C | 107/105T | 8PR | C | B | 71 | B |
| | 205/75R16C | 110/108S | 8PR | C | B | 71 | B |
| | 205/75R16C | 113/111R | 10PR | C | B | 71 | B |
| | 215/60R16C | 103/101T | 6PR | C | B | 71 | B |
| | 215/65R16C | 109/107T | 8PR | C | B | 71 | B |
| | 215/75R16C | 113/111S | 8PR | C | B | 71 | B |
| | 225/65R16C | 112/110T | 8PR | C | B | 71 | B |
| | 225/75R16C | 121/120R | 10PR | C | B | 71 | B |
| 17 | 235/65R16C | 115/113T | 8PR | C | B | 71 | B |
| | 235/65R16C | 121/119R | 10PR | C | B | 71 | B |
| | 215/60R17C | 109/107T | 8PR | C | B | 71 | B |



TRANSMASTER VAN

RANGE:

14-16

SPEED RATE:

H/D/R/S/T

ASPECT RATIO:

60-80


SECTION WIDTH:

175-235



COMMERCIAL VAN


TRANSMASTER VAN, with significant developmental advances in sustainability, has an increased mileage/durability, and lower rolling resistance.




With a higher block/void ratio optimised pattern, the specialized van tyre tread compound enhanced mileage greatly.



The innovative groove design improves the noise level comfort. While keeping a consistently high wet performance.



The new design, with optimized pitch-alignment, ensures better noise absorption and less sound creation for a van tyre.



Strong shoulder design and ex-durable construction, with 2-body plies and wide steel belts engineering for more sustainable service.

| Rim | Size | LI / SR | PR | | | | |
|-----------|------------|-----------|------|---|---|----|---|
| 14 | 175/65R14C | 90/88T | 6PR | D | B | 71 | B |
| | 175/70R14C | 95/93S | 6PR | D | B | 71 | B |
| | 185R14C | 102/100R | 8PR | C | B | 71 | B |
| | 195R14C | 106/104Q | 8PR | C | B | 71 | B |
| 15 | 195/70R15C | 104/102R | 8PR | C | B | 71 | B |
| | 205/70R15C | 106 /104R | 8PR | C | B | 71 | B |
| | 215/65R15C | 104/102T | 6PR | C | B | 71 | B |
| | 215/70R15C | 109/107R | 8PR | C | B | 71 | B |
| | 225/70R15C | 112/110R | 8PR | C | B | 71 | B |
| 16 | 185/75R16C | 104/102R | 8PR | C | B | 71 | B |
| | 195/60R16C | 99/97H | 6PR | C | B | 71 | B |
| | 195/65R16C | 104/102T | 8PR | C | B | 71 | B |
| | 195/75R16C | 107/105R | 8PR | C | B | 71 | B |
| | 205/65R16C | 107/105T | 8PR | C | B | 71 | B |
| | 205/75R16C | 110/108Q | 8PR | C | B | 71 | B |
| | 215/60R16C | 108/106T | 8PR | C | B | 71 | B |
| | 215/65R16C | 109/107T | 8PR | C | B | 71 | B |
| | 215/75R16C | 113/111Q | 8PR | C | B | 71 | B |
| | 225/65R16C | 112/110T | 8PR | C | B | 71 | B |
| | 225/75R16C | 118/116R | 10PR | C | B | 71 | B |
| | 235/65R16C | 115/113R | 8PR | C | B | 71 | B |

ALL SEASON



TERRAMASTER A/S

TRANSMASTER VAN A/S



TERRAMASTER A/S

RANGE: **13-19**

SPEED RATE: **H/T/V/W/Y**


ASPECT RATIO: **35-80**

SECTION WIDTH: **155-255**



ALL-SEASON PCR


The TERRAMASTER A/S is designed to perform in every climate condition, with excellent wet and dry braking and maintain traction and stability whether driving in wet or dry conditions.




Wide lateral grooves, improved drain performance with wide and high angled grooves.



High-density summer sipes. Enhanced block stiffness provides better driving performance on dry roads.



Pitch variation technology. Optimized pitch variation technology provides more comfortable driving.



The product's construction with 3D sipes provides outstanding grip performance on dry in all season conditions.

| Rim | Size | LI / SR | XL | | | | | 3PMSF |
|-----------|-----------|---------|----|---|---|----|---|-------|
| 13 | 155/65R13 | 73T | | D | B | 70 | ✓ | ✓ |
| | 155/70R13 | 75T | | D | B | 70 | ✓ | ✓ |
| | 155/80R13 | 79T | | D | B | 70 | ✓ | ✓ |
| | 165/70R13 | 79T | | D | B | 70 | ✓ | ✓ |
| | 165/70R13 | 83T | XL | C | B | 70 | ✓ | ✓ |
| | 175/70R13 | 82T | | D | B | 70 | ✓ | ✓ |
| 14 | 155/65R14 | 75T | | D | B | 70 | ✓ | ✓ |
| | 165/60R14 | 79H | XL | C | B | 70 | ✓ | ✓ |
| | 165/65R14 | 79T | | D | B | 70 | ✓ | ✓ |
| | 165/70R14 | 81T | | D | B | 70 | ✓ | ✓ |
| | 175/65R14 | 82T | | D | B | 70 | ✓ | ✓ |
| | 175/65R14 | 86T | XL | C | B | 70 | ✓ | ✓ |
| | 175/70R14 | 84T | | D | B | 70 | ✓ | ✓ |
| | 175/70R14 | 88T | XL | C | B | 70 | ✓ | ✓ |
| | 185/60R14 | 82H | | D | B | 70 | ✓ | ✓ |
| | 185/65R14 | 86H | | D | B | 70 | ✓ | ✓ |
| 15 | 185/70R14 | 88T | | D | B | 70 | ✓ | ✓ |
| | 195/70R14 | 91T | | C | B | 71 | ✓ | ✓ |
| | 165/65R15 | 81H | | D | B | 70 | ✓ | ✓ |
| | 175/65R15 | 84H | | D | B | 70 | ✓ | ✓ |
| | 185/55R15 | 82H | | D | B | 70 | ✓ | ✓ |
| | 185/60R15 | 88H | XL | C | B | 70 | ✓ | ✓ |
| | 185/65R15 | 88H | | D | B | 70 | ✓ | ✓ |
| | 185/65R15 | 92H | XL | C | B | 70 | ✓ | ✓ |
| | 195/50R15 | 82V | | D | B | 71 | ✓ | ✓ |
| | 195/55R15 | 85V | | D | B | 71 | ✓ | ✓ |
| | 195/60R15 | 88V | | D | B | 71 | ✓ | ✓ |
| | 195/65R15 | 91H | | C | B | 71 | ✓ | ✓ |
| 16 | 195/65R15 | 95H | XL | C | B | 71 | ✓ | ✓ |
| | 205/65R15 | 94V | | C | B | 71 | ✓ | ✓ |
| | 215/65R15 | 96H | | C | B | 71 | ✓ | ✓ |
| | 195/45R16 | 84V | XL | C | B | 71 | ✓ | ✓ |
| | 195/50R16 | 88V | XL | C | B | 71 | ✓ | ✓ |



| Rim | Size | LI / SR | XL | | | | | M+S | 3PMSF |
|------------|------------|---------|----|---|----|----|---|-----|-------|
| 16 | 195/55R16 | 87V | | D | B | 71 | B | ✓ | ✓ |
| | 195/55R16 | 91V | XL | C | B | 71 | B | ✓ | ✓ |
| | 195/60R16 | 89V | | C | B | 71 | B | ✓ | ✓ |
| | 205/45ZR16 | 87W | XL | C | B | 71 | B | ✓ | ✓ |
| | 205/50ZR16 | 91W | XL | C | B | 71 | B | ✓ | ✓ |
| | 205/55R16 | 91V | | C | B | 71 | B | ✓ | ✓ |
| | 205/55R16 | 94V | XL | C | B | 71 | B | ✓ | ✓ |
| | 205/60R16 | 96V | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/45R16 | 90V | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/55ZR16 | 97W | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/60R16 | 99V | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/65R16 | 98V | | C | B | 71 | B | ✓ | ✓ |
| | 225/55ZR16 | 99W | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/60R16 | 102V | XL | C | B | 71 | B | ✓ | ✓ |
| 17 | 205/45ZR17 | 88W | XL | C | B | 71 | B | ✓ | ✓ |
| | 205/50ZR17 | 93W | XL | C | B | 71 | B | ✓ | ✓ |
| | 205/55ZR17 | 95W | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/40ZR17 | 87W | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/45ZR17 | 91W | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/50ZR17 | 95W | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/55ZR17 | 98W | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/60R17 | 100V | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/65R17 | 99V | | C | B | 71 | B | ✓ | ✓ |
| | 225/45ZR17 | 94Y | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/50ZR17 | 98Y | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/55ZR17 | 101W | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/60R17 | 103V | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/65R17 | 106V | XL | C | B | 71 | B | ✓ | ✓ |
| 235/45ZR17 | 97W | XL | C | B | 71 | B | ✓ | ✓ | |
| 235/55ZR17 | 103W | XL | C | B | 71 | B | ✓ | ✓ | |
| 235/65ZR17 | 108W | XL | C | B | 71 | B | ✓ | ✓ | |
| 18 | 215/55R18 | 99V | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/40ZR18 | 92Y | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/45ZR18 | 95W | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/55R18 | 98V | | C | B | 71 | B | ✓ | ✓ |
| | 235/45ZR18 | 98Y | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/50ZR18 | 101W | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/55R18 | 104V | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/60ZR18 | 107W | XL | C | B | 71 | B | ✓ | ✓ |
| | 245/40ZR18 | 97Y | XL | C | B | 72 | B | ✓ | ✓ |
| 245/45ZR18 | 100Y | XL | C | B | 72 | B | ✓ | ✓ | |
| 19 | 225/40ZR19 | 93Y | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/45ZR19 | 96Y | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/55ZR19 | 99W | | C | B | 71 | B | ✓ | ✓ |
| | 235/55ZR19 | 105W | XL | C | B | 71 | B | ✓ | ✓ |
| | 245/45ZR19 | 102Y | XL | C | B | 72 | B | ✓ | ✓ |
| | 255/35ZR19 | 96Y | XL | C | B | 73 | B | ✓ | ✓ |
| 255/40ZR19 | 100Y | XL | C | B | 73 | B | ✓ | ✓ | |



TRANSMASTER VAN A/S

RANGE:

14-16

SPEED RATE:

H/R/S/T

ASPECT RATIO:

60-75


SECTION WIDTH:

175-235




ALL-SEASON COMMERCIAL VAN


The TRANSMASTER VAN A/S is a durable all-weather touring tire for sedans and crossovers. It features fuel savings and optimized mileage shorter braking distances in the wet, and extended tread life.



Straight 3-channel waterway
Resists hydroplaning for a safer drive in wet road conditions.



Wide shoulder blocks are applied for a better grip and maximum road contact. Groove width is optimized for all-season performance.



All Season Performance Compound
Features a new compound developed with highly concentrated silica to maximize grip performance in wet, dry, and light snow.



The product's construction with 3D sipes provides outstanding grip performance on dry in all season conditions.

| Rim | Size | LI / SR | PR | | | | | M+S | 3PMSF |
|------------|------------|----------|------|---|----|----|---|-----|-------|
| 14 | 175/65R14C | 90/88T | 6PR | C | B | 72 | B | ✓ | ✓ |
| | 175/70R14C | 95/93T | 6PR | C | B | 72 | B | ✓ | ✓ |
| 15 | 195/70R15C | 104/102S | 8PR | C | B | 72 | B | ✓ | ✓ |
| | 215/70R15C | 109/107S | 8PR | C | B | 72 | B | ✓ | ✓ |
| | 225/70R15C | 112/110S | 8PR | C | B | 72 | B | ✓ | ✓ |
| 16 | 185/75R16C | 104/102S | 8PR | C | B | 72 | B | ✓ | ✓ |
| | 195/60R16C | 99/97H | 6PR | C | B | 72 | B | ✓ | ✓ |
| | 195/65R16C | 104/102S | 8PR | C | B | 72 | B | ✓ | ✓ |
| | 195/75R16C | 107/105S | 8PR | C | B | 72 | B | ✓ | ✓ |
| | 205/65R16C | 107/105T | 8PR | C | B | 72 | B | ✓ | ✓ |
| | 205/75R16C | 113/111S | 10PR | C | B | 72 | B | ✓ | ✓ |
| | 215/60R16C | 103/101T | 6PR | C | B | 72 | B | ✓ | ✓ |
| | 215/65R16C | 109/107T | 8PR | C | B | 72 | B | ✓ | ✓ |
| | 215/75R16C | 113/111S | 8PR | C | B | 72 | B | ✓ | ✓ |
| | 225/65R16C | 112/110S | 8PR | C | B | 72 | B | ✓ | ✓ |
| 235/65R16C | 115/113S | 8PR | C | B | 72 | B | ✓ | ✓ | |
| 235/65R16C | 121/119R | 10PR | C | B | 72 | B | ✓ | ✓ | |

WINTER



SNOWMASTER



SNOWMASTER

RANGE:

13-20

SPEED RATE:

H/T/V

ASPECT RATIO:

35-80


SECTION WIDTH:

155-275



STUDLESS SNOW TYRE

SNOWMASTER is a non-pitted winter tyre specifically designed for SUVs and CUVs. It offers reliable grip and control, performing well in snowy, icy conditions and cold weather. With advanced winter formula and tread technology, it excels in harsh environments.




The fine grooves on the tyre tread instantly absorb the thin water film between the tyre and the snow through capillary action, enabling the vehicle to drive freely on the snowy surface.



The centrifugal pump effect produced by the V-shaped pattern results in excellent drainage performance.



The special tyre tread low-temperature formula can still maintain physical properties such as elasticity even at low temperatures.



The design of the tyre shoulder with an outwardly expanded trumpet-shaped opening (similar to the structure of a snow shovel) effectively enhances the snow-discharging performance.

| Rim | Size | LI / SR | XL | | | | | M+S | 3PMSF |
|-----------|-----------|---------|----|---|----|----|---|-----|-------|
| 13 | 155/70R13 | 75T | | D | B | 70 | B | ✓ | ✓ |
| | 155/80R13 | 79T | | D | B | 70 | B | ✓ | ✓ |
| | 175/70R13 | 82T | | D | B | 70 | B | ✓ | ✓ |
| 14 | 155/65R14 | 75T | | D | B | 70 | B | ✓ | ✓ |
| | 165/65R14 | 79T | | D | B | 70 | B | ✓ | ✓ |
| | 165/70R14 | 81T | | D | B | 70 | B | ✓ | ✓ |
| | 165/70R14 | 85T | XL | D | B | 70 | B | ✓ | ✓ |
| | 175/65R14 | 82T | | D | B | 70 | B | ✓ | ✓ |
| | 175/65R14 | 86H | XL | D | B | 70 | B | ✓ | ✓ |
| | 175/70R14 | 84T | | D | B | 70 | B | ✓ | ✓ |
| | 185/60R14 | 82H | | D | B | 70 | B | ✓ | ✓ |
| 185/65R14 | 86H | | D | B | 70 | B | ✓ | ✓ | |
| 15 | 165/60R15 | 81T | XL | D | B | 70 | B | ✓ | ✓ |
| | 165/65R15 | 81T | | D | B | 70 | B | ✓ | ✓ |
| | 175/65R15 | 88H | XL | D | B | 70 | B | ✓ | ✓ |
| | 185/55R15 | 86H | XL | D | B | 70 | B | ✓ | ✓ |
| | 185/60R15 | 84H | | D | B | 70 | B | ✓ | ✓ |
| | 185/60R15 | 88H | XL | D | B | 70 | B | ✓ | ✓ |
| | 185/65R15 | 88H | | D | B | 70 | B | ✓ | ✓ |
| | 185/65R15 | 92H | XL | C | B | 70 | B | ✓ | ✓ |
| | 195/50R15 | 86H | XL | D | B | 71 | B | ✓ | ✓ |
| | 195/55R15 | 89H | XL | D | B | 71 | B | ✓ | ✓ |
| | 195/60R15 | 92H | XL | C | B | 71 | B | ✓ | ✓ |
| | 195/65R15 | 91H | | C | B | 71 | B | ✓ | ✓ |
| 195/65R15 | 95H | XL | C | B | 71 | B | ✓ | ✓ | |
| 205/65R15 | 94H | | C | B | 71 | B | ✓ | ✓ | |
| 205/70R15 | 100H | XL | C | B | 71 | B | ✓ | ✓ | |
| 16 | 195/45R16 | 84H | XL | D | B | 71 | B | ✓ | ✓ |
| | 195/55R16 | 91H | XL | C | B | 71 | B | ✓ | ✓ |
| | 205/55R16 | 91H | | C | B | 71 | B | ✓ | ✓ |
| | 205/55R16 | 94H | XL | C | B | 71 | B | ✓ | ✓ |
| | 205/60R16 | 92H | | C | B | 71 | B | ✓ | ✓ |
| | 205/60R16 | 96H | XL | C | B | 71 | B | ✓ | ✓ |

| Rim | Size | LI / SR | XL | | | | | M+S | 3PMSF |
|-----------|-----------|---------|----|---|----|----|---|-----|-------|
| 16 | 205/65R16 | 99H | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/55R16 | 97H | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/60R16 | 99H | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/65R16 | 102H | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/70R16 | 104H | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/55R16 | 99H | XL | C | B | 71 | B | ✓ | ✓ |
| 17 | 205/45R17 | 88V | XL | D | B | 71 | B | ✓ | ✓ |
| | 205/50R17 | 93V | XL | C | B | 71 | B | ✓ | ✓ |
| | 205/55R17 | 95V | XL | C | B | 71 | B | ✓ | ✓ |
| | 205/60R17 | 93H | | C | B | 71 | B | ✓ | ✓ |
| | 215/40R17 | 87V | XL | D | B | 71 | B | ✓ | ✓ |
| | 215/45R17 | 91V | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/50R17 | 95V | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/55R17 | 98V | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/60R17 | 100H | XL | C | B | 71 | B | ✓ | ✓ |
| | 215/65R17 | 103H | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/45R17 | 94V | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/50R17 | 98V | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/55R17 | 101V | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/60R17 | 103H | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/65R17 | 106H | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/45R17 | 97V | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/55R17 | 103V | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/65R17 | 108H | XL | C | B | 71 | B | ✓ | ✓ |
| | 245/45R17 | 99V | XL | C | B | 71 | B | ✓ | ✓ |
| | 245/65R17 | 111H | XL | C | B | 71 | B | ✓ | ✓ |
| 265/65R17 | 116H | XL | C | B | 72 | B | ✓ | ✓ | |
| 18 | 215/55R18 | 99V | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/40R18 | 92V | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/45R18 | 95V | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/50R18 | 99V | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/55R18 | 102V | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/60R18 | 104H | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/40R18 | 95V | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/45R18 | 98V | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/50R18 | 101V | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/55R18 | 104V | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/60R18 | 107H | XL | C | B | 71 | B | ✓ | ✓ |
| | 245/40R18 | 97V | XL | C | B | 71 | B | ✓ | ✓ |
| | 245/45R18 | 100V | XL | C | B | 71 | B | ✓ | ✓ |
| | 255/55R18 | 109V | XL | C | B | 72 | B | ✓ | ✓ |
| 265/60R18 | 114H | XL | C | B | 72 | B | ✓ | ✓ | |
| 19 | 225/40R19 | 93V | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/45R19 | 96V | XL | C | B | 71 | B | ✓ | ✓ |
| | 225/55R19 | 103V | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/35R19 | 91V | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/50R19 | 103V | XL | C | B | 71 | B | ✓ | ✓ |
| | 235/55R19 | 105V | XL | C | B | 71 | B | ✓ | ✓ |
| | 245/40R19 | 98V | XL | C | B | 71 | B | ✓ | ✓ |
| | 245/45R19 | 102V | XL | C | B | 71 | B | ✓ | ✓ |
| | 255/35R19 | 96V | XL | C | B | 72 | B | ✓ | ✓ |
| | 255/40R19 | 100V | XL | C | B | 72 | B | ✓ | ✓ |
| | 255/50R19 | 107V | XL | C | B | 72 | B | ✓ | ✓ |

| Rim | Size | LI / SR | XL | | | | | M+S | 3PMSF |
|-----------|-----------|---------|----|---|---|----|---|-----|-------|
| 20 | 245/45R20 | 103V | XL | C | B | 71 | B | ✓ | ✓ |
| | 255/45R20 | 105V | XL | C | B | 72 | B | ✓ | ✓ |
| | 255/50R20 | 109V | XL | C | B | 72 | B | ✓ | ✓ |
| | 275/40R20 | 106V | XL | C | B | 73 | B | ✓ | ✓ |



SUMMER



ADVANFORS H/P

ADVANFORS UHP II



ADVANFORS H/P

RANGE:

13-16

SPEED RATE:

H/T/V/W

ASPECT RATIO:

50-80

SECTION WIDTH:


145-235




| SW | Series | Number of groove |
|-------|--------|------------------|
| ≤ 175 | all | 3 |
| 185 | ≥ 70 | 3 |
| | ≤ 65 | 4 |
| ≥ 195 | all | 4 |

ECO COMFORT PCR


The summer tyre ADVANFORS H/P, is designed to provide you safety all the while and to offer the best longevity in its category.



Non-symmetric from outside to inside for high-class performance. With close stiffness of two shoulders design, more freedom is allowed.



High performance compound and optimal block/void ratio ensures for great dry braking and handling.



The calculation of circumferential grooves for the series can efficiently avoid aquaplaning and delivering a strong brake performance.



Anti-closing design to improve road grip, especial in wet conditions.

| Rim | Size | LI / SR | XL | | | | |
|-----------|-----------|---------|----|---|----|----|---|
| 13 | 145/70R13 | 71T | | C | B | 70 | B |
| | 145/80R13 | 75T | | C | B | 70 | B |
| | 155/65R13 | 73T | | C | B | 70 | B |
| | 155/70R13 | 75T | | C | B | 70 | B |
| | 155/80R13 | 79T | | C | B | 70 | B |
| | 165/65R13 | 77T | | C | B | 70 | B |
| | 165/70R13 | 79T | | C | B | 70 | B |
| | 175/70R13 | 82T | | C | B | 70 | B |
| | 175/75R13 | 85T | | C | B | 70 | B |
| 14 | 155/65R14 | 75T | | C | B | 70 | B |
| | 165/60R14 | 75H | | C | B | 70 | B |
| | 165/65R14 | 79T | | C | B | 70 | B |
| | 165/70R14 | 81T | | C | B | 70 | B |
| | 165/70R14 | 85T | XL | C | B | 70 | B |
| | 175/65R14 | 82H | | C | B | 70 | B |
| | 175/65R14 | 86T | XL | C | B | 70 | B |
| | 175/70R14 | 84T | | C | B | 70 | B |
| | 175/70R14 | 88T | XL | C | B | 70 | B |
| | 175/75R14 | 87T | | C | B | 70 | B |
| | 185/60R14 | 82H | | C | B | 70 | B |
| | 185/65R14 | 86H | | C | B | 70 | B |
| | 185/70R14 | 88T | | C | B | 70 | B |
| 195/70R14 | 91T | | C | B | 70 | B | |
| 15 | 155/60R15 | 74T | | C | B | 70 | B |
| | 165/60R15 | 81T | XL | C | B | 70 | B |
| | 165/65R15 | 81T | | C | B | 70 | B |
| | 175/55R15 | 77H | | C | B | 70 | B |
| | 175/60R15 | 81H | | C | B | 70 | B |
| | 175/65R15 | 84H | | C | B | 70 | B |
| | 185/55R15 | 82V | | C | B | 70 | B |
| | 185/60R15 | 84H | | C | B | 70 | B |
| | 185/60R15 | 88H | XL | C | B | 70 | B |
| 185/65R15 | 88H | | C | B | 70 | B | |



| Rim | Size | LI / SR | XL | | | dB | |
|-----------|-----------|---------|----|---|----|----|---|
| 15 | 185/65R15 | 92T | XL | C | B | 70 | B |
| | 195/50R15 | 82V | | C | B | 70 | B |
| | 195/55R15 | 85V | | C | B | 70 | B |
| | 195/60R15 | 88H | | C | B | 70 | B |
| | 195/60R15 | 88V | | C | B | 70 | B |
| | 195/65R15 | 91V | | C | B | 70 | B |
| | 195/65R15 | 95H | XL | C | B | 70 | B |
| | 205/60R15 | 91V | | C | B | 70 | B |
| | 205/65R15 | 94V | | C | B | 70 | B |
| | 215/65R15 | 96H | | C | B | 70 | B |
| 16 | 185/55R16 | 87V | XL | C | B | 70 | B |
| | 195/50R16 | 84V | | C | B | 70 | B |
| | 195/55R16 | 87V | | C | B | 70 | B |
| | 195/55R16 | 91V | XL | C | B | 70 | B |
| | 195/60R16 | 89H | | C | B | 70 | B |
| | 205/55R16 | 91V | | C | B | 70 | B |
| | 205/55R16 | 91W | | C | B | 70 | B |
| | 205/60R16 | 92V | | C | B | 70 | B |
| | 205/60R16 | 96V | XL | C | B | 70 | B |
| | 215/55R16 | 97W | XL | C | B | 70 | B |
| | 215/60R16 | 95V | | C | B | 70 | B |
| | 215/60R16 | 99V | XL | C | B | 70 | B |
| | 215/65R16 | 98H | | C | B | 70 | B |
| | 215/70R16 | 100H | | C | B | 70 | B |
| | 225/55R16 | 99W | XL | C | B | 70 | B |
| | 225/60R16 | 98H | | C | B | 70 | B |
| | 225/60R16 | 102V | XL | C | B | 70 | B |
| 225/70R16 | 107H | XL | C | B | 70 | B | |
| 235/60R16 | 100H | | C | B | 70 | B | |





ADVANFORS UHP II

RANGE:

16-22

SPEED RATE:

V/W

ASPECT RATIO:

30-65


SECTION WIDTH:

195-315




SPORTY PERFORMANCE PCR

Highly stylishly designed and engineered specially for various luxury sedans and EVs.




Sporty and stylish HP/UHP non-symmetric tread pattern design. Logical control of transition from inside to outside for excellent wet/dry performance.



Continuous ribs and reinforced two-shoulder design for high-speed stability and uniform treadwear.



"Golf theory" application to the walls of 4-wide circumferential grooves increases water evacuation and decreases noise level.



Different-size pitches design and alignment effectively lower rolling noise and improve driving comfort.

| Rim | Size | LI / SR | XL | | | | | M+S |
|------------|-------------|---------|----|---|----|----|---|-----|
| 16 | *195/45R16 | 84V | XL | D | B | 71 | B | ✓ |
| | 195/55R16 | 91V | XL | C | B | 71 | B | ✓ |
| | *205/45ZR16 | 87W | XL | C | B | 71 | B | ✓ |
| | 205/55ZR16 | 94W | XL | C | B | 71 | B | ✓ |
| | 205/60R16 | 96V | XL | C | B | 71 | B | ✓ |
| | *215/45R16 | 90V | XL | C | B | 71 | B | ✓ |
| | 215/55ZR16 | 97W | XL | C | B | 71 | B | ✓ |
| | 225/55ZR16 | 99W | XL | C | B | 71 | B | ✓ |
| 17 | *205/40ZR17 | 84W | XL | D | B | 71 | B | ✓ |
| | 205/45ZR17 | 88W | XL | C | B | 71 | B | ✓ |
| | 205/50ZR17 | 93W | XL | C | B | 71 | B | ✓ |
| | 205/55ZR17 | 95W | XL | C | B | 71 | B | ✓ |
| | *215/40ZR17 | 87W | XL | C | B | 71 | B | ✓ |
| | 215/45ZR17 | 91W | XL | C | B | 71 | B | ✓ |
| | 215/50ZR17 | 95W | XL | C | B | 71 | B | ✓ |
| | 215/55ZR17 | 98W | XL | C | B | 71 | B | ✓ |
| | 215/60R17 | 100V | XL | C | B | 71 | B | ✓ |
| | *215/65R17 | 103V | XL | C | B | 71 | B | ✓ |
| | 225/45ZR17 | 94W | XL | C | B | 71 | B | ✓ |
| | 225/50ZR17 | 98W | XL | C | B | 71 | B | ✓ |
| | 225/55ZR17 | 101W | XL | C | B | 71 | B | ✓ |
| | 225/60R17 | 103V | XL | C | B | 71 | B | ✓ |
| | 225/65R17 | 102V | | C | B | 71 | B | ✓ |
| | 235/45ZR17 | 97W | XL | C | B | 71 | B | ✓ |
| | 235/50ZR17 | 100W | XL | C | B | 71 | B | ✓ |
| | 235/55ZR17 | 103W | XL | C | B | 71 | B | ✓ |
| | *235/60R17 | 102V | | C | B | 71 | B | ✓ |
| | *235/65R17 | 108V | XL | C | B | 71 | B | ✓ |
| 245/40ZR17 | 95W | XL | C | B | 71 | B | ✓ | |
| 245/45ZR17 | 99W | XL | C | B | 71 | B | ✓ | |
| 18 | 215/40ZR18 | 89W | XL | C | B | 71 | B | ✓ |
| | 215/45ZR18 | 93W | XL | C | B | 71 | B | ✓ |
| | 215/50ZR18 | 96W | XL | C | B | 71 | B | ✓ |

| Rim | Size | LI / SR | XL | | | | | M+S |
|------------|-------------|---------|----|---|----|----|---|-----|
| 18 | 215/55ZR18 | 99W | XL | C | B | 71 | B | ✓ |
| | 225/40ZR18 | 92W | XL | C | B | 71 | B | ✓ |
| | 225/45ZR18 | 95W | XL | C | B | 71 | B | ✓ |
| | 225/50ZR18 | 99W | XL | C | B | 71 | B | ✓ |
| | 225/55ZR18 | 102W | XL | C | B | 71 | B | ✓ |
| | 225/60R18 | 104V | XL | C | B | 71 | B | ✓ |
| | 235/40ZR18 | 95W | XL | C | B | 71 | B | ✓ |
| | 235/45ZR18 | 98W | XL | C | B | 71 | B | ✓ |
| | 235/50ZR18 | 101W | XL | C | B | 71 | B | ✓ |
| | 235/55ZR18 | 104W | XL | C | B | 71 | B | ✓ |
| | 235/60R18 | 107V | XL | C | B | 71 | B | ✓ |
| | 245/35ZR18 | 92W | XL | C | B | 71 | B | ✓ |
| | 245/40ZR18 | 97W | XL | C | B | 71 | B | ✓ |
| | 245/45ZR18 | 100W | XL | C | B | 71 | B | ✓ |
| | 245/50ZR18 | 104W | XL | C | B | 71 | B | ✓ |
| | 255/35ZR18 | 94W | XL | C | B | 72 | B | ✓ |
| | 255/40ZR18 | 99W | XL | C | B | 72 | B | ✓ |
| | 255/45ZR18 | 103W | XL | C | B | 72 | B | ✓ |
| | 255/55ZR18 | 109W | XL | C | B | 72 | B | ✓ |
| | *265/35ZR18 | 97W | XL | C | B | 72 | B | ✓ |
| 275/40ZR18 | 103W | XL | C | B | 72 | B | ✓ | |
| 19 | 225/40ZR19 | 93W | XL | C | B | 71 | B | ✓ |
| | 225/45ZR19 | 96W | XL | C | B | 71 | B | ✓ |
| | 225/55ZR19 | 103W | XL | C | B | 71 | B | ✓ |
| | 235/35ZR19 | 91W | XL | C | B | 71 | B | ✓ |
| | 235/40ZR19 | 96W | XL | C | B | 71 | B | ✓ |
| | 235/45ZR19 | 99W | XL | C | B | 71 | B | ✓ |
| | 235/50ZR19 | 103W | XL | C | B | 71 | B | ✓ |
| | 235/55ZR19 | 105W | XL | C | B | 71 | B | ✓ |
| | 245/35ZR19 | 93W | XL | C | B | 71 | B | ✓ |
| | 245/40ZR19 | 98W | XL | C | B | 71 | B | ✓ |
| | 245/45ZR19 | 102W | XL | C | B | 71 | B | ✓ |
| | 245/50ZR19 | 105W | XL | C | B | 71 | B | ✓ |
| | 245/55ZR19 | 107W | XL | C | B | 71 | B | ✓ |
| | 255/35ZR19 | 96W | XL | C | B | 72 | B | ✓ |
| | 255/40ZR19 | 100W | XL | C | B | 72 | B | ✓ |
| | 255/45ZR19 | 104W | XL | C | B | 72 | B | ✓ |
| | 255/50ZR19 | 107W | XL | C | B | 72 | B | ✓ |
| | 255/55ZR19 | 111W | XL | C | B | 72 | B | ✓ |
| | 255/60R19 | 113V | XL | C | B | 72 | B | ✓ |
| | 265/50ZR19 | 110W | XL | C | B | 72 | B | ✓ |
| 275/35ZR19 | 100W | XL | C | B | 72 | B | ✓ | |
| 275/40ZR19 | 105W | XL | C | B | 72 | B | ✓ | |
| 275/45ZR19 | 108W | XL | C | B | 72 | B | ✓ | |
| 285/45ZR19 | 111W | XL | C | B | 74 | B | ✓ | |
| 20 | 235/50ZR20 | 104W | XL | C | B | 71 | B | ✓ |
| | *235/55ZR20 | 105W | XL | C | B | 71 | B | ✓ |
| | 245/35ZR20 | 95W | XL | C | B | 71 | B | ✓ |
| | 245/40ZR20 | 99W | XL | C | B | 71 | B | ✓ |
| | 245/45ZR20 | 103W | XL | C | B | 71 | B | ✓ |
| | 245/50ZR20 | 102W | XL | C | B | 71 | B | ✓ |
| | *255/35ZR20 | 97W | XL | C | B | 72 | B | ✓ |
| | 255/40ZR20 | 101W | XL | C | B | 72 | B | ✓ |

| Rim | Size | LI / SR | XL | | | | | M+S |
|-------------|-------------|---------|----|---|----|----|---|-----|
| 20 | 255/45ZR20 | 105W | XL | C | B | 72 | B | ✓ |
| | 255/50ZR20 | 109W | XL | C | B | 72 | B | ✓ |
| | 255/55ZR20 | 110W | XL | C | B | 72 | B | ✓ |
| | 265/40ZR20 | 104W | XL | C | B | 72 | B | ✓ |
| | 265/45ZR20 | 108W | XL | C | B | 72 | B | ✓ |
| | 265/50ZR20 | 111W | XL | C | B | 72 | B | ✓ |
| | 275/30ZR20 | 97W | XL | C | B | 72 | B | ✓ |
| | 275/35ZR20 | 102W | XL | C | B | 72 | B | ✓ |
| | 275/40ZR20 | 106W | XL | C | B | 72 | B | ✓ |
| | 275/45ZR20 | 110W | XL | C | B | 72 | B | ✓ |
| | 275/50ZR20 | 113W | XL | C | B | 72 | B | ✓ |
| | 275/55ZR20 | 117W | XL | C | B | 72 | B | ✓ |
| | 285/45ZR20 | 112W | XL | C | B | 74 | B | ✓ |
| | 285/50ZR20 | 116W | XL | C | B | 74 | B | ✓ |
| | 305/40ZR20 | 112W | XL | C | B | 74 | B | ✓ |
| 315/35ZR20 | 110W | XL | C | B | 74 | B | ✓ | |
| 21 | 255/45ZR21 | 105W | XL | C | B | 72 | B | ✓ |
| | 265/45ZR21 | 108W | XL | C | B | 72 | B | ✓ |
| | 275/40ZR21 | 107W | XL | C | B | 72 | B | ✓ |
| | 275/45ZR21 | 110W | XL | C | B | 72 | B | ✓ |
| | 285/35ZR21 | 105W | XL | C | B | 74 | B | ✓ |
| | *285/40ZR21 | 109W | XL | C | B | 74 | B | ✓ |
| | 285/45ZR21 | 113W | XL | C | B | 74 | B | ✓ |
| | *295/35ZR21 | 107W | XL | C | B | 74 | B | ✓ |
| *295/40ZR21 | 111W | XL | C | B | 74 | B | ✓ | |
| 315/35ZR21 | 111W | XL | C | B | 74 | B | ✓ | |
| 22 | 275/40ZR22 | 107W | XL | C | B | 72 | B | ✓ |
| | 315/35ZR22 | 111W | XL | C | B | 74 | B | ✓ |

*UNDER DEVELOPMENT



SUV & VAN



ADVANFORS A/T

CATCHFORS MAX



ADVANFORS A/T

RANGE:

15-18

SPEED RATE:

H/R/S/T/V

ASPECT RATIO:

60-80


SECTION WIDTH:

205-285




SUV & 4X4


The ADVANFORS A/T is an all-season, all-terrain tire designed for SUV and CUV drivers, built to perform reliably both on-road and off-road.




The unique symmetrical tread pattern design provides smooth driving performance on highways and urban roads, improving ride comfort. The ultra wide grounding surface greatly enhances the driving range in harsh road conditions.



The anti abrasion layer design on the sidewall provides additional protection against many common dangers in harsh off-road conditions.



The irregular distribution of sipes and various pitch alignment significantly reduces tyre noise.



The special silicon dioxide tread composite material not only greatly improves the performance of braking, turning, and handling. It also reduces rolling resistance, thereby improving fuel economy.

| Rim | Size | LI / SR | XL | | | dB | | M+S |
|-----------|-----------|---------|----|---|---|----|---|-----|
| 16 | 245/70R16 | 111T | XL | B | B | 72 | B | ✓ |
| | 245/75R16 | 111T | | B | B | 71 | B | ✓ |
| | 265/70R16 | 112T | | B | B | 72 | B | ✓ |
| | 275/70R16 | 114T | | B | B | 72 | B | ✓ |
| 17 | 245/65R17 | 111H | XL | B | B | 72 | B | ✓ |
| | 265/65R17 | 112H | | B | B | 72 | B | ✓ |
| | 265/70R17 | 115T | | B | B | 72 | B | ✓ |
| | 275/65R17 | 115H | | B | B | 72 | B | ✓ |
| | 285/65R17 | 116H | | B | B | 74 | B | ✓ |
| 18 | 265/60R18 | 110H | | B | B | 72 | B | ✓ |
| | 265/65R18 | 114H | | B | B | 72 | B | ✓ |
| | 265/70R18 | 116T | | B | B | 72 | B | ✓ |
| | 275/65R18 | 116H | | B | B | 72 | B | ✓ |
| | 285/60R18 | 116V | | B | B | 74 | B | ✓ |

| Rim | Size | LI / SR | PR | | | dB | | M+S |
|-----------|------------|----------|------|---|---|----|---|-----|
| 15 | 255/70R15C | 112/110S | 8PR | B | B | 72 | B | ✓ |
| 16 | 205/75R16C | 110/108R | 8PR | B | B | 71 | B | ✓ |
| | 205R16C | 110/108S | 8PR | B | B | 71 | B | ✓ |
| 17 | 225/70R17C | 112/110S | 10PR | B | B | 71 | B | ✓ |



3PMSF[®]
Officially approved for winter use



CATCHFORS MAX

| | |
|----------------------------|----------------------------------|
| RANGE: 16 | SPEED RATE: R |
| ASPECT RATIO: 75 | SECTION WIDTH: 185-195 |




COMMERCIAL VAN

CATCHFORS MAX is a premium all-terrain tire engineered for light trucks and commercial vans. Its unique tread pattern and advanced compound deliver enhanced load capacity, superior handling, increased durability, and a comfortable ride.



Multi-sipe design provide good handling and braking performance.



Tread block design improves grip performance.



Zigzag main grooves increased tread rigidness, good prevention of irregular wear under high-load operation.



3D shoulder design provide good traction and braking performance on tough road conditions.

| Rim | Size | LI / SR | PR | | | | | M+S | 3PMSF |
|-----------|------------|----------|-----|---|---|----|---|-----|-------|
| 16 | 185/75R16C | 104/102R | 8PR | C | A | 72 | B | ✓ | ✓ |
| | 195/75R16C | 107/105R | 8PR | C | A | 72 | B | ✓ | ✓ |

WINTER



ARCTICBLAZER SUV

ARCTICBLAZER

ARCTIC POWER



ARCTICBLAZER SUV

RANGE:

16-22

SPEED RATE:

H/T

ASPECT RATIO:

40-70



SECTION WIDTH:

215-285




STUDLESS SNOW TIRE


ARCTICBLAZER SUV is a contemporary snow tire for SUV, boasting a saw-tooth tread design for exceptional handling and traction.




Large block tread design for increased traction and handling under snowy conditions.



Unidirectional pattern provides improved snow clearing performance and consistent traction.



Multi-pitch tread design minimizes pattern noise for excellent ride refinement.



Specially formulated compound for excellent traction on snow and ice.

| Rim | Size | LI / SR | XL | | | | | M+S | 3PMSF |
|-----------|-----------|---------|----|---|---|----|---|-----|-------|
| 16 | 235/70R16 | 106T | | C | C | 71 | B | ✓ | ✓ |
| | 255/70R16 | 111T | | C | C | 72 | B | ✓ | ✓ |
| 17 | 215/60R17 | 96T | | C | C | 71 | B | ✓ | ✓ |
| | 225/60R17 | 103T | XL | C | C | 71 | B | ✓ | ✓ |
| | 225/65R17 | 102T | | C | C | 71 | B | ✓ | ✓ |
| | 235/65R17 | 108T | XL | C | C | 71 | B | ✓ | ✓ |
| | 245/65R17 | 111T | XL | C | C | 71 | B | ✓ | ✓ |
| | 245/70R17 | 110T | | C | C | 71 | B | ✓ | ✓ |
| | 255/65R17 | 110T | | C | C | 72 | B | ✓ | ✓ |
| | 265/65R17 | 112T | | C | C | 72 | B | ✓ | ✓ |
| 18 | 225/60R18 | 100T | | C | C | 71 | B | ✓ | ✓ |
| | 235/55R18 | 100T | | C | C | 71 | B | ✓ | ✓ |
| | 235/60R18 | 107T | XL | C | C | 71 | B | ✓ | ✓ |
| | 235/65R18 | 106T | | C | C | 71 | B | ✓ | ✓ |
| | 245/50R18 | 104H | XL | C | C | 71 | B | ✓ | ✓ |
| | 245/60R18 | 105T | | C | C | 71 | B | ✓ | ✓ |
| | 265/60R18 | 110T | | C | C | 72 | B | ✓ | ✓ |
| | 265/65R18 | 114T | | C | C | 72 | B | ✓ | ✓ |
| 19 | 225/45R19 | 96H | XL | C | C | 71 | B | ✓ | ✓ |
| | 225/55R19 | 99H | | C | C | 71 | B | ✓ | ✓ |
| | 235/50R19 | 103H | XL | C | C | 71 | B | ✓ | ✓ |
| | 235/55R19 | 101T | | C | C | 71 | B | ✓ | ✓ |
| | 235/60R19 | 107T | XL | C | C | 71 | B | ✓ | ✓ |
| | 245/55R19 | 103T | | C | C | 71 | B | ✓ | ✓ |
| | 255/45R19 | 104H | XL | C | C | 72 | B | ✓ | ✓ |
| | 255/55R19 | 111H | XL | C | C | 72 | B | ✓ | ✓ |
| | 255/60R19 | 113T | XL | C | C | 72 | B | ✓ | ✓ |
| 20 | 265/55R19 | 109T | | C | C | 72 | B | ✓ | ✓ |
| | 255/55R20 | 110H | XL | C | C | 72 | B | ✓ | ✓ |
| | 265/50R20 | 111T | XL | C | C | 72 | B | ✓ | ✓ |
| | 265/55R20 | 113T | XL | C | C | 72 | B | ✓ | ✓ |
| | 275/50R20 | 113H | XL | C | C | 72 | B | ✓ | ✓ |
| 21 | 275/60R20 | 115T | | C | C | 72 | B | ✓ | ✓ |
| | 265/45R21 | 108T | XL | C | C | 72 | B | ✓ | ✓ |
| | 275/50R21 | 113H | XL | C | C | 72 | B | ✓ | ✓ |
| 22 | 285/45R21 | 113T | XL | C | C | 74 | B | ✓ | ✓ |
| | 265/40R22 | 106H | XL | C | C | 72 | B | ✓ | ✓ |

ARCTICBLAZER

RANGE:

13-20

SPEED RATE:

H/T/V

ASPECT RATIO:

40-70



SECTION WIDTH:

175-265




STUDLESS WINTER TIRE

ARCTICBLAZER is an asymmetrical modern snow tire featuring superior handling and traction under winter conditions.



Asymmetrical winter tire designed for snowy conditions.



High-density 3D ripple sipes improve overall wear pattern and traction on snowy and icy surfaces.







Pattern design offers superior handling and traction on snowy surfaces.



Silica-infused tread compound widens operational temperature range and increases traction on snow and ice.

| Rim | Size | LI / SR | XL | | | | | M+S | 3PMSF |
|-----------|-----------|---------|----|---|----|----|---|-----|-------|
| 13 | 175/70R13 | 82T | | D | C | 70 | B | ✓ | ✓ |
| | 175/65R14 | 82T | | D | C | 70 | B | ✓ | ✓ |
| 14 | 175/70R14 | 88T | XL | D | C | 70 | B | ✓ | ✓ |
| | 185/60R14 | 82T | | D | C | 70 | B | ✓ | ✓ |
| | 185/65R14 | 90T | XL | D | C | 70 | B | ✓ | ✓ |
| | 185/70R14 | 92T | XL | D | C | 70 | B | ✓ | ✓ |
| | 195/70R14 | 91T | | D | C | 71 | B | ✓ | ✓ |
| 15 | 185/55R15 | 82H | | D | C | 70 | B | ✓ | ✓ |
| | 185/60R15 | 88T | XL | D | C | 70 | B | ✓ | ✓ |
| | 185/65R15 | 92T | XL | D | C | 70 | B | ✓ | ✓ |
| | 195/55R15 | 89H | XL | D | C | 71 | B | ✓ | ✓ |
| | 195/60R15 | 92T | XL | D | C | 71 | B | ✓ | ✓ |
| | 195/65R15 | 95T | XL | C | C | 71 | B | ✓ | ✓ |
| | 205/65R15 | 99T | XL | C | C | 71 | B | ✓ | ✓ |
| 205/70R15 | 100T | XL | C | C | 71 | B | ✓ | ✓ | |
| 16 | 195/45R16 | 84H | XL | D | C | 71 | B | ✓ | ✓ |
| | 195/55R16 | 91H | XL | D | C | 71 | B | ✓ | ✓ |
| | 205/55R16 | 94H | XL | D | C | 71 | B | ✓ | ✓ |
| | 205/60R16 | 96T | XL | C | C | 71 | B | ✓ | ✓ |
| | 205/65R16 | 99T | XL | C | C | 71 | B | ✓ | ✓ |
| | 215/55R16 | 97T | XL | C | C | 71 | B | ✓ | ✓ |
| | 215/60R16 | 99T | XL | C | C | 71 | B | ✓ | ✓ |
| | 215/65R16 | 102T | XL | C | C | 71 | B | ✓ | ✓ |
| 215/70R16 | 100T | | C | C | 71 | B | ✓ | ✓ | |
| 17 | 205/50R17 | 93V | XL | D | C | 71 | B | ✓ | ✓ |
| | 215/45R17 | 91V | XL | D | C | 71 | B | ✓ | ✓ |
| | 215/50R17 | 95V | XL | C | C | 71 | B | ✓ | ✓ |
| | 215/55R17 | 98V | XL | C | C | 71 | B | ✓ | ✓ |
| | 225/45R17 | 94V | XL | D | C | 71 | B | ✓ | ✓ |
| | 225/50R17 | 98V | XL | C | C | 71 | B | ✓ | ✓ |
| | 225/55R17 | 101V | XL | C | C | 71 | B | ✓ | ✓ |
| | 235/45R17 | 97V | XL | C | C | 71 | B | ✓ | ✓ |

| Rim | Size | LI / SR | XL |  |  |  |  | M+S | 3PMSF |
|-----------|-----------|---------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|-------|
| 17 | 235/55R17 | 103V | XL | C | C | 71 | B | ✓ | ✓ |
| 18 | 215/55R18 | 99V | XL | C | C | 71 | B | ✓ | ✓ |
| | 225/40R18 | 92V | XL | D | C | 71 | B | ✓ | ✓ |
| | 225/45R18 | 95V | XL | C | C | 71 | B | ✓ | ✓ |
| | 225/50R18 | 95V | | C | C | 71 | B | ✓ | ✓ |
| | 225/55R18 | 98V | | C | C | 71 | B | ✓ | ✓ |
| | 235/45R18 | 98V | XL | C | C | 71 | B | ✓ | ✓ |
| | 245/40R18 | 97V | XL | C | C | 71 | B | ✓ | ✓ |
| | 245/45R18 | 100V | XL | C | C | 71 | B | ✓ | ✓ |
| 19 | 235/40R19 | 96V | XL | C | C | 71 | B | ✓ | ✓ |
| | 235/45R19 | 99V | XL | C | C | 71 | B | ✓ | ✓ |
| | 245/40R19 | 98V | XL | C | C | 71 | B | ✓ | ✓ |
| | 245/45R19 | 102V | XL | C | C | 71 | B | ✓ | ✓ |
| | 265/55R19 | 109H | | C | C | 72 | B | ✓ | ✓ |
| 20 | 235/55R20 | 102V | | C | C | 71 | B | ✓ | ✓ |
| | 245/45R20 | 103V | XL | C | C | 71 | B | ✓ | ✓ |
| | 245/50R20 | 105V | XL | C | C | 71 | B | ✓ | ✓ |
| | 255/45R20 | 105V | XL | C | C | 72 | B | ✓ | ✓ |
| | 255/50R20 | 109V | XL | C | C | 72 | B | ✓ | ✓ |



ARCTIC POWER

RANGE:

13-21

SPEED RATE:

H/T/V

ASPECT RATIO:

35-70


SECTION WIDTH:

175-285



STUDDABLE SNOW TYRE


ARCTIC POWER is a set of winter tyres suitable for various terrains, suitable for northern winter, with excellent grip. Able to achieve absolute stability and balance under any weather conditions.



Dedicated, specially designed studs for the middle tread and independent studs for shoulder areas, providing excellent longitudinal grip, the grip and handling performance on icy and snowy surfaces are strengthened greatly.



The wide lateral grooves provide sharper edges that can improve the traction and grip on snow, shorten the braking distance with power.







Zig-zag 3D sipes improve performance on snow and ice surface with its maximized actual contact area under deflection and edge effect without losing block stiffness.



Specialized minigrooves on the surface to improve the roughness for safer grip on icy/snowy road.

| Rim | Size | LI / SR | XL | | | | | M+S | 3PMSF |
|-----------|-----------|---------|----|---|----|----|---|-----|-------|
| 13 | 175/70R13 | 82T | | D | C | 70 | B | ✓ | ✓ |
| | 175/65R14 | 86T | XL | D | C | 70 | B | ✓ | ✓ |
| 14 | 175/70R14 | 88T | XL | D | C | 70 | B | ✓ | ✓ |
| | 185/60R14 | 82T | | D | C | 70 | B | ✓ | ✓ |
| | 185/65R14 | 90T | XL | D | C | 70 | B | ✓ | ✓ |
| | 185/70R14 | 92T | XL | D | C | 70 | B | ✓ | ✓ |
| 15 | 185/60R15 | 88T | XL | D | C | 70 | B | ✓ | ✓ |
| | 185/65R15 | 92T | XL | D | C | 70 | B | ✓ | ✓ |
| | 195/60R15 | 92T | XL | D | C | 70 | B | ✓ | ✓ |
| | 195/65R15 | 95T | XL | D | C | 70 | B | ✓ | ✓ |
| | 205/65R15 | 99T | XL | D | C | 70 | B | ✓ | ✓ |
| | 205/70R15 | 96T | | D | C | 70 | B | ✓ | ✓ |
| 16 | 205/55R16 | 94T | XL | D | C | 70 | B | ✓ | ✓ |
| | 205/60R16 | 96T | XL | D | C | 70 | B | ✓ | ✓ |
| | 205/65R16 | 99T | XL | D | C | 70 | B | ✓ | ✓ |
| | 215/55R16 | 97T | XL | D | C | 70 | B | ✓ | ✓ |
| | 215/60R16 | 99T | XL | D | C | 70 | B | ✓ | ✓ |
| | 215/65R16 | 102T | XL | D | C | 70 | B | ✓ | ✓ |
| | 215/70R16 | 100T | | D | C | 70 | B | ✓ | ✓ |
| | 235/70R16 | 106T | | D | C | 70 | B | ✓ | ✓ |
| 245/70R16 | 111T | XL | D | C | 70 | B | ✓ | ✓ | |
| 17 | 215/50R17 | 95T | XL | D | C | 70 | B | ✓ | ✓ |
| | 215/55R17 | 98T | XL | D | C | 70 | B | ✓ | ✓ |
| | 215/60R17 | 100T | XL | D | C | 70 | B | ✓ | ✓ |
| | 225/45R17 | 94T | XL | D | C | 70 | B | ✓ | ✓ |
| | 225/50R17 | 98T | XL | D | C | 70 | B | ✓ | ✓ |
| | 225/55R17 | 101T | XL | D | C | 70 | B | ✓ | ✓ |
| | 225/60R17 | 103T | XL | D | C | 70 | B | ✓ | ✓ |
| | 225/65R17 | 106T | XL | D | C | 70 | B | ✓ | ✓ |
| | 235/55R17 | 103T | XL | D | C | 70 | B | ✓ | ✓ |
| | 235/65R17 | 108T | XL | D | C | 70 | B | ✓ | ✓ |
| 265/65R17 | 112T | | D | C | 70 | A | ✓ | ✓ | |

| Rim | Size | LI / SR | XL |  |  |  |  | M+S | 3PMSF |
|-----------|-----------|---------|----|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|-------|
| 18 | 215/55R18 | 99T | XL | D | C | 72 | B | ✓ | ✓ |
| | 225/45R18 | 95T | XL | D | C | 70 | B | ✓ | ✓ |
| | 225/55R18 | 102T | XL | D | C | 70 | B | ✓ | ✓ |
| | 225/60R18 | 104T | XL | D | C | 70 | B | ✓ | ✓ |
| | 235/45R18 | 98T | XL | D | C | 70 | B | ✓ | ✓ |
| | 235/55R18 | 104T | XL | D | C | 70 | B | ✓ | ✓ |
| | 235/60R18 | 107T | XL | D | C | 70 | B | ✓ | ✓ |
| | 245/45R18 | 100T | XL | D | C | 72 | B | ✓ | ✓ |
| | 255/55R18 | 109T | XL | D | C | 73 | B | ✓ | ✓ |
| | 265/60R18 | 114T | XL | D | C | 70 | A | ✓ | ✓ |
| | 265/65R18 | 116T | XL | D | C | 73 | B | ✓ | ✓ |
| 285/60R18 | 120T | XL | D | C | 75 | B | ✓ | ✓ | |
| 19 | 225/45R19 | 96T | XL | D | C | 72 | B | ✓ | ✓ |
| | 225/55R19 | 103T | XL | D | C | 72 | B | ✓ | ✓ |
| | 235/50R19 | 103T | XL | D | C | 72 | B | ✓ | ✓ |
| | 235/55R19 | 105T | XL | D | C | 70 | B | ✓ | ✓ |
| | 245/40R19 | 98T | XL | D | C | 72 | B | ✓ | ✓ |
| | 245/45R19 | 102H | XL | D | C | 72 | B | ✓ | ✓ |
| | 255/45R19 | 104V | XL | D | C | 73 | B | ✓ | ✓ |
| | 255/50R19 | 107T | XL | D | C | 73 | B | ✓ | ✓ |
| | 255/55R19 | 111T | XL | D | C | 73 | B | ✓ | ✓ |
| | 265/55R19 | 113T | XL | D | C | 73 | B | ✓ | ✓ |
| | 275/35R19 | 100V | XL | D | C | 73 | B | ✓ | ✓ |
| 20 | 245/45R20 | 103T | XL | D | C | 72 | B | ✓ | ✓ |
| | 245/50R20 | 105T | XL | D | C | 72 | B | ✓ | ✓ |
| | 255/40R20 | 101T | XL | D | C | 73 | B | ✓ | ✓ |
| | 255/45R20 | 105H | XL | D | C | 73 | B | ✓ | ✓ |
| | 265/50R20 | 111T | XL | D | C | 73 | B | ✓ | ✓ |
| | 265/55R20 | 114T | XL | D | C | 73 | B | ✓ | ✓ |
| | 275/50R20 | 113T | XL | D | C | 73 | B | ✓ | ✓ |
| | 275/60R20 | 116T | XL | D | C | 73 | B | ✓ | ✓ |
| | 285/50R20 | 116T | XL | D | C | 75 | B | ✓ | ✓ |
| 21 | 235/50R21 | 104T | XL | D | C | 72 | B | ✓ | ✓ |
| | 255/45R21 | 106T | XL | D | C | 73 | B | ✓ | ✓ |
| | 265/45R21 | 108T | XL | D | C | 73 | B | ✓ | ✓ |
| | 275/45R21 | 110T | XL | D | C | 73 | B | ✓ | ✓ |



SUMMER



ADVANFORS TOURING

ADVANFORS SUV

ADVANFORS MAX

ADVANFORS A/T II



ADVANFORS TOURING

RANGE:

13-18

SPEED RATE:

HIT/VIW

ASPECT RATIO:

40-80



SECTION WIDTH:

155-255




All-season touring tire for sedans, coupes, and minivans


Classical symmetric tread & advanced compound tech balance handling, treadwear, and ride comfort, suitable for all-around touring tyre drivers.




The tire's casing is constructed with two steel belts reinforced by spirally wrapped nylon for enhanced strength and durability. This construction helps maintain the tire's shape and provides a smooth, comfortable ride while also improving high-speed stability and handling precision.



Symmetric tread design with multiple grooves and sipes for wet and winter weather confidence.



TRI-PLEX TREAD COMPOUND, silica-enhanced all-season formulation, for lower rolling resistance for good fuel efficiency.



The tire's sidewall design incorporates stylish and modern elements.

| Rim | Size | LI / SR | XL | | | | | M+S |
|-----------|-----------|---------|----|---|----|----|---|-----|
| 13 | 155/65R13 | 73T | | D | B | 70 | B | ✓ |
| | 155/70R13 | 75T | | D | B | 70 | B | ✓ |
| | 155/80R13 | 79T | | D | B | 70 | B | ✓ |
| | 165/65R13 | 77T | | C | B | 70 | B | ✓ |
| | 165/70R13 | 79T | | C | B | 70 | B | ✓ |
| | 165/80R13 | 83T | | C | B | 70 | B | ✓ |
| | 175/60R13 | 77T | | D | B | 70 | B | ✓ |
| | 175/70R13 | 82T | | C | B | 70 | B | ✓ |
| | 175/75R13 | 85T | | C | B | 70 | B | ✓ |
| 185/70R13 | 86T | | C | B | 70 | B | ✓ | |
| 14 | 165/55R14 | 72T | | C | B | 70 | B | ✓ |
| | 165/60R14 | 75H | | C | B | 70 | B | ✓ |
| | 165/65R14 | 79H | | C | B | 70 | B | ✓ |
| | 165/70R14 | 81T | | C | B | 70 | B | ✓ |
| | 175/65R14 | 82H | | D | B | 70 | B | ✓ |
| | 175/70R14 | 84T | | C | B | 70 | B | ✓ |
| | 175/75R14 | 87T | | D | B | 70 | B | ✓ |
| | 185/60R14 | 82H | | C | B | 70 | B | ✓ |
| | 185/65R14 | 86H | | C | B | 70 | B | ✓ |
| | 185/70R14 | 88T | | C | B | 70 | B | ✓ |
| | 195/60R14 | 86H | | C | B | 71 | B | ✓ |
| 195/70R14 | 91T | | C | B | 71 | B | ✓ | |
| 205/60R14 | 88H | | D | B | 71 | B | ✓ | |
| 205/70R14 | 95T | | C | B | 71 | B | ✓ | |
| 15 | 175/50R15 | 75H | | D | B | 70 | B | ✓ |
| | 175/60R15 | 81H | | C | B | 70 | B | ✓ |
| | 175/65R15 | 84H | | C | B | 70 | B | ✓ |
| | 185/55R15 | 82V | | D | B | 70 | B | ✓ |
| | 185/60R15 | 84H | | C | B | 70 | B | ✓ |
| | 185/65R15 | 88H | | C | B | 70 | B | ✓ |
| | 195/50R15 | 82V | | D | B | 71 | B | ✓ |
| 195/55R15 | 85V | | D | B | 71 | B | ✓ | |



| Rim | Size | LI / SR | XL | | | | | M+S |
|-----------|------------|---------|----|---|----|----|---|-----|
| 15 | 195/60R15 | 88V | | D | B | 71 | B | ✓ |
| | 195/65R15 | 91V | | D | B | 71 | B | ✓ |
| | 205/60R15 | 91H | | D | B | 71 | B | ✓ |
| | 205/65R15 | 94V | | D | B | 71 | B | ✓ |
| | 205/70R15 | 96H | | C | B | 71 | B | ✓ |
| | 215/70R15 | 98H | | C | B | 71 | B | ✓ |
| 16 | 185/55R16 | 83V | | C | B | 70 | B | ✓ |
| | 195/50R16 | 84V | | D | B | 71 | B | ✓ |
| | 195/55R16 | 87V | | C | B | 71 | B | ✓ |
| | 195/60R16 | 89H | | B | B | 71 | B | ✓ |
| | 205/45ZR16 | 87W | XL | C | B | 72 | B | ✓ |
| | 205/50R16 | 91V | XL | D | B | 72 | B | ✓ |
| | 205/55R16 | 91V | | D | B | 71 | B | ✓ |
| | 205/55ZR16 | 94W | XL | C | B | 72 | B | ✓ |
| | 205/60R16 | 92V | | C | B | 71 | B | ✓ |
| | 205/65R16 | 95H | | C | B | 71 | B | ✓ |
| | 215/45ZR16 | 90W | XL | C | B | 72 | B | ✓ |
| | 215/55R16 | 97V | XL | C | B | 72 | B | ✓ |
| | 215/60R16 | 99V | XL | B | B | 72 | B | ✓ |
| | 215/65R16 | 98V | | C | B | 71 | B | ✓ |
| 225/55R16 | 99V | XL | B | B | 72 | B | ✓ | |
| 225/60R16 | 98H | | C | B | 71 | B | ✓ | |
| 235/60R16 | 100H | | C | B | 71 | B | ✓ | |
| 17 | 195/40ZR17 | 81W | XL | D | B | 71 | B | ✓ |
| | 195/45ZR17 | 85W | XL | D | B | 71 | B | ✓ |
| | 205/40ZR17 | 84W | XL | D | B | 72 | B | ✓ |
| | 205/45ZR17 | 88W | XL | D | B | 72 | B | ✓ |
| | 205/50ZR17 | 93W | XL | D | B | 72 | B | ✓ |
| | 205/55ZR17 | 95W | XL | C | B | 72 | B | ✓ |
| | 215/45ZR17 | 91W | XL | D | B | 72 | B | ✓ |
| | 215/50ZR17 | 95W | XL | C | B | 72 | B | ✓ |
| | 215/55ZR17 | 98W | XL | C | B | 72 | B | ✓ |
| | 225/45ZR17 | 94W | XL | C | B | 72 | B | ✓ |
| | 225/50ZR17 | 98W | XL | C | B | 72 | B | ✓ |
| | 225/55ZR17 | 101W | XL | C | B | 72 | B | ✓ |
| | 235/45ZR17 | 97W | XL | C | B | 72 | B | ✓ |
| | 235/55ZR17 | 103W | XL | C | B | 72 | B | ✓ |
| 18 | 215/40ZR18 | 89W | XL | D | B | 72 | B | ✓ |
| | 215/45ZR18 | 93W | XL | C | B | 72 | B | ✓ |
| | 225/40ZR18 | 92W | XL | D | B | 72 | B | ✓ |
| | 225/45ZR18 | 95W | XL | D | B | 72 | B | ✓ |
| | 235/40ZR18 | 95W | XL | C | B | 72 | B | ✓ |
| | 235/45ZR18 | 98W | XL | B | B | 72 | B | ✓ |
| | 245/40ZR18 | 97W | XL | C | B | 72 | B | ✓ |
| | 245/45ZR18 | 100W | XL | B | B | 72 | B | ✓ |
| | 255/40ZR18 | 99W | XL | C | B | 72 | B | ✓ |
| | 255/45ZR18 | 103W | XL | C | B | 72 | B | ✓ |





ADVANFORS SUV

RANGE:

15-20

SPEED RATE:

H/T/V

ASPECT RATIO:

15-20



SECTION WIDTH:

155-255




Comfortable high-performance tires, handling sports SUV


Thanks to the new generation of year-round compounding technologies, ADVANFORS SUV delivering excellent wet braking performance, integrated within the tread pattern design evacuates water effectively for enhanced wet grip.



Wide longitudinal grooves and shoulder lateral opening provide optimum drainage when driving straight ahead.



ADVANFORS SUV gives you driving confidence with outstanding dry braking performance. The chamfer blocks and high-dense sipes stabilize tread blocks and ensure full contact between tire/road.



On a long adventure, ADVANFORS's construction features the latest tread compound for more even power distribution, resulting in a flat tread and improved longevity, reaching the perfect match for your ride.



Streamline arc and delicate pattern design for higher comfort and low noise levels.

| Rim | Size | LI / SR | XL | | | | | M+S |
|-----------|-----------|---------|----|---|----|----|---|-----|
| 15 | 215/75R15 | 100T | | C | B | 71 | B | ✓ |
| | 235/75R15 | 109T | XL | C | B | 71 | B | ✓ |
| 16 | 215/70R16 | 100H | | C | B | 71 | B | ✓ |
| | 225/70R16 | 107H | XL | B | B | 71 | B | ✓ |
| | 235/70R16 | 106H | | C | B | 71 | B | ✓ |
| | 245/70R16 | 111H | XL | B | B | 71 | B | ✓ |
| | 255/65R16 | 109H | | C | B | 72 | B | ✓ |
| | 255/70R16 | 111H | | B | B | 72 | B | ✓ |
| | 265/70R16 | 112H | | B | B | 72 | B | ✓ |
| 17 | 275/70R16 | 114H | | C | B | 72 | B | ✓ |
| | 215/60R17 | 100V | XL | C | B | 71 | B | ✓ |
| | 215/65R17 | 99H | | C | B | 71 | B | ✓ |
| | 225/60R17 | 103V | XL | B | B | 71 | B | ✓ |
| | 225/65R17 | 102H | | C | B | 71 | B | ✓ |
| | 235/60R17 | 106V | XL | B | B | 71 | B | ✓ |
| | 235/65R17 | 108H | XL | B | B | 71 | B | ✓ |
| | 245/65R17 | 111H | XL | B | B | 71 | B | ✓ |
| | 255/65R17 | 110H | | C | B | 72 | B | ✓ |
| | 265/65R17 | 112H | | B | B | 72 | B | ✓ |
| 18 | 265/70R17 | 115H | | B | B | 72 | B | ✓ |
| | 275/65R17 | 115H | | C | B | 72 | B | ✓ |
| | 285/65R17 | 116H | | B | B | 72 | B | ✓ |
| | 215/50R18 | 92V | | C | B | 71 | B | ✓ |
| | 215/55R18 | 99V | XL | B | B | 71 | B | ✓ |
| | 225/50R18 | 95V | | C | B | 71 | B | ✓ |
| | 225/55R18 | 98V | | B | B | 71 | B | ✓ |
| | 225/60R18 | 104V | XL | B | B | 71 | B | ✓ |
| | 235/50R18 | 101V | XL | B | B | 71 | B | ✓ |
| | 235/55R18 | 100V | | B | B | 71 | B | ✓ |
| 235/60R18 | 107V | XL | B | B | 71 | B | ✓ | |
| 235/65R18 | 110H | XL | B | B | 71 | B | ✓ | |
| 245/60R18 | 105H | | B | B | 71 | B | ✓ | |



| Rim | Size | LI / SR | XL | | | | | M+S |
|-----------|-----------|---------|----|---|---|----|---|-----|
| 18 | 255/55R18 | 109V | XL | B | B | 72 | B | ✓ |
| | 255/60R18 | 112V | XL | B | B | 72 | B | ✓ |
| | 255/70R18 | 113H | | B | B | 72 | B | ✓ |
| | 265/60R18 | 114V | XL | B | B | 72 | B | ✓ |
| | 265/65R18 | 114H | | B | B | 72 | B | ✓ |
| | 265/70R18 | 116H | | C | B | 72 | B | ✓ |
| | 275/65R18 | 116H | | B | B | 72 | B | ✓ |
| | 285/60R18 | 116H | | B | B | 72 | B | ✓ |
| 19 | 225/55R19 | 103V | XL | B | B | 71 | B | ✓ |
| | 235/50R19 | 103V | XL | C | B | 71 | B | ✓ |
| | 235/55R19 | 105V | XL | B | B | 71 | B | ✓ |
| | 245/55R19 | 107V | XL | B | B | 71 | B | ✓ |
| | 255/45R19 | 104V | XL | C | B | 72 | B | ✓ |
| | 255/50R19 | 107V | XL | B | B | 72 | B | ✓ |
| | 255/55R19 | 111V | XL | B | B | 72 | B | ✓ |
| | 265/55R19 | 109V | | C | B | 72 | B | ✓ |
| 20 | 235/55R20 | 105V | XL | B | B | 71 | B | ✓ |
| | 245/45R20 | 103V | XL | B | B | 71 | B | ✓ |
| | 245/50R20 | 102V | | C | B | 71 | B | ✓ |
| | 255/45R20 | 105V | XL | B | B | 72 | B | ✓ |
| | 255/50R20 | 109V | XL | B | B | 72 | B | ✓ |
| | 255/55R20 | 110V | XL | B | B | 72 | B | ✓ |
| | 265/50R20 | 111V | XL | B | B | 72 | B | ✓ |
| | 265/55R20 | 113V | XL | B | B | 72 | B | ✓ |
| | 275/45R20 | 110V | XL | C | B | 72 | B | ✓ |
| | 275/55R20 | 117V | XL | B | B | 72 | B | ✓ |
| | 275/60R20 | 116V | XL | B | B | 72 | B | ✓ |
| | 285/50R20 | 116V | XL | B | B | 72 | A | ✓ |




ADVANFORS MAX

| | |
|---------------|----------------|
| RANGE: | SPEED RATE: |
| 12-16 | Q/R/T |
| ASPECT RATIO: | SECTION WIDTH: |
| 65-80 | 145-235 |




ADVANFORS MAX offers exceptional durability, mileage, and wet braking for high stress commercial applications.


ADVANFORS MAX features an optimized tread design, reinforced shoulder blocks, and continuous circumferential ribs, providing stable grip, mileage, and load-carrying, and uses a dedicated truck tread compound to achieve high mileage and fuel efficiency.




Strong shoulder blocks and continuous circumferential large ribs for stable gripping, mileage and heavy duty.



Combination construction of 2-ply polyesters and wide steel belts provide outstanding durability, with high safety factors.



Zig-zag grooves offers enhanced traction in wet conditions.



Specialized van tread compound for high-mileage and fuel efficiency.

| Rim | Size | LI / SR | PR | | | | | M+S |
|------------|------------|----------|------|---|----|----|---|-----|
| 12 | 145R12C | 86/84Q | 8PR | D | B | 70 | B | ✓ |
| | 155R12C | 88/86Q | 8PR | C | B | 70 | B | ✓ |
| 13 | 155R13C | 90/88Q | 8PR | D | B | 70 | B | ✓ |
| | 165R13C | 91/89R | 6PR | D | B | 70 | B | ✓ |
| 14 | 165/70R14C | 89/87R | 6PR | D | B | 70 | B | ✓ |
| | 175/65R14C | 90/88T | 6PR | D | B | 70 | B | ✓ |
| | 175/70R14C | 95/93R | 6PR | C | B | 70 | B | ✓ |
| | 185R14C | 102/100R | 8PR | C | B | 71 | B | ✓ |
| | 195R14C | 106/104R | 8PR | C | B | 71 | B | ✓ |
| 15 | 205/75R14C | 109/107R | 8PR | C | B | 71 | B | ✓ |
| | 195/70R15C | 104/102R | 8PR | C | B | 71 | B | ✓ |
| | 195R15C | 106/104R | 8PR | C | B | 71 | B | ✓ |
| | 205/65R15C | 102/100T | 6PR | D | B | 71 | B | ✓ |
| | 205/70R15C | 106/104R | 8PR | C | B | 71 | B | ✓ |
| | 205/75R15C | 109/107R | 8PR | C | B | 71 | B | ✓ |
| | 215/65R15C | 104/102T | 6PR | D | B | 71 | B | ✓ |
| 215/70R15C | 109/107R | 8PR | C | B | 71 | B | ✓ | |
| 16 | 225/70R15C | 112/110R | 8PR | C | B | 71 | B | ✓ |
| | 185/75R16C | 104/102R | 8PR | C | B | 71 | B | ✓ |
| | 195/65R16C | 104/102T | 8PR | C | B | 71 | B | ✓ |
| | 195/75R16C | 107/105R | 8PR | C | B | 71 | B | ✓ |
| | 205/65R16C | 107/105T | 8PR | C | B | 71 | B | ✓ |
| | 205/75R16C | 110/108R | 8PR | C | B | 71 | B | ✓ |
| | 215/65R16C | 109/107T | 8PR | C | B | 71 | B | ✓ |
| | 215/75R16C | 113/111R | 8PR | C | B | 71 | B | ✓ |
| | 225/65R16C | 112/110T | 8PR | C | B | 71 | B | ✓ |
| 225/75R16C | 121/120R | 12PR | C | B | 71 | B | ✓ | |
| | 235/65R16C | 121/119R | 12PR | C | B | 71 | B | ✓ |



ADVANFORS A/T II

RANGE:

15-20

SPEED RATE:

Q/S/T

ASPECT RATIO:

55-75


SECTION WIDTH:

215-315




ALL TERRAIN

Robust all-terrain adaptability and anti-tear tread design, balancing off-road escape capability and highway comfort, is a versatile and durable choice for core SUVs and pickups.




Four main zigzag grooves and rough lateral blocks provide excellent traction on all kinds of road conditions.



The open shoulder grooves prevent aquaplaning with enhanced wet grip performance and provide excellent water evacuation. The white letter styling provide a artistic image.



The block tread design with multiple sipes provide outstanding off-road traction and reduce tread damage on off-road condition.



Jointless Nylon band and strong structure design provided the strong carcass to enhance the reliability and durability. Special tread compound and wide footprint enhance tread life and deliver excellent braking on wet and dry roads.

| Rim | Size | LI / SR | XL | | | | | M+S |
|-----------|-----------|---------|----|---|---|----|---|-----|
| 16 | 205/80R16 | 104S | XL | C | C | 71 | B | ✓ |
| | 215/70R16 | 100S | | C | C | 71 | B | ✓ |
| | 225/70R16 | 103S | | C | C | 71 | B | ✓ |
| | 235/70R16 | 106S | | C | C | 71 | B | ✓ |
| | 245/70R16 | 111S | XL | C | C | 71 | B | ✓ |
| | 245/75R16 | 111S | | C | C | 71 | B | ✓ |
| | 265/70R16 | 112T | | C | C | 72 | B | ✓ |
| | 265/75R16 | 116T | | C | C | 72 | B | ✓ |
| 17 | 225/65R17 | 102T | | C | C | 71 | B | ✓ |
| | 235/65R17 | 104S | | C | C | 71 | B | ✓ |
| | 245/65R17 | 107S | | C | C | 71 | B | ✓ |
| | 255/70R17 | 112T | | C | C | 72 | B | ✓ |
| | 265/65R17 | 112T | | C | C | 72 | B | ✓ |
| | 265/70R17 | 115T | | C | C | 72 | B | ✓ |
| 18 | 255/60R18 | 112T | XL | C | C | 72 | B | ✓ |
| | 265/60R18 | 110T | | C | C | 72 | B | ✓ |
| | 265/65R18 | 116T | XL | C | C | 72 | B | ✓ |
| | 285/60R18 | 120T | XL | C | C | 74 | B | ✓ |
| 20 | 265/50R20 | 111T | XL | C | C | 72 | B | ✓ |
| | 275/55R20 | 117T | XL | C | C | 72 | B | ✓ |



| Rim | Size | LI / SR | PR | | | | | M+S |
|-----------|---------------|----------|------|---|---|----|---|-----|
| 15 | LT215/75R15 | 100/97Q | 6PR | C | C | 72 | B | ✓ |
| | LT235/75R15 | 110/107Q | 8PR | C | C | 72 | B | ✓ |
| | 31X10.50R15LT | 109Q | 6PR | C | C | 73 | B | ✓ |
| | 33X12.50R15LT | 108Q | 6PR | C | C | 73 | B | ✓ |
| 16 | LT225/75R16 | 115/112Q | 10PR | C | C | 72 | B | ✓ |
| | LT245/70R16 | 118/115Q | 8PR | C | C | 73 | B | ✓ |
| | LT245/75R16 | 120/116Q | 10PR | C | C | 73 | B | ✓ |
| | LT265/70R16 | 121/118Q | 10PR | C | C | 73 | B | ✓ |
| | LT265/75R16 | 123/120Q | 10PR | / | / | / | / | ✓ |
| | LT285/75R16 | 126/123Q | 10PR | / | / | / | / | ✓ |
| 17 | LT245/65R17 | 117/114Q | 8PR | C | C | 73 | B | ✓ |
| | LT245/70R17 | 119/116Q | 10PR | C | C | 73 | B | ✓ |
| | LT265/65R17 | 120/117Q | 10PR | C | C | 73 | B | ✓ |
| | LT265/70R17 | 123/120Q | 10PR | / | / | / | / | ✓ |
| | LT285/70R17 | 126/123Q | 8PR | / | / | / | / | ✓ |
| | LT315/70R17 | 126/123Q | 10PR | / | / | / | / | ✓ |
| 18 | LT265/60R18 | 119/116Q | 10PR | C | C | 73 | B | ✓ |
| | LT265/70R18 | 124/121Q | 10PR | / | / | / | / | ✓ |
| | LT275/70R18 | 125/122Q | 10PR | / | / | / | / | ✓ |
| | LT285/65R18 | 125/122Q | 10PR | / | / | / | / | ✓ |
| 20 | LT275/55R20 | 120/117Q | 10PR | C | C | 73 | B | ✓ |
| | LT285/55R20 | 122/119Q | 10PR | / | / | / | / | ✓ |
| | 33X12.50R20LT | 114Q | 10PR | C | C | 73 | B | ✓ |
| | 33X12.50R20LT | 119Q | 12PR | C | C | 73 | B | ✓ |
| | 35X12.50R20LT | 121Q | 10PR | C | C | 73 | B | ✓ |
| | 35X12.50R20LT | 125Q | 12PR | / | / | / | / | ✓ |





WINDFORCE

ENJOY YOUR TRIPS WITH WINDFORCE TYRES