

**TRACMAX**  
*WHEREVER THE ROAD GOES, THERE GOES TRACMAX*

**TRACMAX**

*WHEREVER THE ROAD GOES, THERE GOES TRACMAX*



***CATALOGUE 2026***

EV / UHP / SUV / LTR

MADE IN CHINA



# BRAND INTRODUCTION

TRACMAX brand was founded in 2016, which originated from the demand of The German market. Its high-speed safety performance, fuel-saving and comfortable performance are deeply loved by consumers. It enjoys high popularity in more than 100 countries, and the cumulative sales volume in the European market is nearly 50 million.

Dedicating to create the world first class brand, Tracmax has successfully obtained China CCC, US DOT, EU E-mark, EU Regulation 117, Gulf Country GCC, Saudi Arabia SASO, Nigeria SONCAP, Brazil INMETRO, Uruguay LATU, and other product certifications.

"Wherever The Road Goes, There Goes Tracmax", with high quality, reasonable pricing and excellent service, we would like to be one of your best tyre suppliers and long term business partner.



Annual sales exceed 500 million dollars.



Full ranges of CAR, SUV 4x4, and Light truck tyres meet various needs.



Smart factory:  
\*Industry 4.0  
\*Total TRACMAX : 6,000,000 Pieces / Year

## REVOLUTIONARY POINTS



A well-dispersed silica is combined with polymer solution of SBR and BR



Minimal proportions of impurities



Has properties aligned with THE HIGHEST tire label ratings



Maximum energy efficiency



Better filler-polymer interactions



Reduced carbon emissions



Higher tensile strength



Low-carbon development



# CONTENTS

## PASSENGER P.01-14



## ELECTRIC P.17-18



## ALL SEASON P.21-26



## SUV/4X4 P.29-40



## WINTER P.43-62





# **/ PASSENGER**



**X-PRIVILO TX2**



**X-PRIVILO TX1**



**X-PRIVILO TX3**



**X-PRIVILO RS01**



**X-PRIVILO RF19**

# X-PRIVILO TX2

UTQG: 400 A A




## ECONOMY PCR

X-PRIVILO TX2 is an Eco-Friendly tyre for passenger cars. The special compound ensures low rolling resistance, long life and good breaking performance. It contributes to fuel saving and the environment while securing safety.

## SIZE LIST

RANGE:	12-16
SPEED RATE:	H/T/V
ASPECT RATIO:	50-80
SECTION WIDTH:	135-195

## PERFORMANCE



## TECHNICAL FEATURE

- Three main asymmetric grooves design ensures anti-hydroplaning performance.
- Improve stability and straight-line performance at high speed.
- Reduce noise level and improve wet grip.



Rim	Size	LI	SR	XL			dB		M+S 3PMSF	EPREL Code
12	145/80R12	73	T		C	C	70	B		608508
12	155/70R12	73	T		C	C	70	B		607948
12	155/80R12	77	T		C	C	70	B		607701
12	165/70R12	77	T		C	C	70	B		613636
12	175/70R12	81	T		C	C	70	B		613577
13	145/60R13	66	T		C	C	70	B		807981
13	145/70R13	71	T		C	C	70	B		606949
13	145/80R13	75	T		C	C	70	B		607384
13	155/65R13	73	T		C	C	70	B		607400
13	155/70R13	75	T		C	C	70	B		606910
13	155/80R13	79	T		C	C	70	B		606536
13	165/55R13	70	H		C	C	70	B		607995
13	165/65R13	77	T		C	C	70	B		607639
13	165/70R13	79	T		C	C	70	B		607442
13	165/80R13	83	T		C	C	70	B		609579
13	175/60R13	77	H		C	C	70	B		607347
13	175/65R13	80	T		C	C	70	B		608577
13	175/70R13	82	T		C	C	70	B		608899
13	185/70R13	86	T		C	C	70	B		607430
14	155/65R14	75	T		C	C	70	B		606799
14	165/60R14	75	H		C	C	70	B		607466
14	165/65R14	79	T		C	C	70	B		606944
14	165/70R14	81	T		C	C	70	B		607364
14	165/70R14	85	T	XL	C	C	70	B		607695
14	175/60R14	79	H		C	C	70	B		607808
14	175/65R14	82	H		C	C	70	B		604634
14	175/65R14	86	T	XL	C	C	70	B		609344
14	175/70R14	84	T		C	C	70	B		609428
14	175/70R14	88	T	XL	C	C	70	B		608614
14	175/80R14	88	T		C	C	70	B		807983
14	185/50R14	77	V		C	C	70	B		607951
14	185/55R14	80	H		C	C	70	B		606950
14	185/60R14	82	H		C	C	70	B		606919
14	185/65R14	86	T		C	C	70	B		606601
14	185/65R14	86	H		C	C	70	B		607434
14	185/70R14	88	T		C	C	70	B		606770
14	195/60R14	86	H		C	C	70	B		606575
14	195/65R14	89	H		C	C	70	B		607580
14	195/70R14	91	T		C	C	70	B		607532
14	195/70R14	91	T		C	C	70	B		607532

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4




WINTER

02

01

X-PRIVILEO TX2

PASSENGER

Rim	Size	LI	SR	XL			dB		M+S 3PMSF	EPREL Code
15	135/70R15	70	T		C	C	70	B		607676
15	145/65R15	72	T		C	C	70	B		607397
15	155/60R15	74	T		C	C	70	B		607600
15	165/60R15	81	T	XL	C	C	70	B		608907
15	165/65R15	81	T		C	C	70	B		609348
15	175/55R15	77	T		C	C	70	B		613255
15	175/60R15	81	V		C	C	70	B		609336
15	175/65R15	84	H		C	C	70	B		607368
15	185/55R15	82	H		C	C	70	B		613223
15	185/55R15	82	V		C	C	70	B		606532
15	185/60R15	84	H		C	C	70	B		606869
15	185/60R15	88	H	XL	C	C	70	B		606895
15	185/65R15	88	T		C	C	70	B		607898
15	185/65R15	88	H		C	C	70	B		604412
15	185/65R15	92	T	XL	C	C	70	B		608894
15	195/60R15	88	H		C	C	70	B		607378
15	195/60R15	88	V		C	C	70	B		608528
15	195/65R15	91	H		C	C	70	B		606880
15	195/65R15	91	V		C	C	70	B		604816
15	195/65R15	95	T	XL	C	C	70	B		613328
16	175/50R16	77	V		C	C	70	B		607712
16	175/60R16	86	H	XL	C	C	70	B		808004
16	185/50R16	81	V		C	C	70	B		607620
16	185/55R16	83	H		C	C	70	B		607900
16	185/55R16	87	V	XL	C	C	70	B		609621
16	185/60R16	86	H		C	C	70	B		808007
16	185/60R16	86	H		C	C	70	B		808007



PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# X-PRIVILO TX1

UTQG: 400 A A




## COMFORT PCR

X-PRIVILO TX1 is developed for mid-class cars, provides ultimate quiet and comfortable driving performance with high-tech structure, special tread compound enables optimum performance in wet and dry road conditions.

## SIZE LIST

RANGE:	14-16
SPEED RATE:	H/T/V/W
ASPECT RATIO:	50-75
SECTION WIDTH:	195-225

## PERFORMANCE



## TECHNICAL FEATURE

- Four main asymmetric grooves design ensures antihydroplaning performance.
- Improve stability and straight-line performance at high speed.
- Reduce noise level and improve the grip.



Rim	Size	LI	SR	XL			dB		M+S 3PMSF	EPREL Code
14	205/70R14	94	T		C	B	69	B		607795
15	195/50R15	82	H		C	B	69	B		613117
15	195/50R15	82	V		C	B	69	B		606899
15	195/55R15	85	V		C	B	69	B		606864
15	205/50R15	86	V		C	B	69	B		807991
15	205/55R15	88	V		C	B	69	B		807995
15	205/60R15	91	V		C	B	69	B		606876
15	205/65R15	94	H		C	B	69	B		613425
15	205/65R15	94	V		C	B	69	B		613505
15	205/70R15	96	T		C	B	69	B		606533
15	205/75R15	97	T		C	B	69	B		613626
15	215/65R15	96	H		C	B	69	B		607629
15	225/60R15	96	V		C	B	69	B		808000
16	195/50R16	84	H		C	B	69	B		607700
16	195/50R16	84	V		C	B	69	B		608546
16	195/55R16	87	H		C	B	69	B		607383
16	195/55R16	87	V		C	B	69	B		607422
16	195/55R16	91	V	XL	C	B	69	A		604728
16	195/60R16	89	H		C	B	69	B		613384
16	205/50R16	87	W		C	B	69	B		606875
16	205/50R16	91	W	XL	C	B	69	A		607955
16	205/55R16	91	H		C	B	69	B		607975
16	205/55R16	91	V		C	B	69	B		604631
16	205/55R16	91	W		C	B	69	B		613428
16	205/55R16	94	W	XL	C	B	69	A		607869
16	205/60R16	92	V		C	B	69	B		606952
16	205/60R16	96	V	XL	C	B	69	A		607375
16	205/65R16	95	H		C	B	69	B		2210271
16	215/55R16	97	V	XL	C	B	69	A		607538
16	215/55R16	97	W	XL	C	B	69	A		606867
16	215/60R16	95	H		C	B	69	B		607377
16	215/60R16	95	V		C	B	69	B		608536
16	215/60R16	99	V	XL	C	B	69	A		998990
16	215/65R16	98	H		C	B	69	B		607414
16	225/55R16	99	V	XL	C	B	69	A		613514
16	225/55R16	99	W	XL	C	B	69	A		613502
16	225/60R16	98	H		C	B	69	B		607457
16	225/60R16	102	V	XL	C	B	69	A		607818

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# X-PRIVILO TX3

UTQG: 320 A A




## HIGH PERFORMANCE FORWARD SPEED

X-PRIVILO TX3 is dynamically engineered deliver high speed, safety and driving pleasure. Perfect performance and handling control for speed enthusiasts with special profile. Maximum grip in bends on wet and dry surfaces. Wide area of use from sport cars to luxury vehicles with high-tech structure and aesthetic appearance.

## SIZE LIST

RANGE:	15-20
SPEED RATE:	H/V/W/Y
ASPECT RATIO:	30-55
SECTION WIDTH:	165-285

## PERFORMANCE



## TECHNICAL FEATURE

- Four main asymmetric grooves design ensures anti-hydroplaning performance.
- A Continuous, circumferential solid center rib ensures linear stability at speed and provides crisp steering response.
- The sharp cross-cutting grooves and the sipe design improve anti-hydroplaning performance.



Rim	Size	LI	SR	XL			dB		M+S 3PMSF	EPREL Code
15	195/45R15	78	V		C	B	69	B		606893
16	165/45R16	74	V	XL	C	B	69	A		2210277
16	195/45R16	84	V	XL	C	B	69	A		607365
16	205/45ZR16	87	W	XL	C	B	69	A		607411
16	205/55ZR16	94	W	XL	C	B	69	A		607593
16	215/40ZR16	86	W	XL	C	B	69	A		607372
16	215/45R16	90	V	XL	C	B	69	A		607440
16	215/45R16	86	H		C	B	69	B		607423
17	195/40ZR17	81	W	XL	C	B	69	A		607764
17	195/45ZR17	85	W	XL	C	B	69	A		607591
17	205/40ZR17	84	W	XL	C	B	69	A		609360
17	205/45ZR17	88	W	XL	C	B	69	A		606957
17	205/50ZR17	93	W	XL	C	B	69	A		606906
17	205/55ZR17	95	W	XL	C	B	69	A		607419
17	215/40ZR17	87	W	XL	C	B	69	A		608542
17	215/45ZR17	91	W	XL	C	B	69	A		607429
17	215/50ZR17	95	W	XL	C	B	69	A		606914
17	215/55ZR17	98	W	XL	C	B	69	A		606940
17	225/45ZR17	94	Y	XL	C	B	69	A		604690
17	225/45ZR17	94	W	XL	C	B	69	A		607342
17	225/50ZR17	98	Y	XL	C	B	69	A		606535
17	225/55ZR17	101	W	XL	C	B	69	A		607460
17	235/45ZR17	97	W	XL	C	B	69	A		607596
17	235/50ZR17	100	W	XL	C	B	69	A		607374
17	235/55ZR17	103	W	XL	C	B	69	A		607436
17	245/40ZR17	95	W	XL	C	B	69	A		607638
17	245/45ZR17	99	W	XL	C	B	69	A		613468
18	205/40ZR18	86	Y	XL	C	B	69	A		999028
18	215/35ZR18	84	W	XL	C	B	69	A		606753
18	215/40ZR18	89	Y	XL	C	B	69	A		607843
18	215/45ZR18	93	Y	XL	C	B	69	A		607366
18	215/50ZR18	92	W		C	B	69	B		606928
18	215/55R18	99	V	XL	C	B	69	A		607468
18	225/35ZR18	87	Y	XL	C	B	69	A		607433
18	225/40ZR18	92	Y	XL	C	B	69	A		604831
18	225/45ZR18	95	Y	XL	C	B	69	A		607373
18	225/50ZR18	99	W	XL	C	B	69	A		606885
18	225/55R18	98	H		C	B	69	B		613732
18	225/55R18	98	V		C	B	69	B		609328
18	235/40ZR18	95	Y	XL	C	B	69	A		607451
18	235/45ZR18	98	W	XL	C	B	69	A		607566
18	235/50ZR18	97	W		C	B	69	B		607983
18	235/50ZR18	101	Y	XL	C	B	69	A		607488

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

X-PRIVILEO TX3

PASSENGER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
18	235/55ZR18	104	W	XL	C	B	69	A			607344
18	235/55ZR18	104	Y	XL	C	B	69	A			607747
18	245/35ZR18	92	Y	XL	C	B	69	A			607536
18	245/40ZR18	97	Y	XL	C	B	69	A			607370
18	245/45ZR18	100	Y	XL	C	B	69	A			607381
18	245/50ZR18	104	W	XL	C	B	69	A			606990
18	255/35ZR18	94	W	XL	C	B	69	A			613517
18	255/35ZR18	94	Y	XL	C	B	69	A			613465
18	255/40ZR18	99	Y	XL	C	B	69	A			607917
18	255/45ZR18	103	Y	XL	C	B	69	A			613359
18	255/55R18	109	V	XL	C	B	69	A			613589
18	255/55ZR18	109	Y	XL	C	B	69	A			606959
18	265/35ZR18	97	Y	XL	C	B	69	A			606456
18	275/35ZR18	95	Y	XL	C	B	69	A			
18	275/35ZR18	99	Y	XL	C	B	69	A			
18	275/40ZR18	103	Y	XL	C	B	69	A			2488444
18	275/45ZR18	107	Y	XL	C	B	71	B			2322073
18	285/35ZR18	101	Y	XL	C	B	71	B			2322074
19	205/55ZR19	97	W	XL	C	B	69	A			607567
19	225/30ZR19	84	Y	XL	C	B	69	A			607922
19	225/35ZR19	88	Y	XL	C	B	69	A			607575
19	225/40ZR19	93	Y	XL	C	B	69	A			607585
19	225/45ZR19	96	Y	XL	C	B	69	A			608610
19	225/50ZR19	100	W	XL	C	B	69	A			2210280
19	225/55ZR19	103	W	XL	C	B	69	A			607417
19	235/35ZR19	91	Y	XL	C	B	69	A			607382
19	235/40ZR19	96	Y	XL	C	B	69	A			613211
19	235/45ZR19	99	Y	XL	C	B	69	A			609354
19	235/50ZR19	103	Y	XL	C	B	69	A			607473
19	235/55ZR19	105	Y	XL	C	B	69	A			613243
19	245/35ZR19	93	Y	XL	C	B	69	A			608533
19	245/40ZR19	98	Y	XL	C	B	69	A			608890
19	245/45ZR19	102	Y	XL	C	B	69	A			607464
19	245/50ZR19	105	Y	XL	C	B	69	A			2186724
19	245/55ZR19	107	W	XL	C	B	69	A			607453
19	255/30ZR19	91	Y	XL	C	B	69	A			609450
19	255/35ZR19	96	Y	XL	C	B	69	A			607391
19	255/40ZR19	100	Y	XL	C	B	69	A			608660
19	255/45ZR19	104	Y	XL	C	B	69	A			607363
19	255/50ZR19	107	Y	XL	C	B	69	A			607492
19	255/55ZR19	111	W	XL	C	B	69	A			606723
19	265/30ZR19	93	W	XL	C	B	69	A			607564
19	265/35ZR19	98	Y	XL	C	B	69	A			2210288

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
19	265/50ZR19	110	Y	XL	C	B	69	A			607857
19	265/55ZR19	113	Y	XL	C	B	69	A			2205908
19	275/30ZR19	96	Y	XL	C	B	71	B			613388
19	275/35ZR19	100	Y	XL	C	B	71	B			607447
19	275/40ZR19	105	Y	XL	C	B	71	B			608512
19	275/45ZR19	108	Y	XL	C	B	71	B			607636
19	275/55ZR19	115	W	XL	C	B	71	B			
19	275/55ZR19	111	W		C	B	71	B			613562
19	285/30ZR19	98	Y	XL	C	B	71	A			
19	285/35ZR19	103	Y	XL	C	B	72	A			2322075
19	285/45ZR19	111	Y	XL	C	B	72	A			606991
20	195/50R20	93	V	XL	C	B	69	A			999033
20	195/55R20	95	H	XL	C	B	69	A			999034
20	215/45ZR20	95	W	XL	C	B	69	A			999035
20	225/30ZR20	85	W	XL	C	B	69	A			613488
20	225/35ZR20	93	W	XL	C	B	69	A			607723
20	225/40ZR20	94	Y	XL	C	B	69	A			
20	235/30ZR20	88	Y	XL	C	B	69	A			608618
20	235/35ZR20	92	Y	XL	C	B	69	A			
20	235/45ZR20	100	Y	XL	C	B	69	A			999036
20	235/50ZR20	104	W	XL	C	B	69	A			2205904
20	235/55ZR20	105	W	XL	C	B	69	A			2186723
20	245/30ZR20	95	Y	XL	C	B	69	A			607982
20	245/35ZR20	95	Y	XL	C	B	69	A			613333
20	245/40ZR20	99	Y	XL	C	B	69	A			606756
20	245/45ZR20	103	Y	XL	C	B	69	A			607892
20	245/50ZR20	105	Y	XL	C	B	69	A			607491
20	255/30ZR20	92	Y	XL	C	B	69	A			613226
20	255/35ZR20	97	Y	XL	C	B	69	A			613201
20	255/40ZR20	101	Y	XL	C	B	69	A			607632
20	255/45ZR20	105	Y	XL	C	B	69	A			606962
20	255/50ZR20	109	Y	XL	C	B	69	A			608539
20	255/55ZR20	110	W	XL	C	B	69	A			608889
20	265/35ZR20	99	Y	XL	C	B	69	A			2464531
20	265/40ZR20	104	Y	XL	C	B	69	A			2210292
20	275/30ZR20	97	Y	XL	C	B	71	B			606873
20	275/35ZR20	102	Y	XL	C	B	71	B			608657
20	285/30ZR20	99	Y	XL	C	B	72	A			
20	285/35ZR20	104	Y	XL	C	B	72	A			2232467

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# X-PRIVILO RS01

UTQG: 340 A A




## SPORTY SUV

X-PRIVILO RS01 is designed as a premium summer pattern with high performance capability. The tread profile enables exceptional high-speed, superb handling and cornering response on dry and wet surfaces. Modern tread design with special compound provides fuel economy as well as durability.

## SIZE LIST

RANGE:	20-23
SPEED RATE:	W/Y
ASPECT RATIO:	30-55
SECTION WIDTH:	225-325

## PERFORMANCE



## TECHNICAL FEATURE

- Continuous center ribs can improve stability of handling and straight performance at high speed.
- The sipe design can disperse the noise to improve the ride performance.
- One narrow groove on outside can increase the block stiffness and improve handling and steering stability during cornering.



Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
20	265/45ZR20	108	Y	XL	C	C	72	B	✓		607393
20	265/50ZR20	111	W	XL	C	C	72	B	✓		607515
20	265/55ZR20	113	W	XL	C	C	72	B	✓		2322069
20	275/40ZR20	106	Y	XL	C	C	72	B	✓		608896
20	275/45ZR20	110	Y	XL	C	C	72	B	✓		607428
20	275/50ZR20	113	W	XL	C	C	72	B	✓		607959
20	275/50ZR20	113	Y	XL	C	C	72	B	✓		613571
20	275/55ZR20	117	W	XL	C	C	72	B	✓		613600
20	285/50ZR20	116	W	XL	C	C	72	A	✓		607599
20	295/40ZR20	110	Y	XL	C	C	72	A	✓		985648
20	305/40ZR20	112	Y	XL	C	C	72	A	✓		607545
20	315/35ZR20	110	Y	XL	C	C	72	A	✓		609474
21	225/45ZR21	95	Y		C	C	71	B	✓		2441974
21	235/45ZR21	101	Y	XL	C	C	71	B	✓		2322065
21	235/50ZR21	101	Y		C	C	71	B	✓		
21	245/35ZR21	96	Y	XL	C	C	71	B	✓		607561
21	245/40ZR21	100	Y	XL	C	C	71	B	✓		999037
21	255/35ZR21	98	Y	XL	C	C	72	B	✓		
21	255/40ZR21	102	Y	XL	C	C	72	B	✓		999108
21	255/45ZR21	106	Y	XL	C	C	72	B	✓		2322066
21	265/35ZR21	101	Y	XL	C	C	72	B	✓		2464530
21	265/40ZR21	105	Y	XL	C	C	72	B	✓		999112
21	265/45ZR21	108	Y	XL	C	C	72	B	✓		999114
21	275/30ZR21	98	Y	XL	C	C	72	B	✓		613144
21	275/35ZR21	103	Y	XL	C	C	72	B	✓		999152
21	275/40ZR21	107	Y	XL	C	C	72	B	✓		607984
21	275/45ZR21	110	W	XL	C	C	72	B	✓		607549
21	275/45ZR21	110	Y	XL	C	C	72	B	✓		607761
21	275/50ZR21	113	Y	XL	C	C	72	B	✓		2322071
21	285/35ZR21	105	Y	XL	C	C	72	A	✓		2210267
21	285/40ZR21	109	Y	XL	C	C	72	A	✓		999144
21	285/45ZR21	113	Y	XL	C	C	72	A	✓		999150
21	295/35ZR21	107	Y	XL	C	C	72	A	✓		607813
21	295/40ZR21	111	Y	XL	C	C	72	A	✓		607743
21	315/30ZR21	105	Y	XL	C	C	72	A	✓		2322072
21	315/35ZR21	111	Y	XL	C	C	72	A	✓		607459
21	315/40ZR21	115	Y	XL	C	C	72	A	✓		607978
22	255/40R22	103	V	XL	C	C	72	B	✓		607449
22	265/35ZR22	102	Y	XL	C	C	72	B	✓		607435
22	265/40ZR22	106	Y	XL	C	C	72	B	✓		2322067
22	265/50ZR22	112	Y	XL	C	C	72	B	✓		
22	275/35ZR22	104	Y	XL	C	C	72	A	✓		999278
22	275/40ZR22	108	Y	XL	C	C	72	B	✓		2234373
22	275/50ZR22	115	Y	XL	C	C	72	B	✓		607876
22	285/35ZR22	106	Y	XL	C	C	72	A	✓		607681
22	285/40ZR22	110	Y	XL	C	C	72	A	✓		999326
22	285/45ZR22	114	Y	XL	C	C	72	A	✓		
22	315/30ZR22	107	Y	XL	C	C	72	A	✓		2234379
22	315/35ZR22	111	Y	XL	C	C	72	A	✓		2234387
22	325/40ZR22	114	Y		C	C	72	A	✓		
23	285/35ZR23	107	Y	XL	C	C	72	A	✓		2196855
23	285/40ZR23	111	Y	XL	C	C	72	A	✓		2196856
23	295/35ZR23	108	Y	XL	C	C	72	A	✓		
23	305/35ZR23	111	Y	XL	C	C	72	A	✓		2196857
23	325/35ZR23	115	Y	XL	C	C	72	A	✓		

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# X-PRIVILO RF19




## VAN TYRE

X-PRIVILO RF19 is a premium pattern for light trucks and commercial vans, unique pattern design and compound provides a higher load carrying capacity, superior handling, durability and ride comfort.

## SIZE LIST

RANGE:	14-17
SPEED RATE:	H/Q/R/S/T
ASPECT RATIO:	55-85
SECTION WIDTH:	175-235

## PERFORMANCE



## TECHNICAL FEATURE

- Solid shoulder block improves tyre load ability, prevents uneven wear, and ensure the tyre endurance performance.
- Prevented stress between blocks by applying square-shaped dimples where a sipe is turned, resulting in better durability.
- Application of 3-channel wide grooves reduces hydroplaning and increases performance and safety at high speed.



Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
14	175R14C	99/98	R	8PR	C	C	71	B			607594
14	185R14C	102/100	S	8PR	C	C	71	B			613427
14	195R14C	106/104	S	8PR	C	C	71	B			608597
15	185/65R15C	97/95	S	6PR	C	C	71	B			2349586
15	195/70R15C	104/102	S	8PR	C	C	71	B			607562
15	195R15C	106/104	S	8PR	C	C	71	B			613608
15	205/65R15C	102/100	T	6PR	C	C	71	B			1371675
15	205/70R15C	106/104	S	8PR	C	C	71	B			606704
15	215/65R15C	104/102	T	6PR	C	C	71	B			608604
15	215/70R15C	109/107	S	8PR	C	C	71	B			608902
15	225/70R15C	112/110	S	8PR	C	C	71	B			606924
16	175/75R16C	101/99	S	8PR	C	C	71	B			607956
16	185/75R16C	104/102	S	8PR	C	C	71	B			606537
16	195/60R16C	99/97	H	6PR	C	C	71	B			607455
16	195/65R16C	104/102	T	8PR	C	C	71	B			613220
16	195/75R16C	107/105	S	8PR	C	C	71	B			607472
16	195/75R16C	110/108	R	10PR	C	C	71	B			613370
16	205/65R16C	107/105	T	8PR	C	C	71	B			607484
16	205/75R16C	110/108	S	8PR	C	C	71	B			607642
16	205/75R16C	113/111	R	10PR	C	C	71	B			608568
16	215/60R16C	103/101	T	6PR	C	C	71	B			613508
16	215/65R16C	109/107	T	8PR	C	C	71	B			607476
16	215/70R16C	108/106	T	6PR	C	C	71	B			2322541
16	215/75R16C	113/111	S	8PR	C	C	71	B			607685
16	215/75R16C	116/114	R	10PR	C	C	71	B			607371
16	225/65R16C	112/110	T	8PR	C	C	71	B			608520
16	225/75R16C	121/120	R	10PR	C	C	71	B			607335
16	235/65R16C	115/113	T	8PR	C	C	71	B			608892
16	235/65R16C	121/119	R	10PR	C	C	71	B			606688
16	235/85R16C	120/116	Q	10PR	C	C	71	B			613159
17	215/60R17C	109/107	T	8PR	C	C	71	B			606915
17	225/55R17C	109/107	H	8PR	C	C	71	B			999339

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

**TRACMAX**



**/ ELECTRIC**



**X-PRIVILO ET07**

# X-PRIVILO ET07 UTQG: 240 A A




## HIGH PERFORMANCE ELECTRIC VEHICLE TIRES

The X-PRIVILO ET07 is designed for high-end electrified vehicles. It delivers optimal traction and braking performance, a quiet ride, and ultra-low energy consumption.

### SIZE LIST

RANGE:	17-22
SPEED RATE:	W/Y
ASPECT RATIO:	35-60
SECTION WIDTH:	215-285

## PERFORMANCE



## TECHNICAL FEATURE

- Optimised groove position Better water evacuation, improved wet grip.
- Efficient bottom roll resistance rubber formula for tire shoulders reduces energy consumption and increases range.
- Wider tread blocks More torque support, EV dedicated tire.



Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
17	225/45ZR17	94	Y	XL	B	B	71	B	✓		
17	235/55ZR17	103	W	XL	B	B	72	B	✓		2696922
18	225/45ZR18	95	Y	XL	B	B	71	B	✓		
18	235/45ZR18	98	Y	XL	B	B	72	B	✓		2697879
18	235/55ZR18	104	W	XL	B	B	72	B	✓		2696961
18	235/60ZR18	107	W	XL	B	B	72	B	✓		2696999
18	245/40ZR18	97	Y	XL	B	B	72	B	✓		2696927
18	245/45ZR18	100	Y	XL	B	B	72	B	✓		2696869
18	245/50ZR18	104	W	XL	B	B	71	B	✓		
18	255/40ZR18	99	Y	XL	B	B	73	B	✓		2696908
19	225/45ZR19	96	Y	XL	B	B	71	B	✓		
19	225/55ZR19	103	W	XL	B	B	71	B	✓		
19	235/40ZR19	96	Y	XL	B	B	72	B	✓		2697042
19	235/45ZR19	99	Y	XL	B	B	72	B	✓		2696918
19	235/50ZR19	103	Y	XL	B	B	72	B	✓		2696989
19	235/55ZR19	105	W	XL	B	B	72	B	✓		2696993
19	245/40ZR19	98	Y	XL	B	B	72	B	✓		2696987
19	245/45ZR19	102	Y	XL	B	B	72	B	✓		2697881
19	245/55ZR19	107	W	XL	B	B	72	B	✓		2696937
19	255/45ZR19	104	Y	XL	B	B	73	B	✓		2697032
19	255/50ZR19	107	W	XL	B	B	73	B	✓		2696945
19	255/55ZR19	111	W	XL	B	B	73	B	✓		2697003
20	215/45ZR20	95	Y	XL	B	B	71	B	✓		
20	235/50ZR20	104	Y	XL	B	B	72	B	✓		2697075
20	245/40ZR20	99	Y	XL	B	B	72	B	✓		2696931
20	245/45ZR20	103	Y	XL	B	B	72	B	✓		2696890
20	245/50ZR20	105	W	XL	B	B	72	B	✓		2696905
20	255/40ZR20	101	Y	XL	B	B	73	B	✓		2696941
20	255/45ZR20	105	Y	XL	B	B	73	B	✓		2697876
20	255/50ZR20	109	W	XL	B	B	73	B	✓		
20	255/50ZR20	109	Y	XL	B	B	73	B	✓		2697047
20	265/40ZR20	104	Y	XL	B	B	73	B	✓		2697877
20	265/45ZR20	108	Y	XL	B	B	73	B	✓		2696916
20	275/50ZR20	113	W	XL	B	B	73	B	✓		2697009
20	285/45ZR20	112	Y	XL	B	B	75	B	✓		2696949
21	245/45ZR21	104	Y	XL	B	B	72	B	✓		2697019
21	255/35ZR21	98	Y	XL	B	B	73	B	✓		2697068
21	255/45ZR21	106	Y	XL	B	B	73	B	✓		2697059
21	265/45ZR21	108	Y	XL	B	B	73	B	✓		2697880
21	275/35ZR21	103	Y	XL	B	B	73	B	✓		2697070
21	275/40ZR21	107	Y	XL	B	B	73	B	✓		2697878
21	285/45ZR21	113	Y	XL	B	B	75	B	✓		2697873
22	255/45ZR22	107	Y	XL	B	B	73	B	✓		2697026
22	265/40ZR22	106	Y	XL	B	B	73	B	✓		2697065
22	285/40ZR22	110	Y	XL	B	B	73	B	✓		2697874

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER



**/ ALL SEASON**



**X-PRIVILO A/S**  
**TRAC SAVER**



**X-PRIVILO A/S**  
**VAN SAVER**

# X-PRIVILO A/S TRAC SAVER




## ONE TYRE ACROSS ALL SEASONS

With an adaptive all-season compound, A/S TRAC SAVER tyres deliver exceptional grip on snowy and wet winter roads. Optimized sidewall geometry and ideal tread depth deliver a significant reduction in rolling resistance and fuel consumption — without compromising safety.

### SIZE LIST

RANGE:	12-21
SPEED RATE:	H/T/V/W/Y
ASPECT RATIO:	35-80
SECTION WIDTH:	145-275

## PERFORMANCE



## TECHNICAL FEATURE

- Two wide tread grooves with fine sipes enhance steering and control performance.
- Serrated snow patterns with fine sipes deliver exceptional grip in snow and ice conditions.
- The specialized tread compound maintains flexibility to ensure reliable grip for the All Season Trac Saver.



Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
12	155/70R12	73	T		D	C	71	B	✓	✓	807806
12	165/70R12	77	T		D	C	71	B	✓	✓	807807
12	175/70R12	80	T		D	C	71	B	✓	✓	807808
13	145/70R13	71	T		D	C	71	B	✓	✓	606765
13	145/80R13	79	T	XL	D	C	71	B	✓	✓	606761
13	155/65R13	73	T		D	C	71	B	✓	✓	607582
13	155/70R13	75	T		D	C	71	B	✓	✓	613470
13	155/80R13	79	T		D	C	71	B	✓	✓	616995
13	165/70R13	79	T		D	C	71	B	✓	✓	607380
13	165/70R13	83	T	XL	D	C	71	B	✓	✓	607607
13	175/65R13	80	T		D	C	71	B	✓	✓	607933
13	175/70R13	82	T		D	C	71	B	✓	✓	607731
13	185/70R13	86	T		D	C	71	B	✓	✓	807813
14	155/65R14	75	T		D	C	71	B	✓	✓	607471
14	165/60R14	79	H	XL	D	C	71	B	✓	✓	606784
14	165/65R14	79	T		D	C	71	B	✓	✓	613487
14	165/70R14	81	T		D	C	71	B	✓	✓	608914
14	165/70R14	85	T	XL	D	C	71	B	✓	✓	607337
14	175/65R14	82	T		D	C	71	B	✓	✓	606529
14	175/65R14	86	T	XL	D	C	71	B	✓	✓	608553
14	175/70R14	84	T		D	C	71	B	✓	✓	607399
14	175/70R14	88	T	XL	D	C	71	B	✓	✓	607350
14	185/55R14	80	H		D	C	71	B	✓	✓	607651
14	185/60R14	82	H		D	C	71	B	✓	✓	613507
14	185/65R14	86	H		D	C	71	B	✓	✓	613203
14	185/70R14	88	T		D	C	71	B	✓	✓	607446
14	195/65R14	89	H		C	C	72	B	✓	✓	807816
14	195/70R14	91	T		C	C	72	B	✓	✓	607848
14	205/70R14	95	T		C	B	72	B	✓	✓	807820
15	155/60R15	74	T		D	C	71	B	✓	✓	2169677
15	165/60R15	81	H	XL	D	C	71	B	✓	✓	2095938
15	165/65R15	81	H		D	C	71	B	✓	✓	606941
15	175/55R15	77	T		D	C	71	B	✓	✓	2186725
15	175/60R15	85	H	XL	D	C	71	B	✓	✓	2067621
15	175/65R15	84	H		D	C	71	B	✓	✓	609321
15	185/55R15	82	H		D	C	71	B	✓	✓	607486
15	185/60R15	88	H	XL	D	C	71	B	✓	✓	606960
15	185/60R15	84	H		D	C	71	B	✓	✓	607403
15	185/65R15	88	H		D	C	71	B	✓	✓	606790
15	185/65R15	92	H	XL	C	C	71	B	✓	✓	608511
15	195/50R15	82	V		D	C	72	B	✓	✓	613345
15	195/55R15	85	V		D	C	72	B	✓	✓	607589
15	195/60R15	88	V		D	C	72	B	✓	✓	613365
15	195/65R15	91	H		C	C	72	B	✓	✓	606874
15	195/65R15	95	H	XL	C	C	72	B	✓	✓	607369
15	205/65R15	94	V		C	B	72	B	✓	✓	607803
15	215/65R15	96	H		C	B	72	B	✓	✓	608516
16	175/60R16	86	H	XL	D	C	71	B	✓	✓	2169680
16	185/50R16	81	V		D	C	71	B	✓	✓	2171639
16	185/55R16	87	V	XL	D	C	71	B	✓	✓	2171667
16	195/45R16	84	V	XL	D	C	72	B	✓	✓	613483

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

X-PRIVILEO A/S TRAC SAVER

ALL SEASON

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
16	195/50R16	88	V	XL	D	C	72	B	✓	✓	606992
16	195/55R16	87	V		D	C	72	B	✓	✓	607501
16	195/55R16	91	V	XL	C	C	72	B	✓	✓	607425
16	195/60R16	89	V		D	C	72	B	✓	✓	607421
16	205/45ZR16	87	W	XL	D	B	72	B	✓	✓	606775
16	205/50ZR16	91	W	XL	C	B	72	B	✓	✓	607612
16	205/55R16	91	V		C	B	72	B	✓	✓	604710
16	205/55R16	94	V	XL	C	B	72	B	✓	✓	608643
16	205/55R16	91	H		C	B	72	B	✓	✓	607928
16	205/60R16	92	H		C	B	72	B	✓	✓	607873
16	205/60R16	96	V	XL	C	B	72	B	✓	✓	607388
16	205/65R16	99	H	XL	C	B	72	B	✓	✓	2067623
16	215/45R16	90	V	XL	D	B	72	B	✓	✓	606886
16	215/55ZR16	97	W	XL	C	B	72	B	✓	✓	607407
16	215/60R16	99	V	XL	C	B	72	B	✓	✓	613239
16	215/65R16	98	V		C	B	72	B	✓	✓	608524
16	215/70R16	100	H		C	B	72	B	✓	✓	607974
16	225/55ZR16	99	W	XL	C	B	72	B	✓	✓	607657
16	225/60R16	102	V	XL	C	B	72	B	✓	✓	607804
16	235/60R16	100	V		C	B	72	B	✓	✓	606971
17	175/65R17	87	H		D	C	71	B	✓	✓	1751965
17	205/40ZR17	84	W	XL	D	B	72	B	✓	✓	608509
17	205/45ZR17	88	W	XL	D	B	72	B	✓	✓	613479
17	205/50ZR17	93	W	XL	C	B	72	B	✓	✓	613306
17	205/55ZR17	95	W	XL	C	B	72	B	✓	✓	613316
17	215/40ZR17	87	W	XL	D	B	72	B	✓	✓	606963
17	215/45ZR17	91	W	XL	C	B	72	B	✓	✓	606904
17	215/50ZR17	95	W	XL	C	B	72	B	✓	✓	613222
17	215/55ZR17	98	W	XL	C	B	72	B	✓	✓	609417
17	215/60R17	100	V	XL	C	B	72	B	✓	✓	606746
17	215/65R17	99	V		C	B	72	B	✓	✓	607401
17	225/45ZR17	91	W		C	B	72	B	✓	✓	608650
17	225/45ZR17	94	Y	XL	C	B	72	B	✓	✓	607396
17	225/45ZR17	94	W	XL	C	B	72	B	✓	✓	606736
17	225/50ZR17	98	Y	XL	C	B	72	B	✓	✓	608549
17	225/50ZR17	98	W	XL	C	B	72	B	✓	✓	607499
17	225/55ZR17	101	W	XL	C	B	72	B	✓	✓	613302
17	225/60R17	103	V	XL	C	B	72	B	✓	✓	607416
17	225/65R17	106	V	XL	C	B	72	B	✓	✓	607619
17	235/45ZR17	97	W	XL	C	B	72	B	✓	✓	607410
17	235/55ZR17	103	W	XL	C	B	72	B	✓	✓	613252
17	235/60R17	106	V	XL	C	B	72	B	✓	✓	2186727
17	235/65ZR17	108	W	XL	C	B	72	B	✓	✓	607615
17	245/45ZR17	99	W	XL	C	B	72	B	✓	✓	607968
18	215/40ZR18	89	Y	XL	D	B	72	B	✓	✓	2169681
18	215/45R18	93	V	XL	C	B	72	B	✓	✓	2171680
18	215/50ZR18	92	W		C	B	72	B	✓	✓	607405
18	215/55R18	99	V	XL	C	B	72	B	✓	✓	613473
18	225/40ZR18	92	W	XL	C	B	72	B	✓	✓	608855
18	225/40ZR18	92	Y	XL	C	B	72	B	✓	✓	613248
18	225/45ZR18	95	W	XL	C	B	72	B	✓	✓	607443
18	225/50ZR18	99	W	XL	C	B	72	B	✓	✓	1371668

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
18	225/55R18	98	V		C	B	72	B	✓	✓	613379
18	225/60R18	104	V	XL	C	B	72	B	✓	✓	2171689
18	235/40ZR18	95	Y	XL	C	B	72	B	✓	✓	2169683
18	235/45ZR18	98	W	XL	C	B	72	B	✓	✓	613524
18	235/45ZR18	98	Y	XL	C	B	72	B	✓	✓	606917
18	235/50ZR18	101	W	XL	C	B	72	B	✓	✓	606871
18	235/55R18	104	V	XL	C	B	72	B	✓	✓	613480
18	235/60ZR18	107	W	XL	C	B	72	B	✓	✓	606956
18	245/40ZR18	97	W	XL	C	B	72	B	✓	✓	613673
18	245/40ZR18	97	Y	XL	C	B	72	B	✓	✓	607461
18	245/45ZR18	100	Y	XL	C	B	72	B	✓	✓	606927
18	245/45ZR18	100	W	XL	C	B	72	B	✓	✓	608850
18	245/50ZR18	104	Y	XL	C	B	72	B	✓	✓	1371672
18	255/35ZR18	94	Y	XL	C	B	72	B	✓	✓	2217601
18	255/40ZR18	99	Y	XL	C	B	72	B	✓	✓	1371678
18	255/45ZR18	103	Y	XL	C	B	72	B	✓	✓	2186729
18	255/55ZR18	109	W	XL	C	B	72	B	✓	✓	2205909
19	205/55ZR19	97	W	XL	C	B	72	B	✓	✓	607961
19	225/35ZR19	88	W	XL	D	B	72	B	✓	✓	613559
19	225/35ZR19	88	Y	XL	D	B	72	B	✓	✓	607609
19	225/40ZR19	93	W	XL	C	B	72	B	✓	✓	613205
19	225/40ZR19	93	Y	XL	C	B	72	B	✓	✓	607746
19	225/45ZR19	96	Y	XL	C	B	72	B	✓	✓	613207
19	225/55ZR19	99	W		C	B	72	B	✓	✓	613452
19	235/35ZR19	91	W	XL	C	B	72	B	✓	✓	
19	235/35ZR19	91	Y	XL	C	B	72	B	✓	✓	607994
19	235/40ZR19	96	Y	XL	C	B	72	B	✓	✓	1371669
19	235/45ZR19	99	Y	XL	C	B	72	B	✓	✓	1371670
19	235/50ZR19	103	W	XL	C	B	72	B	✓	✓	1371671
19	235/55ZR19	105	W	XL	C	B	72	B	✓	✓	607623
19	245/35ZR19	93	Y	XL	C	B	72	B	✓	✓	2210295
19	245/40ZR19	98	Y	XL	C	B	72	B	✓	✓	607665
19	245/40ZR19	98	W	XL	C	B	72	B	✓	✓	613462
19	245/45ZR19	102	W	XL	C	B	72	B	✓	✓	613686
19	245/45ZR19	102	Y	XL	C	B	72	B	✓	✓	613496
19	245/50ZR19	105	W	XL	C	B	72	B	✓	✓	2186728
19	255/35ZR19	96	Y	XL	C	B	72	B	✓	✓	606448
19	255/40ZR19	100	Y	XL	C	B	72	B	✓	✓	607624
19	255/45ZR19	104	Y	XL	C	B	72	B	✓	✓	2171703
19	255/50ZR19	107	Y	XL	C	B	72	B	✓	✓	2186730
19	255/55ZR19	111	W	XL	C	B	72	B	✓	✓	2210299
20	195/50R20	93	H	XL	C	C	72	B	✓	✓	807822
20	195/55R20	95	H	XL	C	C	72	B	✓	✓	607392
20	235/35ZR20	92	Y	XL	C	B	72	B	✓	✓	2171697
20	235/50ZR20	104	W	XL	C	B	72	B	✓	✓	2217600
20	245/45ZR20	103	Y	XL	C	B	72	B	✓	✓	1345087
20	255/40ZR20	101	Y	XL	C	B	72	B	✓	✓	1345088
20	255/45ZR20	105	W	XL	C	B	72	B	✓	✓	1371673
20	265/45ZR20	108	Y	XL	C	B	72	B	✓	✓	2205913
20	275/40ZR20	106	Y	XL	C	B	72	B	✓	✓	1371674
20	275/45ZR20	110	Y	XL	C	B	72	B	✓	✓	2186731
21	235/45ZR21	101	Y	XL	C	B	72	B	✓	✓	2322076

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# X-PRIVILO A/S VAN SAVER




## ONE TYRE ACROSS ALL SEASONS

A/S VAN SAVER is engineered for light and medium-duty vans, trucks, pickups, crossovers, and sport utility vehicles. With optimized wet braking and aquaplaning resistance, the VAN SAVER delivers enhanced handling across dry, wet, and snowy roads.

### SIZE LIST

RANGE:	14-17
SPEED RATE:	H/R/S/T
ASPECT RATIO:	55-75
SECTION WIDTH:	175-235

## PERFORMANCE



## TECHNICAL FEATURE

- Three main grooves of the tread design provides outstanding drainage ability.
- Excellent handling performance due to ultimate tread design with central groove and brand new compound.
- Solid shoulder design for better mileage.



Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
14	175/65R14C	90/88	T	6PR	D	B	72	B	✓	✓	613434
14	175/70R14C	95/93	T	6PR	D	B	72	B	✓	✓	607394
15	195/70R15C	104/102	S	8PR	D	B	72	B	✓	✓	609439
15	205/70R15C	106/104	S	8PR	D	B	72	B	✓	✓	607772
15	215/70R15C	109/107	S	8PR	C	B	72	B	✓	✓	613338
15	225/70R15C	112/110	S	8PR	C	B	72	B	✓	✓	606891
16	185/75R16C	104/102	S	8PR	D	B	72	B	✓	✓	607648
16	195/60R16C	99/97	H	6PR	D	B	72	B	✓	✓	607673
16	195/65R16C	104/102	S	8PR	D	B	72	B	✓	✓	606623
16	195/75R16C	107/105	S	8PR	D	B	72	B	✓	✓	613310
16	205/65R16C	107/105	T	8PR	D	B	72	B	✓	✓	608633
16	205/75R16C	113/111	S	8PR	C	B	72	B	✓	✓	607409
16	215/60R16C	103/101	T	6PR	D	B	72	B	✓	✓	607850
16	215/65R16C	109/107	T	8PR	C	B	72	B	✓	✓	606868
16	215/75R16C	113/111	S	8PR	C	B	72	B	✓	✓	607907
16	225/65R16C	112/110	S	8PR	C	B	72	B	✓	✓	609458
16	225/75R16C	121/120	R	10PR	C	B	72	B	✓	✓	606954
16	235/65R16C	115/113	S	8PR	C	B	72	B	✓	✓	607603
16	235/65R16C	121/119	R	10PR	C	B	72	B	✓	✓	607463
17	215/60R17C	109/107	T	8PR	C	B	72	B	✓	✓	607703
17	225/55R17C	109/107	H	8PR	C	B	72	B	✓	✓	1002113



**/ SUV / 4X4**



**X-PRIVILO TX9**



**X-PRIVILO AT01**



**X-PRIVILO AT03**



**X-PRIVILO AT08**



**X-PRIVILO M/T**



**X-PRIVILO RF28**

# X-PRIVILO TX9

UTQG: 500 A A




## HIGHWAY TERRAIN

X-PRIVILO TX9 features a symmetrical tread design, delivering an exhilarating driving experience tailored for drivers who seek performance and excitement. It offers precise handling and exceptional grip in both dry and wet conditions.

## SIZE LIST

RANGE:	15-20
SPEED RATE:	H/T/V
ASPECT RATIO:	50-75
SECTION WIDTH:	205-285

## PERFORMANCE



## TECHNICAL FEATURE

- Four wide longitudinal main grooves maximize water evacuation, delivering outstanding hydroplaning resistance at high speeds.
- The optimized multi-pitch arrangement significantly reduces tire noise. By refining the number and size of the pitches, it ensures a quieter driving experience.
- The optimized composite material provides superior wet grip and lower rolling resistance.



Rim	Size	LI	SR	XL			dB		3PMSF	EPREL Code
15	215/75R15	100	T		C	B	71	B	✓	2409910
15	235/75R15	109	T	XL	C	B	72	B	✓	2431663
16	205/70R16	97	H		C	B	71	B	✓	2409880
16	215/70R16	100	H		C	B	71	B	✓	2431656
16	225/70R16	107	H	XL	C	B	72	B	✓	2409937
16	235/60R16	100	H		C	B	71	B	✓	2410686
16	235/70R16	106	H		C	B	71	B	✓	2431661
16	245/70R16	111	H	XL	C	B	72	B	✓	2410700
16	245/75R16	111	T		C	B	71	B	✓	2410704
16	255/65R16	109	H		C	B	72	B	✓	2432248
16	255/70R16	111	H		C	B	72	B	✓	2432329
16	265/70R16	112	H		C	B	72	B	✓	2432378
16	275/70R16	114	H		C	B	72	B	✓	2432952
17	205/60R17	97	V	XL	C	B	72	B	✓	2409878
17	215/60R17	100	H	XL	C	B	72	B	✓	2409902
17	215/65R17	99	H		C	B	71	B	✓	2409904
17	225/60R17	99	H		C	B	71	B	✓	2409921
17	225/65R17	102	H		C	B	71	B	✓	2431657
17	235/60R17	106	H	XL	C	B	72	B	✓	2410687
17	235/65R17	108	H	XL	C	B	72	B	✓	2410690
17	245/65R17	111	H	XL	C	B	72	B	✓	2431698
17	245/70R17	110	H		C	B	71	B	✓	2431711
17	255/60R17	110	V	XL	C	B	73	B	✓	2432195
17	255/65R17	110	V		C	B	72	B	✓	2432270
17	265/65R17	112	H		C	B	72	B	✓	2432339
17	265/70R17	115	H		C	B	72	B	✓	2432446
17	275/65R17	115	H		C	B	72	B	✓	2432950
17	285/65R17	116	H		C	B	74	B	✓	2432962
18	225/60R18	100	V		C	B	71	B	✓	2409925
18	235/60R18	107	H	XL	C	B	72	B	✓	2410688
18	235/65R18	110	H	XL	C	B	72	B	✓	2431658
18	245/60R18	105	H		C	B	71	B	✓	2431676
18	255/60R18	112	V	XL	C	B	73	B	✓	2432203
18	255/70R18	113	H		C	B	72	B	✓	2432335
18	265/60R18	110	H		C	B	72	B	✓	2432337
18	265/65R18	114	H		C	B	72	B	✓	2432345
18	265/70R18	116	H		C	B	72	B	✓	2432462
18	275/65R18	116	H		C	B	72	B	✓	2432951
18	285/60R18	120	H	XL	C	B	75	B	✓	2432953
19	225/55R19	103	V	XL	C	B	72	B	✓	2409916
19	235/55R19	105	V	XL	C	B	72	B	✓	2409947
19	235/60R19	107	V	XL	C	B	72	B	✓	2410691
19	235/65R19	109	H	XL	C	B	72	B	✓	2431659
19	245/55R19	107	V	XL	C	B	72	B	✓	2410698
19	255/55R19	111	V	XL	C	B	73	B	✓	2410707
19	255/60R19	113	V	XL	C	B	73	B	✓	2410710
20	275/55R20	117	V	XL	C	B	73	B	✓	2410715
20	275/60R20	116	V	XL	C	B	73	B	✓	2432949
20	285/50R20	116	V	XL	C	B	73	B	✓	2410721

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# X-PRIVILO AT01 UTQG: 500 A A ONLY FOR P TIRE




## ALL TERRAIN

X-PRIVILO AT01 series is completely suitable for multiple road conditions, provides excellent road contacting stability for more safe running. Intensive structure of the sidewall guarantees durability in all weather and road conditions.

## SIZE LIST

RANGE:	15-16
SPEED RATE:	H/S/T
ASPECT RATIO:	70-80
SECTION WIDTH:	195-265

## PERFORMANCE



## TECHNICAL FEATURE

- Wide shoulder block design and enhanced block stiffness increase stability and durability, even on tough roads.
- Sidewall pattern design can guard against cuts, bruises and impact breaks to improve off-road endurance.
- Block chamfer design can enhance the wear resistance and comfort performance, and help prevent tire damage from stones or external impacts.



Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	195/80R15	100	T	XL	C	C	71	B	✓		606888
15	235/75R15	109	T	XL	C	C	71	B	✓		613432
15	255/70R15	112	H	XL	C	C	71	B	✓		608523
15	265/70R15	112	H		C	C	71	B	✓		608530
16	215/70R16	100	H		C	C	71	B	✓		607969

Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
15	255/70R15C	112/110	S	6PR	C	C	71	B	✓		607790



PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

32

# X-PRIVILO AT03




The X-PRIVILO AT03, including P series and LT series, is an OffRoad All-Terrain tire developed to meet the needs of jeep, pickup truck and sport utility vehicle drivers who want confidence and control on and off road.

## SIZE LIST

RANGE:	13-18
SPEED RATE:	H/R/S/T
ASPECT RATIO:	60-80
SECTION WIDTH:	175-265

## PERFORMANCE



## TECHNICAL FEATURE

- A complex network of aggressive tread elements, bionic design from caterpillar, work together to provide stable handling both on and off road.
- Interlocking blocks and innovative sipping stabilize tread center to enhanced rigidity for improved everyday straight driving.
- The cut-chip-and-tear-resistant tread compound, by using multi-functionalized S-SBR and highly well-organized carbonblack, provide longer life with 50,000miles warranty.



Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
13	175/75R13	85	T		D	C	70	B	✓		
14	175/75R14	87	T		D	C	70	B	✓		
14	175/80R14	88	T		D	C	70	B	✓		
15	205/60R15	91	H		D	C	71	B	✓		
15	205/65R15	94	H		D	C	71	B	✓		
15	205/70R15	96	T		D	C	71	B	✓		
15	215/75R15	100	T		C	C	71	B	✓		
15	235/75R15	109	T	XL	C	C	71	B	✓		
16	205/60R16	92	H		C	C	71	B	✓		
16	215/65R16	102	H	XL	C	C	71	B	✓		
16	245/70R16	111	T	XL	C	C	71	B	✓		
16	245/75R16	111	T		C	C	71	B	✓		
16	265/70R16	116	T	XL	C	C	71	B	✓		
17	225/65R17	102	T		C	C	71	B	✓		
17	265/65R17	112	T		C	C	72	B	✓		
17	265/70R17	115	T		C	C	72	B	✓		
18	225/60R18	104	H	XL	C	C	72	B	✓		
18	265/60R18	114	T	XL	C	C	72	B	✓		

Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
15	LT205/70R15	96/93	R	6PR	C	C	72	B	✓		
15	LT215/75R15	100/97	R	6PR	C	C	72	B	✓		
15	LT235/75R15	104/101	R	6PR	C	C	72	B	✓		
15	31X10.50R15LT	109	S	6PR	C	C	72	B	✓		
16	LT215/65R16	103/100	R	8PR	C	C	72	B	✓		
16	LT245/70R16	118/115	R	10PR	C	C	72	B	✓		
16	LT245/75R16	120/116	R	10PR	C	C	72	B	✓		
16	LT265/70R16	121/118	R	10PR	C	C	72	B	✓		
17	LT225/65R17	107/103	R	8PR	C	C	72	B	✓		
17	LT265/65R17	120/117	R	10PR	C	C	72	B	✓		
17	LT265/70R17	121/118	R	10PR	C	C	72	B	✓		
18	LT225/60R18	100/97	R	6PR	C	C	72	B	✓		
18	LT265/60R18	119/116	R	10PR	C	C	72	B	✓		

# X-PRIVILO AT08 UTQG: S60 A B ONLY FOR P TIRE




## ALL TERRAIN

X-PRIVILO AT08 series has excellent performance for multi road conditions. The whole design offers efficient water drainage and enhance vehicle performance on both on and off roads. Aggressive sidewall protections increase off-road bite and prevent damage from sidewall cut and abrasions.

## SIZE LIST

RANGE:	15-20
SPEED RATE:	H/S/T
ASPECT RATIO:	50-75
SECTION WIDTH:	215-285

## PERFORMANCE



## TECHNICAL FEATURE

- Serrated snow patterns with fine sipes provide great grip under snow & ice conditions.
- The wide open shoulder grooves enhance wet grip and provide excellent water & snow evacuation.
- The wide tread enhance the traction under ice and snow conditions.



Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
16	215/70R16	100	T		D	C	71	B	✓		613467
16	225/70R16	103	T		D	C	71	B	✓		607793
16	225/75R16	104	T		D	C	71	B	✓		607503
16	235/70R16	106	T		D	C	71	B	✓		607608
16	245/70R16	111	T	XL	D	C	72	B	✓		606942
16	255/70R16	111	T		D	C	72	B	✓		607531
16	265/70R16	112	T		D	C	72	B	✓		606947
16	275/70R16	114	T		D	C	72	B	✓		613482
17	225/60R17	99	T		D	C	71	B	✓		613556
17	225/65R17	102	T		D	C	71	B	✓		613575
17	235/65R17	104	T		D	C	71	B	✓		607797
17	245/65R17	111	T	XL	D	C	72	B	✓		607554
17	245/70R17	110	T		D	C	71	B	✓		613661
17	255/65R17	110	T		D	C	72	B	✓		607408
17	265/65R17	112	T		D	C	72	B	✓		607386
17	265/70R17	115	T		D	C	72	B	✓		613551
18	265/60R18	110	T		D	C	72	B	✓		668629
18	265/60R18	114	T	XL	D	C	72	B	✓		613566
18	285/60R18	116	T		D	C	73	B	✓		613543
20	265/50R20	111	H	XL	D	C	72	B	✓		613752
20	285/50R20	116	H	XL	D	C	75	B	✓		607971

Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
15	LT215/75R15C	100/97	S	6PR	-	-	-	-	✓		
15	LT235/75R15C	104/101	S	6PR	-	-	-	-	✓		
15	LT235/75R15C	116/113	S	6PR	-	-	-	-	✓		

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# X-PRIVILO M/T




## MUD TERRAIN

X-PRIVILO M/T series is borned for professional off-road conditions. Strong tyre structure brings reliability and durability. The robust design provides excellent traction performance on various tough road conditions. Pretty shoulder design increases the entertainment of refitted vehicle.

## SIZE LIST

RANGE:	15-18
SPEED RATE:	Q
ASPECT RATIO:	50-75
SECTION WIDTH:	225-315

## PERFORMANCE



## TECHNICAL FEATURE

- Three main zigzag grooves and aggressive pattern design provide outstanding traction.
- The block tread design with multiple-sipes provide outstanding off-road traction and reduce tread damage on off-road condition.
- Jointless Nylon band and strong structure design enhance the reliability and durability. Special tread compound and wide footprint deliver excellent braking on wet and dry roads.



Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
15	31X10.50R15LT	109	Q	6PR	-	-	-	-	✓		
15	33X12.50R15LT	108	Q	6PR	-	-	-	-	✓		
16	LT225/75R16	115/112	Q	10PR	-	-	-	-	✓		
16	LT245/75R16	120/116	Q	10PR	-	-	-	-	✓		
16	LT265/75R16	123/120	Q	10PR	-	-	-	-	✓		
16	LT285/75R16	126/123	Q	10PR	-	-	-	-	✓		
16	LT305/70R16	124/121	Q	10PR	-	-	-	-	✓		
16	LT315/75R16	127/124	Q	10PR	-	-	-	-	✓		
17	LT265/70R17	121/118	Q	10PR	-	-	-	-	✓		
17	LT285/70R17	121/118	Q	8PR	-	-	-	-	✓		
17	33X12.50R17LT	120	Q	10PR	-	-	-	-	✓		
17	35X12.50R17LT	125	Q	10PR	-	-	-	-	✓		
18	33X12.50R18LT	118	Q	10PR	-	-	-	-	✓		
18	35X12.50R18LT	123	Q	10PR	-	-	-	-	✓		



PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# X-PRIVILO RF28




## COMMERCIAL VAN

Exceptionally durable all-season tire with improved mileage for commercial vans and transporters.

## SIZE LIST

RANGE:	12-16
SPEED RATE:	Q/R
ASPECT RATIO:	65-75
SECTION WIDTH:	145-235

## PERFORMANCE



## TECHNICAL FEATURE

- Excellent braking and steering capability.
- Design of extra-deep pattern grooves and outstanding tread compound improves the anti-abrasion capability.
- Excellent grip on dry and wet roads for safe ride with zigzagging pattern grooves, robust pattern blocks.



Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
12	145R12C	86/84	Q	8PR	C	C	72	B	✓		
12	155R12C	88/86	Q	8PR	C	C	72	B	✓		
14	165R14C	97/95	Q	8PR	C	C	72	B	✓		
14	175R14C	99/98	Q	8PR	C	C	72	B	✓		
14	wsw 185R14C	102/100	R	8PR	C	C	72	B	✓		
14	wsw 195R14C	106/104	R	8PR	C	C	72	B	✓		
14	wsw 205/75R14C	109/107	R	10PR	C	C	72	B	✓		
15	185/65R15C	97/95	R	6PR	C	C	72	B	✓		
15	185R15C	103/102	R	8PR	C	C	72	B	✓		
15	195/70R15C	104/102	R	8PR	C	C	72	B	✓		
15	wsw 195R15C	106/104	R	8PR	C	C	72	B	✓		
15	215/70R15C	109/107	R	8PR	C	C	72	B	✓		
15	225/70R15C	112/110	R	8PR	C	C	72	B	✓		
16	175/75R16C	101/99	Q	8PR	C	C	72	B	✓		
16	195/75R16C	107/105	R	8PR	C	C	72	B	✓		
16	215/65R16C	109/107	R	8PR	C	C	72	B	✓		
16	215/75R16C	113/111	R	8PR	C	C	72	B	✓		
16	235/65R16C	121/119	R	10PR	C	C	72	B	✓		



PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# / WINTER



*X-PRIVILEO S130*

*X-PRIVILEO S330*

*X-PRIVILEO S360*

*X-PRIVILEO SS00*



*X-PRIVILEO SSS0*

*X-PRIVILEO VS450*

*ICE-PLUS SR1*

# X-PRIVILO S130




## STUDLESS SNOW TYRE

The X-PRIVILO S130 is a studless snow tire specifically engineered for passenger cars, delivering precise handling and short braking distances for superior safety. Its optimized tread pattern and carefully balanced compound formulation ensure continuous road contact even under the harshest weather conditions.

## SIZE LIST

RANGE:	13-16
SPEED RATE:	H/S/T/V
ASPECT RATIO:	50-80
SECTION WIDTH:	135-265

## PERFORMANCE



## TECHNICAL FEATURE

- The design of single guide pattern and transverse drainage groove makes the snow/wet slippery pavement show excellent traction and braking performance.
- Longitudinal semi-deep drainage groove design enables effective connection between patterned blocks, increases the strength of patterned blocks, and provides better turning performance.
- Jointless Nylon band and strong structure design enhance the reliability and durability. Special tread compound and wide footprint deliver excellent braking on wet and dry roads.



Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
13	145/70R13	71	T		D	B	70	B	✓	✓	607870
13	145/80R13	75	T		D	B	70	B	✓	✓	607840
13	155/65R13	73	T		D	B	70	B	✓	✓	606920
13	155/70R13	75	T		D	B	70	B	✓	✓	608547
13	155/80R13	79	T		D	B	70	B	✓	✓	607426
13	165/70R13	79	T		D	B	70	B	✓	✓	607812
13	175/65R13	80	T		D	B	70	B	✓	✓	607390
13	175/70R13	82	T		D	B	70	B	✓	✓	704084
14	155/65R14	75	T		D	B	70	B	✓	✓	607387
14	165/60R14	79	T	XL	D	B	70	B	✓	✓	607611
14	165/65R14	79	T		D	B	70	B	✓	✓	606898
14	165/70R14	81	T		D	B	70	B	✓	✓	606779
14	165/70R14	85	T	XL	D	B	70	B	✓	✓	607977
14	175/65R14	82	T		D	B	70	B	✓	✓	606877
14	175/65R14	86	T	XL	D	B	70	B	✓	✓	607519
14	175/70R14	84	T		D	B	70	B	✓	✓	607659
14	175/70R14	88	T	XL	D	B	70	B	✓	✓	607469
14	185/55R14	80	T		D	B	70	B	✓	✓	607940
14	185/60R14	82	T		D	B	70	B	✓	✓	
14	185/60R14	82	H		D	B	70	B	✓	✓	608909
14	185/65R14	86	T		D	B	70	B	✓	✓	2442014
14	185/65R14	86	H		D	B	70	B	✓	✓	606588
14	185/70R14	88	T		D	B	70	B	✓	✓	607927
14	195/65R14	89	T		D	B	70	B	✓	✓	613553
14	195/70R14	91	T		C	B	70	B	✓	✓	606730
15	135/70R15	70	T		D	B	70	B	✓	✓	608863
15	145/65R15	72	T		D	B	70	B	✓	✓	607432
15	155/60R15	74	T		D	B	70	B	✓	✓	607895
15	165/60R15	81	T	XL	D	B	70	B	✓	✓	607452
15	165/65R15	81	T		D	B	70	B	✓	✓	607635
15	175/55R15	77	T		D	B	70	B	✓	✓	607718
15	175/65R15	84	T		D	B	70	B	✓	✓	613490
15	185/55R15	82	H		D	B	70	B	✓	✓	607578
15	185/60R15	84	T		D	B	70	B	✓	✓	606946
15	185/60R15	88	T	XL	D	B	70	B	✓	✓	607439
15	185/65R15	88	T		D	B	70	B	✓	✓	833448

PASSENGER

ELECTRIC

ALL SEASON




SUV/4X4

WINTER


44

X-PRIVILEO S130

WINTER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	185/65R15	88	H		D	B	70	B	✓	✓	606948
15	185/65R15	92	T	XL	C	B	70	B	✓	✓	607807
15	195/50R15	82	H		D	B	70	B	✓	✓	606884
15	195/55R15	85	H		D	B	70	B	✓	✓	606932
15	195/60R15	88	T		D	B	70	B	✓	✓	
15	195/60R15	88	H		D	B	70	B	✓	✓	607465
15	195/65R15	91	T		C	B	70	B	✓	✓	1323804
15	195/65R15	91	H		C	B	70	B	✓	✓	606916
15	195/65R15	95	T	XL	C	B	70	B	✓	✓	607854
15	205/60R15	91	H		C	B	70	B	✓	✓	607693
15	205/65R15	94	H		C	B	70	B	✓	✓	607662
15	205/70R15	96	S		C	B	70	B	✓	✓	765152
15	205/70R15	96	T		C	B	70	B	✓	✓	607634
15	215/65R15	96	H		C	B	70	B	✓	✓	607985
15	215/65R15	100	H	XL	C	B	70	B	✓	✓	607740
15	215/70R15	98	S		C	B	70	B	✓	✓	
15	215/70R15	98	T		C	B	70	B	✓	✓	608859
16	185/60R16	86	H		D	B	70	B	✓	✓	613649
16	195/50R16	84	H		D	B	70	B	✓	✓	607420
16	195/50R16	88	V	XL	D	B	70	B	✓	✓	606440
16	195/55R16	87	H		D	B	70	B	✓	✓	607402
16	195/55R16	91	V	XL	C	B	70	B	✓	✓	607376
16	195/60R16	89	H		D	B	70	B	✓	✓	608521
16	205/55R16	91	H		C	B	70	B	✓	✓	716183
16	205/55R16	91	V		C	B	70	B	✓	✓	606520
16	205/60R16	92	T		C	B	70	B	✓	✓	833446
16	205/60R16	92	H		C	B	70	B	✓	✓	606930
16	205/60R16	96	H	XL	C	B	70	B	✓	✓	609423
16	215/60R16	95	H		C	B	70	B	✓	✓	607886
16	215/60R16	99	H	XL	C	B	70	B	✓	✓	606995
16	215/65R16	98	T		C	B	70	B	✓	✓	
16	215/65R16	98	H		C	B	70	B	✓	✓	613209
16	215/65R16	102	H	XL	C	B	70	B	✓	✓	606608
16	225/60R16	98	T		C	B	70	B	✓	✓	
16	225/60R16	98	H		C	B	70	B	✓	✓	613705
16	225/60R16	102	H	XL	C	B	70	B	✓	✓	607960
16	*265/70R16	112	H		C	B	72	B	✓	✓	

\*UNDER DEVELOPMENT



PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# X-PRIVILO S330




## STUDLESS SNOW TYRE UHP/SUV

X-PRIVILO S330 comprehensively improves safety and handling performance in Winter conditions, the high-tech features are contributed by new winter formula and sipe designs.

### SIZE LIST

RANGE:	17-21
SPEED RATE:	H/T/V
ASPECT RATIO:	35-70
SECTION WIDTH:	205-315

### PERFORMANCE



## TECHNICAL FEATURE

- Wide longitudinal drainage grooves ensure stable handling and braking performance on wet roads.
- Unique arrow single guide pattern design increases snow traction and enhances winter driving pleasure.
- The 3D S-Curve grooves design improves handling performance on winter roads, supports a faster braking.



Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
17	*205/45R17	88	V	XL	C	C	71	B	✓	✓	
17	*215/40R17	87	V	XL	C	C	71	B	✓	✓	
17	215/65R17	99	V		C	C	72	B	✓	✓	2067619
17	215/65R17	103	V	XL	C	C	72	B	✓	✓	2382196
17	*255/60R17	106	H		C	C	72	B	✓	✓	
17	*265/70R17	115	T		C	C	72	B	✓	✓	
18	215/45R18	93	V	XL	C	C	72	B	✓	✓	607559
18	215/55R18	99	V	XL	C	C	72	B	✓	✓	607605
18	225/45R18	95	V	XL	C	C	72	B	✓	✓	613460
18	225/50R18	99	V	XL	C	C	72	B	✓	✓	607454
18	225/55R18	102	V	XL	C	C	72	B	✓	✓	613503
18	225/60R18	104	V	XL	C	C	72	B	✓	✓	608506
18	*235/45R18	98	V	XL	C	C	72	B	✓	✓	
18	235/55R18	104	V	XL	C	C	72	B	✓	✓	607570
18	245/60R18	105	H		C	C	72	B	✓	✓	607798
18	255/40R18	99	V	XL	C	C	73	B	✓	✓	607522
18	255/45R18	103	V	XL	C	C	73	B	✓	✓	607915
18	255/60R18	112	V	XL	C	C	73	B	✓	✓	607694
18	265/60R18	114	V	XL	C	C	73	B	✓	✓	607911
19	*225/40R19	93	V	XL	C	C	72	B	✓	✓	
19	225/45R19	96	V	XL	C	C	72	B	✓	✓	608895
19	225/55R19	103	V	XL	C	C	72	B	✓	✓	607588
19	235/45R19	99	V	XL	C	C	72	B	✓	✓	607863
19	235/50R19	103	V	XL	C	C	72	B	✓	✓	607878
19	*245/35R19	93	V	XL	C	C	72	B	✓	✓	
19	*245/40R19	98	V	XL	C	C	72	B	✓	✓	
19	*245/45R19	102	V	XL	C	C	72	B	✓	✓	
19	245/55R19	107	V	XL	C	C	72	B	✓	✓	
19	*255/35R19	96	V	XL	C	C	73	B	✓	✓	
19	255/40R19	100	V	XL	C	C	73	B	✓	✓	607896
19	255/45R19	104	V	XL	C	C	73	B	✓	✓	607837
19	255/50R19	107	V	XL	C	C	73	B	✓	✓	606994
19	255/55R19	111	V	XL	C	C	73	B	✓	✓	607716
19	*275/35R19	100	V	XL	C	C	73	B	✓	✓	
19	*275/40R19	105	V	XL	C	C	73	B	✓	✓	
19	285/45R19	111	V	XL	C	C	73	B	✓	✓	608505
20	235/45R20	100	V	XL	C	C	72	B	✓	✓	2382228
20	235/50R20	104	V	XL	C	C	72	B	✓	✓	2095922
20	245/35R20	95	V	XL	C	C	72	B	✓	✓	607438
20	245/40R20	99	V	XL	C	C	72	B	✓	✓	607944
20	245/45R20	103	V	XL	C	C	72	B	✓	✓	607890
20	255/35R20	97	V	XL	C	C	73	B	✓	✓	607842
20	255/40R20	101	V	XL	C	C	73	B	✓	✓	607737
20	255/45R20	105	V	XL	C	C	73	B	✓	✓	607602
20	255/50R20	109	V	XL	C	C	73	B	✓	✓	607495
20	255/55R20	110	V	XL	C	C	73	B	✓	✓	607988
20	265/45R20	108	V	XL	C	C	73	B	✓	✓	606715
20	275/45R20	110	V	XL	C	C	73	B	✓	✓	608510
20	275/55R20	117	V	XL	C	C	73	B	✓	✓	613617
20	275/60R20	119	V	XL	C	C	73	B	✓	✓	613518
20	*315/35R20	110	V	XL	C	C	73	B	✓	✓	
21	275/45R21	110	V	XL	C	C	73	B	✓	✓	607406
21	295/35R21	107	V	XL	C	C	73	B	✓	✓	607361

\*UNDER DEVELOPMENT

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# X-PRIVILO S360




## SUPERD STUDLESS SNOW TYRE

X-PRIVILO S360 is Tracmax's premium studless passenger car tires new designed pattern, with soft compound and block pattern spread the overall tread. supporting the vehicle to achieve super high performance, safety and durability with shorter braking distance.

### SIZE LIST

RANGE:	13-22
SPEED RATE:	H/R/S/T/V
ASPECT RATIO:	35-70
SECTION WIDTH:	175-325

## PERFORMANCE



## TECHNICAL FEATURE

- Sturdy shoulder blocks ensure confident cornering. Their minimal deformation also results in slower, more even tread wear.
- Wide longitudinal drainage grooves deliver stable handling and reliable braking performance on wet roads.
- The optimized size and placement of transverse grooves shift noise to higher frequencies, effectively reducing road noise for a quieter ride.



Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
13	175/70R13	82	T		D	D	71	B	✓	✓	2016709
14	175/65R14	82	R		D	D	71	B	✓	✓	2016706
14	175/70R14	88	T	XL	D	D	71	B	✓	✓	2016713
14	185/60R14	82	T		D	D	71	B	✓	✓	2016717
14	185/65R14	90	T	XL	D	D	71	B	✓	✓	2016725
14	185/70R14	92	T	XL	C	D	71	B	✓	✓	2016730
15	185/60R15	88	T	XL	D	D	71	B	✓	✓	2016721
15	185/65R15	92	T	XL	C	D	71	B	✓	✓	2016727
15	195/55R15	89	T	XL	D	D	72	B	✓	✓	2016731
15	195/60R15	92	T	XL	C	D	72	B	✓	✓	2016742
15	195/65R15	95	T	XL	C	D	72	B	✓	✓	1987929
15	205/65R15	99	T	XL	C	C	72	B	✓	✓	2016753
15	205/70R15	100	T	XL	C	C	72	B	✓	✓	2016762
16	195/55R16	87	T		D	D	72	B	✓	✓	2016735
16	205/55R16	94	T	XL	C	C	72	B	✓	✓	1987949
16	205/60R16	96	T	XL	C	C	72	B	✓	✓	2016750
16	205/65R16	99	T	XL	C	C	72	B	✓	✓	2016758
16	215/55R16	97	T	XL	C	C	72	B	✓	✓	2016773
16	215/60R16	99	T	XL	C	C	72	B	✓	✓	2016779
16	215/65R16	102	T	XL	C	C	72	B	✓	✓	2016790
16	215/70R16	100	T		C	C	72	B	✓	✓	2016819
16	225/70R16	103	T		C	C	72	B	✓	✓	2017266
16	235/70R16	106	T		C	C	72	B	✓	✓	2017279
16	245/70R16	111	T	XL	C	C	72	B	✓	✓	2017300
17	205/50R17	93	T	XL	C	C	72	B	✓	✓	2016746
17	205/55R17	95	R	XL	C	C	72	B	✓	✓	2016749
17	215/45R17	91	T	XL	C	C	72	B	✓	✓	2016765
17	215/50R17	95	T	XL	C	C	72	B	✓	✓	2016771
17	215/55R17	98	T	XL	C	C	72	B	✓	✓	2016775
17	215/60R17	100	R	XL	C	C	72	B	✓	✓	2016783
17	215/65R17	103	T	XL	C	C	72	B	✓	✓	2016809
17	225/45R17	94	T	XL	C	C	72	B	✓	✓	2016825
17	225/50R17	98	T	XL	C	C	72	B	✓	✓	2016832
17	225/55R17	101	T	XL	C	C	72	B	✓	✓	2016834
17	225/60R17	103	S	XL	C	C	72	B	✓	✓	2016838

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

X-PRIVILEO S360

WINTER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
17	225/65R17	106	T	XL	C	C	72	B	✓	✓	2017265
17	235/45R17	94	S		C	C	72	B	✓	✓	2017267
17	235/55R17	103	T	XL	C	C	72	B	✓	✓	2017271
17	235/65R17	108	T	XL	C	C	72	B	✓	✓	2017277
17	245/65R17	111	T	XL	C	C	72	B	✓	✓	2017299
17	245/70R17	110	T		C	C	72	B	✓	✓	2017301
17	265/65R17	116	T	XL	C	C	72	B	✓	✓	2017313
18	215/55R18	99	T	XL	C	C	72	B	✓	✓	2016777
18	225/40R18	92	H	XL	C	C	72	B	✓	✓	2016823
18	225/45R18	95	T	XL	C	C	72	B	✓	✓	2016828
18	225/50R18	95	H		C	C	72	B	✓	✓	2016833
18	225/55R18	98	T		C	C	72	B	✓	✓	2016835
18	225/60R18	104	T	XL	C	C	72	B	✓	✓	2017264
18	235/45R18	98	T	XL	C	C	72	B	✓	✓	2017268
18	235/50R18	101	T	XL	C	C	72	B	✓	✓	2017269
18	235/55R18	104	T	XL	C	C	72	B	✓	✓	2017272
18	235/60R18	107	T	XL	C	C	72	B	✓	✓	2017276
18	245/40R18	97	T	XL	C	C	72	B	✓	✓	2017286
18	245/45R18	100	T	XL	C	C	72	B	✓	✓	2017292
18	245/50R18	100	S		C	C	72	B	✓	✓	2017296
18	255/55R18	109	T	XL	C	C	72	B	✓	✓	2017309
18	265/60R18	114	T	XL	C	C	72	B	✓	✓	2017312
18	265/65R18	116	T	XL	C	C	72	B	✓	✓	2049137
18	285/60R18	116	T		C	C	72	A	✓	✓	2017322
19	225/45R19	96	T	XL	C	C	72	B	✓	✓	2016830
19	225/55R19	103	T	XL	C	C	72	B	✓	✓	2016837
19	235/50R19	103	T	XL	C	C	72	B	✓	✓	2017270
19	235/55R19	105	T	XL	C	C	72	B	✓	✓	2017274
19	245/40R19	98	S	XL	C	C	72	B	✓	✓	2017289
19	245/45R19	102	T	XL	C	C	72	B	✓	✓	2017294
19	245/55R19	107	T	XL	C	C	72	B	✓	✓	2017298
19	255/40R19	100	V	XL	C	C	72	B	✓	✓	2017302
19	255/45R19	104	T	XL	C	C	72	B	✓	✓	2017304
19	255/50R19	107	T	XL	C	C	72	B	✓	✓	2017306
19	255/55R19	111	T	XL	C	C	72	B	✓	✓	2017310
19	265/55R19	113	T	XL	C	C	72	B	✓	✓	2048043

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
20	235/55R20	102	T		C	C	72	B	✓	✓	2017275
20	245/45R20	103	V	XL	C	C	72	B	✓	✓	2017295
20	245/50R20	105	T	XL	C	C	72	B	✓	✓	2049045
20	255/40R20	101	H	XL	C	C	72	B	✓	✓	2049095
20	255/45R20	105	T	XL	C	C	72	B	✓	✓	2017305
20	255/50R20	109	T	XL	C	C	72	B	✓	✓	2017308
20	265/50R20	111	T	XL	C	C	72	B	✓	✓	2017311
20	265/55R20	113	T	XL	C	C	72	B	✓	✓	2048050
20	275/40R20	106	V	XL	C	C	72	B	✓	✓	2017314
20	275/45R20	110	T	XL	C	C	72	B	✓	✓	2017317
20	275/50R20	113	T	XL	C	C	72	B	✓	✓	2017319
20	275/60R20	116	T	XL	C	C	72	B	✓	✓	2049225
20	285/35R20	104	H	XL	C	C	72	A	✓	✓	2049235
20	285/50R20	116	T	XL	C	C	72	A	✓	✓	2017321
20	315/35R20	110	V	XL	C	C	72	A	✓	✓	2017323
21	235/50R21	101	T		C	C	72	B	✓	✓	2049038
21	275/45R21	110	T	XL	C	C	72	B	✓	✓	2017318
21	285/45R21	113	T	XL	C	C	72	A	✓	✓	2049270
21	315/40R21	115	H	XL	C	C	74	B	✓	✓	2049821
22	265/50R22	112	T	XL	C	C	72	B	✓	✓	2049110
22	275/40R22	107	H	XL	C	C	72	B	✓	✓	2049155
22	275/50R22	115	T	XL	C	C	72	B	✓	✓	2049169
22	285/40R22	110	H	XL	C	C	72	A	✓	✓	2049248
22	285/45R22	114	H	XL	C	C	72	A	✓	✓	2049819
22	315/35R22	111	H	XL	C	C	74	B	✓	✓	2049820
22	325/35R22	114	H	XL	C	C	74	B	✓	✓	2049822
22	325/40R22	114	H		C	C	74	B	✓	✓	2049823

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# X-PRIVILO S500




## STUDDABLE SNOW TYRE

X-PRIVILO S500 is studdable performance winter tyres for passenger cars. Super grip design delivers ultimate safety under all winter conditions. Patent-designed rubber formula guarantee soft performance in extremely cold weather. Low Fuel consumption and comfortable noise level.

## SIZE LIST

RANGE:	13-22
SPEED RATE:	H/S/T
ASPECT RATIO:	35-75
SECTION WIDTH:	155-325

## PERFORMANCE



## TECHNICAL FEATURE

- high-density stud arrangement guarantee the grip performance under ice and snow road conditions. Padded stud design ensures the stud stability, avoid loose and fall off while running.
- The special tread formula allows tyres to keep elastic and soft in extreme cold weather conditions.
- The directional tread pattern and sipe design bring good drainage performance in snow, slush and water conditions. The sipe pattern and saw-tooth block edges improve the handling and stability on snow and ice.



Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
13	155/70R13	75	T		D	D	71	B	✓	✓	1547329
13	175/70R13	82	T		D	D	71	B	✓	✓	1547365
14	175/65R14	86	T	XL	D	D	71	B	✓	✓	1547345
14	175/70R14	88	T	XL	C	D	71	B	✓	✓	1547446
14	185/60R14	82	T		D	D	71	B	✓	✓	1547463
14	185/65R14	90	T	XL	C	D	71	B	✓	✓	1547479
14	185/70R14	92	T	XL	C	D	71	B	✓	✓	1547495
15	185/55R15	82	T		D	D	71	B	✓	✓	1547454
15	185/60R15	88	T	XL	C	D	72	B	✓	✓	668716
15	185/65R15	92	T	XL	C	D	72	B	✓	✓	668721
15	195/55R15	85	T		D	D	72	B	✓	✓	1548342
15	195/60R15	92	T	XL	C	D	72	B	✓	✓	1548344
15	195/65R15	95	T	XL	C	D	72	B	✓	✓	668758
15	205/65R15	99	T	XL	C	D	72	B	✓	✓	668780
15	205/70R15	96	T		C	D	72	B	✓	✓	1548432
15	205/75R15	97	T		C	D	72	B	✓	✓	1548433
16	195/55R16	91	T	XL	C	D	72	B	✓	✓	1548343
16	205/55R16	94	T	XL	C	D	72	B	✓	✓	668669
16	205/60R16	96	T	XL	C	D	72	B	✓	✓	668793
16	205/65R16	99	T	XL	C	D	72	B	✓	✓	1548430
16	215/55R16	97	T	XL	C	D	72	B	✓	✓	1548436
16	215/60R16	99	T	XL	C	D	72	B	✓	✓	668811
16	215/65R16	102	T	XL	C	D	72	B	✓	✓	668820
16	215/70R16	100	T		C	D	72	B	✓	✓	1548444
16	225/70R16	107	T	XL	C	D	72	B	✓	✓	1548470
16	235/70R16	106	T		C	D	72	B	✓	✓	1548541
16	245/70R16	111	T	XL	C	D	72	B	✓	✓	1548619
16	265/70R16	112	T		C	D	72	B	✓	✓	1548739
17	205/50R17	93	T	XL	C	D	72	B	✓	✓	1548429
17	215/50R17	95	T	XL	C	D	72	B	✓	✓	1548435
17	215/55R17	98	T	XL	C	D	72	B	✓	✓	668829
17	215/60R17	100	T	XL	C	D	72	B	✓	✓	1548438
17	215/65R17	99	T		C	D	72	B	✓	✓	1548441
17	225/45R17	94	T	XL	C	D	72	B	✓	✓	668843
17	225/50R17	98	T	XL	C	D	72	B	✓	✓	668853
17	225/55R17	101	T	XL	C	D	72	B	✓	✓	668862
17	225/60R17	103	T	XL	C	D	72	B	✓	✓	1548467
17	225/65R17	106	T	XL	C	D	72	B	✓	✓	668872
17	235/55R17	103	T	XL	C	D	72	B	✓	✓	1548492
17	235/65R17	108	T	XL	C	D	72	B	✓	✓	668874
17	265/65R17	112	T		C	D	72	B	✓	✓	1548724

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

X-PRIVLO S500

WINTER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
18	215/55R18	99	T	XL	C	D	72	B	✓	✓	1548437
18	225/45R18	95	T	XL	C	D	72	B	✓	✓	1548447
18	225/55R18	102	T	XL	C	D	72	B	✓	✓	1548453
18	225/60R18	104	T	XL	C	D	72	B	✓	✓	1548468
18	235/45R18	98	T	XL	C	D	72	B	✓	✓	1548481
18	235/50R18	101	T	XL	C	D	72	B	✓	✓	1548483
18	235/55R18	104	T	XL	C	D	72	B	✓	✓	1548505
18	235/60R18	107	T	XL	C	D	72	B	✓	✓	1548531
18	235/65R18	110	T	XL	C	D	72	B	✓	✓	1548537
18	245/40R18	97	T	XL	C	D	72	B	✓	✓	1548571
18	245/45R18	100	T	XL	C	D	72	B	✓	✓	1548582
18	245/60R18	105	T		C	D	72	B	✓	✓	1548611
18	255/55R18	109	T	XL	C	D	72	B	✓	✓	1548672
18	255/60R18	112	T	XL	C	D	72	B	✓	✓	1548690
18	265/60R18	114	T	XL	C	D	72	B	✓	✓	1548712
18	265/65R18	116	T	XL	C	D	72	B	✓	✓	2050047
18	285/60R18	120	T	XL	C	D	72	A	✓	✓	1549499
19	225/45R19	96	T	XL	C	D	72	B	✓	✓	1548450
19	225/55R19	103	T	XL	C	D	72	B	✓	✓	1548458
19	235/40R19	96	T	XL	C	D	72	B	✓	✓	2382199
19	235/50R19	103	T	XL	C	D	72	B	✓	✓	1548486
19	235/55R19	105	T	XL	C	D	72	B	✓	✓	1548516
19	245/40R19	98	H	XL	C	D	72	B	✓	✓	2049841
19	245/45R19	102	T	XL	C	D	72	B	✓	✓	1548593
19	245/55R19	107	T	XL	C	D	72	B	✓	✓	1548604
19	255/45R19	104	T	XL	C	D	72	B	✓	✓	1548629
19	255/50R19	107	T	XL	C	D	72	B	✓	✓	1548645
19	255/55R19	111	T	XL	C	D	72	B	✓	✓	1548684
19	265/55R19	113	T	XL	C	D	72	B	✓	✓	2048124
19	275/35R19	100	H	XL	C	D	72	B	✓	✓	2050055
20	235/55R20	105	T	XL	C	D	72	B	✓	✓	1548525
20	245/45R20	103	T	XL	C	D	72	B	✓	✓	1548598
20	245/50R20	105	T	XL	C	D	72	B	✓	✓	2048073
20	255/45R20	105	H	XL	C	D	72	B	✓	✓	2048092
20	255/50R20	109	T	XL	C	D	72	B	✓	✓	1548659
20	255/55R20	110	H	XL	C	D	72	B	✓	✓	2382230

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
20	265/50R20	111	T	XL	C	D	72	B	✓	✓	1548698
20	265/55R20	113	T	XL	C	D	72	B	✓	✓	2048133
20	275/45R20	110	T	XL	C	D	72	B	✓	✓	1548748
20	275/50R20	113	T	XL	C	D	72	B	✓	✓	1549492
20	275/60R20	116	T	XL	C	D	72	B	✓	✓	2054834
20	285/45R20	112	T	XL	C	D	72	A	✓	✓	2382232
20	285/50R20	116	T	XL	C	D	72	A	✓	✓	1549494
20	305/40R20	112	H	XL	C	D	75	B	✓	✓	2054843
21	235/50R21	101	T		C	D	72	B	✓	✓	2049824
21	245/45R21	104	H	XL	C	D	72	B	✓	✓	2382737
21	265/45R21	108	T	XL	C	D	72	B	✓	✓	2048111
21	275/40R21	107	H	XL	C	D	72	B	✓	✓	2050121
21	275/45R21	110	T	XL	C	D	72	B	✓	✓	1549487
21	275/50R21	113	H	XL	C	D	72	B	✓	✓	2382738
21	285/40R21	109	H	XL	C	D	72	B	✓	✓	2382739
21	285/45R21	113	T	XL	C	D	72	A	✓	✓	2054836
21	295/35R21	107	H	XL	C	D	75	B	✓	✓	2054841
21	315/35R21	111	H	XL	C	D	75	B	✓	✓	2054845
21	315/40R21	115	H	XL	C	D	75	B	✓	✓	2054846
22	265/40R22	106	T	XL	C	D	72	B	✓	✓	2048103
22	265/50R22	112	T	XL	C	D	72	B	✓	✓	2049843
22	275/35R22	104	H	XL	C	D	72	B	✓	✓	2050067
22	275/40R22	107	T	XL	C	D	72	B	✓	✓	2048143
22	275/50R22	115	T	XL	C	D	72	B	✓	✓	2054832
22	285/40R22	110	H	XL	C	D	72	A	✓	✓	2048159
22	285/45R22	114	H	XL	C	D	72	A	✓	✓	2048172
22	315/35R22	111	T	XL	C	D	75	B	✓	✓	2382740
22	325/40R22	114	H		C	D	73	B	✓	✓	



PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# X-PRIVILO SSSO




## STUDDABLE LT WINTER TYRE

This series offers exceptional winter grip and driving stability combined with strong structure and great mileage. Safety and reliability for extreme winter conditions. Strength and Stability for heavy loads.

### SIZE LIST

RANGE:	16-17
SPEED RATE:	S
ASPECT RATIO:	70-75
SECTION WIDTH:	225-265

## PERFORMANCE



## TECHNICAL FEATURE

- Unsymmetrical and directional Wave shape grooves design Improves grip on ice and snow, skid resistance, and effectively reduces noise emissions.
- The winter tread formula allows the tire to maintain elasticity to improve grip in extreme cold weather conditions.
- Strong structure offers good strength for heavy loads.



Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
16	LT225/75R16	115/112	S	10PR	C	D	73	B	✓	✓	1573060
16	LT245/75R16	120/116	S	10PR	C	D	73	B	✓	✓	1573062
17	LT245/70R17	119/116	S	10PR	C	D	73	B	✓	✓	1573061
17	LT265/70R17	121/118	S	10PR	C	D	73	B	✓	✓	1573063



PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# X-PRIVILO VS450




## WINTER COMMERCIAL VAN

Designed to operate in slippery wintry weather conditions, meeting the industry's severe snow service requirements and branded with the three-peak mountain snowflake (3PMSF) symbol, X-privilo VS450 tyres enhance traction on cold, wet, snow-covered and icy roads.

### SIZE LIST

RANGE:	14-16
SPEED RATE:	R/S/T
ASPECT RATIO:	60-80
SECTION WIDTH:	165-235

## PERFORMANCE



## TECHNICAL FEATURE

- Two straight and one semiserrated main grooves can effectively drain the accumulated water, improve the grip of wet and slippery tire pavement, and have excellent snow performance.
- Five-frequency combination pattern block can effectively reduce the resonance phenomenon of pattern block and the fetal noise.
- The design of the joint shoulder pattern block enlarges the grounding area and effectively improves the tire's dry-ground formulation and ice-snow traction.



Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
14	165/70R14C	89/87	R	6PR	D	B	72	B	✓	✓	606911
14	175/65R14C	90/88	T	6PR	D	B	72	B	✓	✓	606976
14	175/70R14C	95/93	T	6PR	D	B	72	B	✓	✓	607352
14	175R14C	99/98	R	8PR	C	B	72	B	✓	✓	607735
14	185R14C	102/100	R	8PR	C	B	72	B	✓	✓	607653
14	195R14C	106/104	R	8PR	C	B	72	B	✓	✓	613740
15	185/65R15C	97/95	S	6PR	C	B	72	B	✓	✓	2217602
15	195/70R15C	104/102	R	8PR	C	B	72	B	✓	✓	607979
15	205/70R15C	106/104	R	8PR	C	B	72	B	✓	✓	607967
15	215/70R15C	109/107	R	8PR	C	B	72	B	✓	✓	607450
15	225/70R15C	112/110	R	8PR	C	B	72	B	✓	✓	606692
16	175/75R16C	101/99	R	8PR	C	B	72	B	✓	✓	607683
16	185/75R16C	104/102	R	8PR	C	B	72	B	✓	✓	613354
16	195/60R16C	99/97	T	6PR	C	B	72	B	✓	✓	607861
16	195/65R16C	104/102	T	8PR	C	B	72	B	✓	✓	607846
16	195/75R16C	107/105	R	8PR	C	B	72	B	✓	✓	606986
16	195/75R16C	110/108	R	10PR	C	B	72	B	✓	✓	606712
16	205/65R16C	107/105	R	8PR	C	B	72	B	✓	✓	606683
16	205/75R16C	110/108	R	8PR	C	B	72	B	✓	✓	607687
16	205/75R16C	113/111	R	10PR	C	B	72	B	✓	✓	607973
16	215/60R16C	103/101	R	6PR	C	B	72	B	✓	✓	608611
16	215/65R16C	109/107	R	8PR	C	B	72	B	✓	✓	607546
16	215/75R16C	113/111	R	8PR	C	B	72	B	✓	✓	607965
16	215/75R16C	116/114	R	10PR	C	B	72	B	✓	✓	607957
16	225/65R16C	112/110	R	8PR	C	B	72	B	✓	✓	606934
16	225/75R16C	121/120	R	10PR	C	B	72	B	✓	✓	607950
16	235/65R16C	115/113	R	8PR	C	B	72	B	✓	✓	613449
16	235/65R16C	121/119	R	10PR	C	B	72	B	✓	✓	606951

PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER

# ICE-PLUS SR1




## WINTER STUDDABLE VAN TYRE

Studdable tread pattern design with reinforced structure ensures excellent handling performance in extreme winter road conditions. The special tread compound effectively enhances the performance of the tyre grip to ensure safe driving in winter season.

### SIZE LIST

RANGE:	14-16
SPEED RATE:	Q
ASPECT RATIO:	65-80
SECTION WIDTH:	185-235

## PERFORMANCE



## TECHNICAL FEATURE

- Special silica tread compound ensures the tire has good snow performance at low temperature conditions, and reduces tire rolling resistance.
- The wide lateral grooves enhance the edge effect, improve the traction and braking performance on the snow and ice road.
- Deepened groove depth with stud design improves the grip and handling performance on ice and snow road, make sure safety.



Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
14	185R14C	102/100	Q	8PR	D	D	72	B	✓	✓	607604
16	185/75R16C	104/102	Q	8PR	D	D	72	B	✓	✓	661836
16	195/75R16C	107/105	Q	8PR	D	D	72	B	✓	✓	2048033
16	205/65R16C	107/105	Q	8PR	D	D	72	B	✓	✓	651385
16	215/65R16C	109/107	Q	8PR	D	D	72	B	✓	✓	651386
16	235/65R16C	115/113	Q	8PR	D	D	72	B	✓	✓	661841



PASSENGER

ELECTRIC

ALL SEASON

SUV/4X4

WINTER