

TRACMAX

WHEREVER THE ROAD GOES, THERE GOES TRACMAX



2  **26**
PRODUCT CATALOGUE

EV / UHP / SUV / LTR

BRAND INTRODUCTION




TRACMAX brand was founded in 2016, which originated from the demand of The German market. Its high-speed safety performance, fuel-saving and comfortable performance are deeply loved by consumers. It enjoys high popularity in more than 100 countries, and the cumulative sales volume in the European market is nearly 50 million.

Dedicating to create the world first class brand, Tracmax has successfully obtained China CCC, US DOT, EU E-mark, EU Regulation 117, Gulf Country GCC , Saudi Arabia SASO, Nigeria SONCAP, Brazil INMETRO, Uruguay LATU, and other product certifications.









"Wherever The Road Goes, There Goes Tracmax", with high quality, reasonable pricing and excellent service,we would like to be one of your best tyre suppliers and long term business partner.

SMART MANUFACTURER IN 2026
INDUSTRIAL 4.0



-  Annual sales exceed 500 million dollars.
-  Full ranges of CAR, SUV, 4x4, and Light truck tyres, meet various needs.
-  Smart factory:
*Industrial 4.0
*Total TRACMAX : 6,000,000 Pieces / Year

REVOLUTIONARY POINTS

-  A well-dispersed silica is combined with polymer solution of SBR and BR
-  Minimal proportions of impurities
-  Has properties aligned with HIGHEST tire lable ratings
-  MAXIMUM ENERGY EFFICIENCY
-  Better filler-polymer interactions
-  REDUCED CARBON EMISSIONS
-  Higher tensil strength
-  LOW-CARBON DEVELOPMENT



CONTENTS

ELECTRIC ----- P.01-04
 PASSENGER ----- P.07-18
 COMMERCIAL VAN ----- P.21-22
 SUV/4X4 ----- P.25-38

ELECTRIC



X-PRIVILET ET07 **X-PRIVILET ET08**
 P.01-02 P.03-04

PASSENGER



X-PRIVILET TXS **X-PRIVILET TX3** **X-PRIVILET RS01** **SPARTAN TX6**
 P.07-10 P.11-14 P.15-16 P.17-18

COMMERCIAL VAN



X-PRIVILET RF28
 P.21-22

SUV/4X4



X-PRIVILET TX9 **X-PRIVILET H/T** **X-PRIVILET AT01** **X-PRIVILET AT08** **X-PRIVILET RF06**
 P.25-26 P.27-28 P.29-30 P.31-32 P.33-34



X-PRIVILET AT03 **X-PRIVILET M/T**
 P.35-36 P.37-38

ELECTRIC



X-PRIVILO ET07

X-PRIVILO ET08


X-PRIVILO ET07



TECHNICAL FEATURE

- Optimised groove position Better water evacuation, improved wet grip.
- Efficient bottom roll resistance rubber formula for tire shoulders reduces energy consumption and increases range.
- Wider tread blocks More torque support, EV dedicated tyre.

PERFORMANCE



SIZE LIST

RANGE:	17-22
SPEED RATE:	Y/W
ASPECT RATIO:	35-60
SECTION WIDTH:	215-285



HIGH PERFORMANCE ELECTRIC VEHICLE TIRES

The X-PRIVILO ET07 is designed for high-end and electrified vehicle. It delivers optimal traction / braking performance, quiet driving, and ultralow energy consumption.



X-PRIVILO ET07

ELECTRIC

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
17	225/45ZR17	94	Y	XL	B	B	71	B			
	235/55ZR17	103	W	XL	B	B	72	B			2696922
18	225/45ZR18	95	Y	XL	B	B	71	B			
	235/45ZR18	98	Y	XL	B	B	72	B			2697879
	235/55ZR18	104	W	XL	B	B	72	B			2696961
	235/60ZR18	107	W	XL	B	B	72	B			2696999
	245/40ZR18	97	Y	XL	B	B	72	B			2696927
	245/45ZR18	100	Y	XL	B	B	72	B			2696869
19	245/50ZR18	104	W	XL	B	B	71	B			
	255/40ZR18	99	Y	XL	B	B	73	B			2696908
	225/45ZR19	96	Y	XL	B	B	71	B			
	225/55ZR19	103	W	XL	B	B	71	B			
	235/40ZR19	96	Y	XL	B	B	72	B			2697042
	235/45ZR19	99	Y	XL	B	B	72	B			2696918
	235/50ZR19	103	Y	XL	B	B	72	B			2696989
	235/55ZR19	105	W	XL	B	B	72	B			2696993
	245/40ZR19	98	Y	XL	B	B	72	B			2696987
	245/45ZR19	102	Y	XL	B	B	72	B			2697881
20	245/55ZR19	107	W	XL	B	B	72	B			2696937
	255/45ZR19	104	Y	XL	B	B	73	B			2697032
	255/50ZR19	107	W	XL	B	B	73	B			2696945
	255/55ZR19	111	W	XL	B	B	73	B			2697003
	215/45ZR20	95	Y	XL	B	B	71	B			
	235/50ZR20	104	Y	XL	B	B	72	B			2697075
	245/40ZR20	99	Y	XL	B	B	72	B			2696931
	245/45ZR20	103	Y	XL	B	B	72	B			2696890
	245/50ZR20	105	W	XL	B	B	72	B			2696905
	255/40ZR20	101	Y	XL	B	B	73	B			2696941
	255/45ZR20	105	Y	XL	B	B	73	B			2697876
	255/50ZR20	109	W	XL	B	B	73	B			
	255/50ZR20	109	Y	XL	B	B	73	B			2697047
	265/40ZR20	104	Y	XL	B	B	73	B			2697877
265/45ZR20	108	Y	XL	B	B	73	B			2696916	
21	275/50ZR20	113	W	XL	B	B	73	B			2697009
	285/45ZR20	112	Y	XL	B	B	75	B			2696949
	245/45ZR21	104	Y	XL	B	B	72	B			2697019
	255/35ZR21	98	Y	XL	B	B	73	B			2697068
	255/45ZR21	106	Y	XL	B	B	73	B			2697059
	265/45ZR21	108	Y	XL	B	B	73	B			2697880
	275/35ZR21	103	Y	XL	B	B	73	B			2697070
	275/40ZR21	107	Y	XL	B	B	73	B			2697878
	285/45ZR21	113	Y	XL	B	B	75	B			2697873
	255/45ZR22	107	Y	XL	B	B	73	B			2697026
22	265/40ZR22	106	Y	XL	B	B	73	B			2697065
	285/40ZR22	110	Y	XL	B	B	73	B			2697874

ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4


X-PRIVILO ET08



TECHNICAL FEATURE

- Achieves uniform contact pressure by optimizing contact structure and provides the overall lifespan with uniform tread wear.
- Composed with advanced fillers and flexible rubber materials, Compound provides higher mileage.
- The 3D sipes to keep the tire in an optimize shape. This helps to provide outstanding grip performance on dry, wet roads and light snow.

PERFORMANCE



SIZE LIST

RANGE:	16-19
SPEED RATE:	H/V
ASPECT RATIO:	45-65
SECTION WIDTH:	175-245

ENGINEERED TO OUTLAST NO MATTER THE DISTANCE

The X-PRIVILO ET08 meets the design needs of modern vehicles. It offers the increased tread life that today's families expect on their passenger cars and CUVs.

X-PRIVILO ET08

ELECTRIC

Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
16	175/55R16	80	H		✓		700	A	A
	195/60R16	89	H		✓		700	A	A
	205/55R16	91	V		✓		700	A	A
	205/60R16	92	H		✓		700	A	A
	215/60R16	95	H		✓		700	A	A
	225/60R16	98	V		✓		700	A	A
17	205/50R17	93	V	XL	✓		700	A	A
	205/55R17	95	V	XL	✓		700	A	A
	215/50R17	95	V	XL	✓		700	A	A
	215/55R17	98	V	XL	✓		700	A	A
	215/60R17	100	V	XL	✓		700	A	A
	225/50R17	98	V	XL	✓		700	A	A
18	225/55R17	101	V	XL	✓		700	A	A
	225/65R17	102	H		✓		700	A	A
	215/50R18	96	V	XL	✓		700	A	A
	215/55R18	99	V	XL	✓		700	A	A
	225/50R18	99	V	XL	✓		700	A	A
	225/55R18	102	V	XL	✓		700	A	A
19	225/60R18	104	V	XL	✓		700	A	A
	235/50R18	101	V	XL	✓		700	A	A
	235/50R19	103	V	XL	✓		700	A	A
	245/45R19	102	V	XL	✓		700	A	A



ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4

PASSENGER



X-PRIVIO TX5

X-PRIVIO TX3

X-PRIVIO RS01

SPARTAN TX6


X-PRIVILO TX5 UTQG: 400 A A



TECHNICAL FEATURE

- Four main grooves design ensures anti-hydroplaning performance.
- Improve stability and straight-line performance at high speed.
- Reduce noise level and improve wet grip.

PERFORMANCE



SIZE LIST

RANGE:	12-18
SPEED RATE:	T/H/V/W
ASPECT RATIO:	40-80
SECTION WIDTH:	145-245

NEW COMFORT ON THE WAY

X-PRIVILO TX5 is a high-performance symmetric tyre for compact vehicles, the unique design offers a responsive drive in all conditions. Outstanding versatile performance tyre for a fuel-efficient and comfortable drive.



X-PRIVILO TX5

PASSENGER

Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
12	145/70R12	69	T		✓		400	A	A
	145/80R12	74	T		✓		400	A	A
	155/70R12	73	T		✓		400	A	A
	155/80R12	77	T		✓		400	A	A
	165/70R12	77	T		✓		400	A	A
	175/70R12	80	T		✓		400	A	A
	145/70R13	71	T		✓		400	A	A
13	145/80R13	75	T		✓		400	A	A
	155/65R13	73	T		✓		400	A	A
	155/70R13	75	T		✓		400	A	A
	155/80R13	79	T		✓		400	A	A
	165/60R13	73	H		✓		400	A	A
	165/65R13	77	T		✓		400	A	A
	165/70R13	79	T		✓		400	A	A
	165/80R13	83	T		✓		400	A	A
	175/60R13	77	H		✓		400	A	A
	175/65R13	80	T		✓		400	A	A
	175/70R13	82	T		✓		400	A	A
	185/70R13	86	T		✓		400	A	A
	14	155/65R14	75	T		✓		400	A
155/70R14		77	T		✓		400	A	A
165/55R14		72	V		✓		400	A	A
165/60R14		75	H		✓		400	A	A
165/65R14		79	T		✓		400	A	A
165/70R14		81	T		✓		400	A	A
175/60R14		79	H		✓		400	A	A
175/65R14		82	H		✓		400	A	A
175/65R14		86	T		XL	✓	400	A	A
175/70R14		84	T		✓		400	A	A
175/70R14		88	T		XL	✓	400	A	A
185/50R14		77	V		✓		400	A	A
185/55R14		80	H		✓		400	A	A
185/60R14		82	H		✓		400	A	A
185/65R14		86	H		✓		400	A	A
185/70R14		88	T		✓		400	A	A
195/60R14		86	H		✓		400	A	A
195/65R14	89	H		✓		400	A	A	
195/70R14	91	T		✓		400	A	A	
205/60R14	88	H		✓		400	A	A	
205/70R14	95	T		✓		400	A	A	
15	155/60R15	74	T		✓		400	A	A
	165/50R15	72	V		✓		400	A	A
	165/60R15	81	T		XL	✓	400	A	A
	165/65R15	81	T		✓		400	A	A
	175/50R15	75	V		✓		400	A	A
	175/55R15	77	T		✓		400	A	A
	175/60R15	81	V		✓		400	A	A
	175/65R15	84	H		✓		400	A	A
	185/55R15	82	V		✓		400	A	A
	185/60R15	84	H		✓		400	A	A
	185/60R15	88	H		XL	✓	400	A	A
185/65R15	88	H		✓		400	A	A	
185/65R15	92	H		XL	✓	400	A	A	

ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4x4

X-PRIVILEO TX5

PASSENGER

Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
15	195/50R15	82	V		✓		400	A	A
	195/55R15	85	V		✓		400	A	A
	195/60R15	88	H		✓		400	A	A
	195/60R15	88	V		✓		400	A	A
	195/65R15	91	V		✓		400	A	A
	195/65R15	95	H	XL	✓		400	A	A
	205/60R15	91	V		✓		400	A	A
	205/65R15	94	V		✓		400	A	A
	205/65R15	94	H		✓		400	A	A
	205/70R15	96	T		✓		400	A	A
	215/65R15	96	H		✓		400	A	A
	215/65R15	100	H	XL	✓		400	A	A
	215/70R15	98	T		✓		400	A	A
16	175/50R16	77	V		✓		400	A	A
	185/50R16	81	V		✓		400	A	A
	185/55R16	83	V		✓		400	A	A
	195/50R16	84	V		✓		400	A	A
	195/55R16	87	V		✓		400	A	A
	195/60R16	89	H		✓		400	A	A
	205/50R16	87	W		✓		400	A	A
	205/55R16	91	V		✓		400	A	A
	205/60R16	92	V		✓		400	A	A
	205/65R16	95	H		✓		400	A	A
	215/55R16	97	W	XL	✓		400	A	A
	215/60R16	95	V		✓		400	A	A
	215/60R16	99	H	XL	✓		400	A	A
	215/65R16	98	H		✓		400	A	A
	225/50R16	96	W	XL	✓		400	A	A
225/55R16	99	W	XL	✓		400	A	A	
225/60R16	98	H		✓		400	A	A	
225/60R16	102	V	XL	✓		400	A	A	
17	205/50R17	93	W	XL	✓		400	A	A
	215/45R17	91	W	XL	✓		400	A	A
	215/50R17	95	W	XL	✓		400	A	A
	215/55R17	98	V	XL	✓		400	A	A
	215/55R17	98	W	XL	✓		400	A	A
	225/45R17	94	W	XL	✓		400	A	A
	225/50R17	98	W	XL	✓		400	A	A
	225/55R17	101	V	XL	✓		400	A	A
225/55R17	101	W	XL	✓		400	A	A	
18	225/40R18	92	W	XL	✓		400	A	A
	225/45R18	95	W	XL	✓		400	A	A
	235/45R18	98	W	XL	✓		400	A	A
	245/40R18	97	W	XL	✓		400	A	A
	245/45R18	100	W	XL	✓		400	A	A




X-PRIVILO TX3 UTQG: 320 A A



TECHNICAL FEATURE

- Four main asymmetric grooves design ensures anti-hydroplaning performance.
- A Continuous, circumferential solid center rib ensures linear stability at speed and provides crisp steering response.
- The sharp cross-cutting grooves and the sipe design improve anti-hydroplaning performance.

PERFORMANCE



SIZE LIST

RANGE:	15-20
SPEED RATE:	H/V/W/Y
ASPECT RATIO:	30-55
SECTION WIDTH:	165-285

HIGH PERFORMANCE FORWARD SPEED

X-PRIVILO TX3 is dynamically engineered deliver high speed, safety and driving pleasure. Perfect performance and handling control for speed enthusiasts with special profile. Maximum grip in bends on wet and dry surfaces. Wide area of use from sport cars to luxury vehicles with high-tech structure and aesthetic appearance.






X-PRIVILO TX3




PASSENGER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	195/45R15	78	V		C	B	69	B			606893
	165/45R16	74	V	XL	C	B	69	A			2210277
	195/45R16	84	V	XL	C	B	69	A			607365
	205/45ZR16	87	W	XL	C	B	69	A			607411
16	205/55ZR16	94	W	XL	C	B	69	A			607593
	215/40ZR16	86	W	XL	C	B	69	A			607372
	215/45R16	90	V	XL	C	B	69	A			607440
	215/45R16	86	H		C	B	69	B			607423
17	195/40ZR17	81	W	XL	C	B	69	A			607764
	195/45ZR17	85	W	XL	C	B	69	A			607591
	205/40ZR17	84	W	XL	C	B	69	A			609360
	205/45ZR17	88	W	XL	C	B	69	A			606957
	205/50ZR17	93	W	XL	C	B	69	A			606906
	205/55ZR17	95	W	XL	C	B	69	A			607419
	215/40ZR17	87	W	XL	C	B	69	A			608542
	215/45ZR17	91	W	XL	C	B	69	A			607429
	215/50ZR17	95	W	XL	C	B	69	A			606914
	215/55ZR17	98	W	XL	C	B	69	A			606940
	225/45ZR17	94	Y	XL	C	B	69	A			604690
	225/45ZR17	94	W	XL	C	B	69	A			607342
	225/50ZR17	98	Y	XL	C	B	69	A			606535
	225/55ZR17	101	W	XL	C	B	69	A			607460
	235/45ZR17	97	W	XL	C	B	69	A			607596
	235/50ZR17	100	W	XL	C	B	69	A			607374
235/55ZR17	103	W	XL	C	B	69	A			607436	
245/40ZR17	95	W	XL	C	B	69	A			607638	
245/45ZR17	99	W	XL	C	B	69	A			613468	
18	205/40ZR18	86	Y	XL	C	B	69	A			999028
	215/35ZR18	84	W	XL	C	B	69	A			606753
	215/40ZR18	89	Y	XL	C	B	69	A			607843
	215/45ZR18	93	Y	XL	C	B	69	A			607366
	215/50ZR18	92	W		C	B	69	B			606928
	215/55R18	99	V	XL	C	B	69	A			607468
	225/35ZR18	87	Y	XL	C	B	69	A			607433
	225/40ZR18	92	Y	XL	C	B	69	A			604831
	225/45ZR18	95	Y	XL	C	B	69	A			607373
	225/50ZR18	99	W	XL	C	B	69	A			606885
	225/55R18	98	H		C	B	69	B			613732
	225/55R18	98	V		C	B	69	B			609328
	235/40ZR18	95	Y	XL	C	B	69	A			607451
	235/45ZR18	98	W	XL	C	B	69	A			607566
	235/50ZR18	97	W		C	B	69	B			607983
	235/50ZR18	101	Y	XL	C	B	69	A			607488
235/55ZR18	104	W	XL	C	B	69	A			607344	
235/55ZR18	104	Y	XL	C	B	69	A			607747	

X-PRIVILEO TX3

PASSENGER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
18	245/35ZR18	92	Y	XL	C	B	69	A			607536
	245/40ZR18	97	Y	XL	C	B	69	A			607370
	245/45ZR18	100	Y	XL	C	B	69	A			607381
	245/50ZR18	104	W	XL	C	B	69	A			606990
	255/35ZR18	94	W	XL	C	B	69	A			613517
	255/35ZR18	94	Y	XL	C	B	69	A			613465
	255/40ZR18	99	Y	XL	C	B	69	A			607917
	255/45ZR18	103	Y	XL	C	B	69	A			613359
	255/55ZR18	109	V	XL	C	B	69	A			613589
	255/55ZR18	109	Y	XL	C	B	69	A			606959
	265/35ZR18	97	Y	XL	C	B	69	A			606456
	275/35ZR18	95	Y	XL	C	B	69	A			
	275/35ZR18	99	Y	XL	C	B	69	A			
	275/40ZR18	103	Y	XL	C	B	69	A			2488444
	275/45ZR18	107	Y	XL	C	B	71	B			2322073
	285/35ZR18	101	Y	XL	C	B	71	B			2322074
	205/55ZR19	97	W	XL	C	B	69	A			607567
	225/30ZR19	84	Y	XL	C	B	69	A			607922
	225/35ZR19	88	Y	XL	C	B	69	A			607575
	225/40ZR19	93	Y	XL	C	B	69	A			607585
225/45ZR19	96	Y	XL	C	B	69	A			608610	
225/50ZR19	100	W	XL	C	B	69	A			2210280	
225/55ZR19	103	W	XL	C	B	69	A			607417	
235/35ZR19	91	Y	XL	C	B	69	A			607382	
235/40ZR19	96	Y	XL	C	B	69	A			613211	
235/45ZR19	99	Y	XL	C	B	69	A			609354	
235/50ZR19	103	Y	XL	C	B	69	A			607473	
235/55ZR19	105	Y	XL	C	B	69	A			613243	
245/35ZR19	93	Y	XL	C	B	69	A			608533	
245/40ZR19	98	Y	XL	C	B	69	A			608890	
245/45ZR19	102	Y	XL	C	B	69	A			607464	
245/50ZR19	105	Y	XL	C	B	69	A			2186724	
245/55ZR19	107	W	XL	C	B	69	A			607453	
255/30ZR19	91	Y	XL	C	B	69	A			609450	
255/35ZR19	96	Y	XL	C	B	69	A			607391	
255/40ZR19	100	Y	XL	C	B	69	A			608660	
255/45ZR19	104	Y	XL	C	B	69	A			607363	
255/50ZR19	107	Y	XL	C	B	69	A			607492	
255/55ZR19	111	W	XL	C	B	69	A			606723	
265/30ZR19	93	W	XL	C	B	69	A			607564	
265/35ZR19	98	Y	XL	C	B	69	A			2210288	
265/50ZR19	110	Y	XL	C	B	69	A			607857	
265/55ZR19	113	Y	XL	C	B	69	A			2205908	
275/30ZR19	96	Y	XL	C	B	71	B			613388	
275/35ZR19	100	Y	XL	C	B	71	B			607447	
275/40ZR19	105	Y	XL	C	B	71	B			608512	

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
19	275/45ZR19	108	Y	XL	C	B	71	B			607636
	275/55ZR19	115	W	XL	C	B	71	B			
	275/55ZR19	111	W		C	B	71	B			613562
	285/30ZR19	98	Y	XL	C	B	71	A			
	285/35ZR19	103	Y	XL	C	B	72	A			2322075
	285/45ZR19	111	Y	XL	C	B	72	A			606991
	195/50R20	93	V	XL	C	B	69	A			999033
	195/55R20	95	H	XL	C	B	69	A			999034
	215/45ZR20	95	W	XL	C	B	69	A			999035
	225/30ZR20	85	W	XL	C	B	69	A			613488
20	225/35ZR20	93	W	XL	C	B	69	A			607723
	225/40ZR20	94	Y	XL	C	B	69	A			
	235/30ZR20	88	Y	XL	C	B	69	A			608618
	235/35ZR20	92	Y	XL	C	B	69	A			
	235/45ZR20	100	Y	XL	C	B	69	A			999036
	235/50ZR20	104	W	XL	C	B	69	A			2205904
	235/55ZR20	105	W	XL	C	B	69	A			2186723
	245/30ZR20	95	Y	XL	C	B	69	A			607982
	245/35ZR20	95	Y	XL	C	B	69	A			613333
	245/40ZR20	99	Y	XL	C	B	69	A			606756
	245/45ZR20	103	Y	XL	C	B	69	A			607892
	245/50ZR20	105	Y	XL	C	B	69	A			607491
	255/30ZR20	92	Y	XL	C	B	69	A			613226
	255/35ZR20	97	Y	XL	C	B	69	A			613201
	255/40ZR20	101	Y	XL	C	B	69	A			607632
	255/45ZR20	105	Y	XL	C	B	69	A			606962
	255/50ZR20	109	Y	XL	C	B	69	A			608539
	255/55ZR20	110	W	XL	C	B	69	A			608889
265/35ZR20	99	Y	XL	C	B	69	A			2464531	
265/40ZR20	104	Y	XL	C	B	69	A			2210292	
275/30ZR20	97	Y	XL	C	B	71	B			606873	
275/35ZR20	102	Y	XL	C	B	71	B			608657	
285/30ZR20	99	Y	XL	C	B	72	A				
285/35ZR20	104	Y	XL	C	B	72	A			2232467	




X-PRIVILO RS01 UTQG: 340 A A



TECHNICAL FEATURE

- Continuous center ribs can improve stability of handling and straight performance at high speed.
- The sipe design can disperse the noise to improve the ride performance.
- One narrow groove on outside can increase the block stiffness and improve handling and steering stability during cornering.

PERFORMANCE



SIZE LIST

RANGE:	20-23
SPEED RATE:	W/Y
ASPECT RATIO:	30-55
SECTION WIDTH:	225-325

SPORTY SUV

X-PRIVILO RS01 is designed as a premium summer pattern with high performance capability. The tread profile enables exceptional high-speed, superb handling and cornering response on dry and wet surfaces. Modern tread design with special compound provides fuel economy as well as durability.



X-PRIVILO RS01

PASSENGER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code	
20	265/45ZR20	108	Y	XL	C	C	72	B	✓		607393	
	265/50ZR20	111	W	XL	C	C	72	B	✓		607515	
	265/55ZR20	113	W	XL	C	C	72	B	✓		2322069	
	275/40ZR20	106	Y	XL	C	C	72	B	✓		608896	
	275/45ZR20	110	Y	XL	C	C	72	B	✓		607428	
	275/50ZR20	113	W	XL	C	C	72	B	✓		607959	
	275/50ZR20	113	Y	XL	C	C	72	B	✓		613571	
	275/55ZR20	117	W	XL	C	C	72	B	✓		613600	
	285/50ZR20	116	W	XL	C	C	72	A	✓		607599	
	295/40ZR20	110	Y	XL	C	C	72	A	✓		985648	
	305/40ZR20	112	Y	XL	C	C	72	A	✓		607545	
	315/35ZR20	110	Y	XL	C	C	72	A	✓		609474	
21	225/45ZR21	95	Y		C	C	71	B	✓		2441974	
	235/45ZR21	101	Y	XL	C	C	71	B	✓		2322065	
	235/50ZR21	101	Y		C	C	71	B	✓			
	245/35ZR21	96	Y	XL	C	C	71	B	✓		607561	
	245/40ZR21	100	Y	XL	C	C	71	B	✓		999037	
	255/35ZR21	98	Y	XL	C	C	72	B	✓			
	255/40ZR21	102	Y	XL	C	C	72	B	✓		999108	
	255/45ZR21	106	Y	XL	C	C	72	B	✓		2322066	
	265/35ZR21	101	Y	XL	C	C	72	B	✓		2464530	
	265/40ZR21	105	Y	XL	C	C	72	B	✓		999112	
	265/45ZR21	108	Y	XL	C	C	72	B	✓		999114	
	275/30ZR21	98	Y	XL	C	C	72	B	✓		613144	
	275/35ZR21	103	Y	XL	C	C	72	B	✓		999152	
	275/40ZR21	107	Y	XL	C	C	72	B	✓		607984	
	275/45ZR21	110	W	XL	C	C	72	B	✓		607549	
	275/45ZR21	110	Y	XL	C	C	72	B	✓		607761	
	275/50ZR21	113	Y	XL	C	C	72	B	✓		2322071	
	285/35ZR21	105	Y	XL	C	C	72	A	✓		2210267	
	285/40ZR21	109	Y	XL	C	C	72	A	✓		999144	
	285/45ZR21	113	Y	XL	C	C	72	A	✓		999150	
	295/35ZR21	107	Y	XL	C	C	72	A	✓		607813	
	295/40ZR21	111	Y	XL	C	C	72	A	✓		607743	
	315/30ZR21	105	Y	XL	C	C	72	A	✓		2322072	
	315/35ZR21	111	Y	XL	C	C	72	A	✓		607459	
315/40ZR21	115	Y	XL	C	C	72	A	✓		607978		
22	255/40R22	103	V	XL	C	C	72	B	✓		607449	
	265/35ZR22	102	Y	XL	C	C	72	B	✓		607435	
	265/40ZR22	106	Y	XL	C	C	72	B	✓		2322067	
	265/50ZR22	112	Y	XL	C	C	72	B	✓			
	275/35ZR22	104	Y	XL	C	C	72	A	✓		999278	
	275/40ZR22	108	Y	XL	C	C	72	B	✓		2234373	
	275/50ZR22	115	Y	XL	C	C	72	B	✓		607876	
	285/35ZR22	106	Y	XL	C	C	72	A	✓		607681	
	285/40ZR22	110	Y	XL	C	C	72	A	✓		999326	
	285/45ZR22	114	Y	XL	C	C	72	A	✓			
	315/30ZR22	107	Y	XL	C	C	72	A	✓		2234379	
	315/35ZR22	111	Y	XL	C	C	72	A	✓		2234387	
	325/40ZR22	114	Y		C	C	72	A	✓			
	23	285/35ZR23	107	Y	XL	C	C	72	A	✓		2196855
		285/40ZR23	111	Y	XL	C	C	72	A	✓		2196856
		295/35ZR23	108	Y	XL	C	C	72	A	✓		
		305/35ZR23	111	Y	XL	C	C	72	A	✓		2196857
		325/35ZR23	115	Y	XL	C	C	72	A	✓		


SPARTAN TX6 UTQG: 240 A A



TECHNICAL FEATURE

- The main zigzag grooves and aggressive pattern design provide outstanding traction for plus-sized wheel fits of SUV.
- High void ratio and non-directional asymmetrical pattern offers more evenly traction and cross rotated driving feature.
- The sporty pattern design provides a comfortable ultra high performance with quieter ride and longer life.

PERFORMANCE



SIZE LIST

RANGE:	18-20
SPEED RATE:	V
ASPECT RATIO:	40-60
SECTION WIDTH:	245-275

SPORTY RACE

Aggressive tread pattern features minimal grooves. The Intuitive Responsive Profile technology enables greater cornering line flexibility, paired with exceptionally linear steering response.



SPARTAN TX6

PASSENGER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF
18	245/45R18	100	V	XL	C	B	73	B	✓	
	255/50R18	106	V	XL	C	B	73	B	✓	
	255/55R18	109	V	XL	C	B	73	B	✓	
	265/60R18	114	V	XL	C	B	73	B	✓	
20	265/50R20	111	V	XL	C	B	73	B	✓	



ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4

COMMERCIAL VAN



X-PRIVILEO RF28


X-PRIVILO RF28



TECHNICAL FEATURE

- Excellent braking and steering capability.
- Design of extra-deep pattern grooves and outstanding tread compound improves the anti-abrasion capability.
- Excellent grip on dry and wet roads for safe ride with zigzagging pattern grooves, robust pattern blocks.

PERFORMANCE



SIZE LIST

RANGE:	12 -16
SPEED RATE:	Q/R
ASPECT RATIO:	65-75
SECTION WIDTH:	145-235

COMMERCIAL VAN

Exceptionally durable all-season tire with improved mileage for commercial vans and transporters.



X-PRIVILO RF28

COMMERCIAL VAN

Rim	Size	LI	SR	PR			dB		M+S	3PMSF
12	145R12C	86/84	Q	8PR	C	C	72	B	✓	
	155R12C	88/86	Q	8PR	C	C	72	B	✓	
	165R14C	97/95	Q	8PR	C	C	72	B	✓	
14	175R14C	99/98	Q	8PR	C	C	72	B	✓	
	wsw 185R14C	102/100	R	8PR	C	C	72	B	✓	
	wsw 195R14C	106/104	R	8PR	C	C	72	B	✓	
	wsw 205/75R14C	109/107	R	10PR	C	C	72	B	✓	
	185/65R15C	97/95	R	6PR	C	C	72	B	✓	
	185R15C	103/102	R	8PR	C	C	72	B	✓	
15	195/70R15C	104/102	R	8PR	C	C	72	B	✓	
	wsw 195R15C	106/104	R	8PR	C	C	72	B	✓	
	215/70R15C	109/107	R	8PR	C	C	72	B	✓	
	225/70R15C	112/110	R	8PR	C	C	72	B	✓	
	175/75R16C	101/99	Q	8PR	C	C	72	B	✓	
16	195/75R16C	107/105	R	8PR	C	C	72	B	✓	
	215/65R16C	109/107	R	8PR	C	C	72	B	✓	
	215/75R16C	113/111	R	8PR	C	C	72	B	✓	
	235/65R16C	121/119	R	10PR	C	C	72	B	✓	

WSW TIRE



SUV/4X4



X-PRIVIO TX9

X-PRIVIO H/T

X-PRIVIO AT01

X-PRIVIO AT08

X-PRIVIO RF06

X-PRIVIO AT03

X-PRIVIO M/T


X-PRIVILO TX9 UTQG: 500 A A



TECHNICAL FEATURE

- Four wide main longitudinal grooves boost water evacuation efficiency, delivering exceptional hydroplaning resistance at high speeds.
- The optimized multi-pitch tread arrangement significantly reduces tire noise. By adjusting the number and size of the pitches, it ensures a quieter driving experience.
- The optimized composite material delivers superior wet grip while reducing rolling resistance.

PERFORMANCE



SIZE LIST

RANGE:	15-20
SPEED RATE:	T/H/V
ASPECT RATIO:	50-75
SECTION WIDTH:	205-285

HIGHWAY TERRAIN

X-PRIVILO TX9 features a symmetrical tread design, delivering an exhilarating driving experience tailored for consumers who seek driving thrills. It provides precise handling and exceptional grip in both dry and wet conditions.



X-PRIVILO TX9

SUV/4X4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code	
15	215/75R15	100	T		C	B	71	B	✓		2409910	
	235/75R15	109	T	XL	C	B	72	B	✓		2431663	
	205/70R16	97	H		C	B	71	B	✓		2409880	
	215/70R16	100	H		C	B	71	B	✓		2431656	
	225/70R16	107	H	XL	C	B	72	B	✓		2409937	
	235/60R16	100	H		C	B	71	B	✓		2410686	
16	235/70R16	106	H		C	B	71	B	✓		2431661	
	245/70R16	111	H	XL	C	B	72	B	✓		2410700	
	245/75R16	111	T		C	B	71	B	✓		2410704	
	255/65R16	109	H		C	B	72	B	✓		2432248	
	255/70R16	111	H		C	B	72	B	✓		2432329	
	265/70R16	112	H		C	B	72	B	✓		2432378	
	275/70R16	114	H		C	B	72	B	✓		2432952	
	205/60R17	97	V	XL	C	B	72	B	✓		2409878	
	215/60R17	100	H	XL	C	B	72	B	✓		2409902	
	215/65R17	99	H		C	B	71	B	✓		2409904	
	225/60R17	99	H		C	B	71	B	✓		2409921	
	225/65R17	102	H		C	B	71	B	✓		2431657	
17	235/60R17	106	H	XL	C	B	72	B	✓		2410687	
	235/65R17	108	H	XL	C	B	72	B	✓		2410690	
	245/65R17	111	H	XL	C	B	72	B	✓		2431698	
	245/70R17	110	H		C	B	71	B	✓		2431711	
	255/60R17	110	V	XL	C	B	73	B	✓		2432195	
	255/65R17	110	V		C	B	72	B	✓		2432270	
	265/65R17	112	H		C	B	72	B	✓		2432339	
	265/70R17	115	H		C	B	72	B	✓		2432446	
	275/65R17	115	H		C	B	72	B	✓		2432950	
	285/65R17	116	H		C	B	74	B	✓		2432962	
	225/60R18	100	V		C	B	71	B	✓		2409925	
	235/60R18	107	H	XL	C	B	72	B	✓		2410688	
235/65R18	110	H	XL	C	B	72	B	✓		2431658		
245/60R18	105	H		C	B	71	B	✓		2431676		
255/60R18	112	V	XL	C	B	73	B	✓		2432203		
18	255/70R18	113	H		C	B	72	B	✓		2432335	
	265/60R18	110	H		C	B	72	B	✓		2432337	
	265/65R18	114	H		C	B	72	B	✓		2432345	
	265/70R18	116	H		C	B	72	B	✓		2432462	
	275/65R18	116	H		C	B	72	B	✓		2432951	
	285/60R18	120	H	XL	C	B	75	B	✓		2432953	
	225/55R19	103	V	XL	C	B	72	B	✓		2409916	
	235/55R19	105	V	XL	C	B	72	B	✓		2409947	
	235/60R19	107	V	XL	C	B	72	B	✓		2410691	
	19	235/65R19	109	H	XL	C	B	72	B	✓		2431659
		245/55R19	107	V	XL	C	B	72	B	✓		2410698
		255/55R19	111	V	XL	C	B	73	B	✓		2410707
255/60R19		113	V	XL	C	B	73	B	✓		2410710	
275/55R20		117	V	XL	C	B	73	B	✓		2410715	
20		275/60R20	116	V	XL	C	B	73	B	✓		2432949
	285/50R20	116	V	XL	C	B	73	B	✓		2410721	

ELTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4


X-PRIVILO H/T UTQG: 500 A A



TECHNICAL FEATURE

- The reinforced shoulder design ensures great handling and even wearing performance.
- Four wide circumferential tread grooves deliver the ride stability. Improved grooves and bead profile design.
- High-density sipes with special compound improve traction on dry and wet roads.

PERFORMANCE



SIZE LIST

RANGE:	16-18
SPEED RATE:	H/V
ASPECT RATIO:	55-70
SECTION WIDTH:	215-285

HIGHWAY TERRAIN

X-PRIVILO H/T is a professional tread pattern engineered for SUVs, delivering excellent handling, comfort and safety on paved highways.



X-PRIVILO H/T

SUV/4X4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
16	215/70R16	100	H		C	C	70	B	✓		607866
	225/70R16	107	H	XL	C	C	70	B	✓		607750
	235/60R16	100	H		C	C	70	B	✓		607543
	235/65R16	107	H	XL	C	C	70	B	✓		613494
	235/70R16	106	H		C	C	70	B	✓		608514
	245/70R16	111	H	XL	C	C	70	B	✓		607757
	255/65R16	109	H		C	C	71	B	✓		607507
	255/70R16	111	H		C	C	71	B	✓		607782
	265/70R16	112	H		C	C	71	B	✓		607666
	275/70R16	114	H		C	C	71	B	✓		613653
17	215/60R17	100	H	XL	C	C	70	B	✓		607479
	215/65R17	99	H		C	C	70	B	✓		607853
	225/60R17	99	H		C	C	70	B	✓		609312
	225/65R17	102	H		C	C	70	B	✓		606908
	235/60R17	106	H	XL	C	C	70	B	✓		607395
	235/65R17	108	H	XL	C	C	70	B	✓		607477
	235/65R17	108	V	XL	C	C	70	B	✓		607597
	245/65R17	111	H	XL	C	C	70	B	✓		607754
	245/70R17	110	H		C	C	70	B	✓		613696
	255/60R17	110	V	XL	C	C	71	B	✓		607606
	255/65R17	110	H		C	C	71	B	✓		607947
	255/65R17	110	V		C	C	71	B	✓		607952
	265/65R17	112	H		C	C	71	B	✓		607953
	265/70R17	115	H		C	C	71	B	✓		613539
275/65R17	115	H		C	C	71	B	✓		613541	
285/65R17	116	H		C	C	72	B	✓		613231	
18	215/60R18	98	H		C	C	70	B	✓		1002124
	225/55R18	98	H		C	C	70	B	✓		607883
	225/60R18	100	V		C	C	70	B	✓		607727
	235/60R18	107	H	XL	C	C	70	B	✓		607963
	235/60R18	107	V	XL	C	C	70	B	✓		607613
	235/65R18	110	H	XL	C	C	70	B	✓		613632
	245/60R18	105	H		C	C	70	B	✓		607954
	255/55R18	109	V	XL	C	C	71	B	✓		607981
	255/60R18	112	V	XL	C	C	71	B	✓		607990
	255/70R18	113	H		C	C	71	B	✓		608867
	265/60R18	110	H		C	C	71	B	✓		607699
	265/65R18	114	H		C	C	71	B	✓		613542
	275/65R18	116	H		C	C	71	B	✓		613538
	285/60R18	120	H	XL	C	C	72	A	✓		613549

ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4


X-PRIVILO AT01 UTQG: 500 A A ONLY FOR P TIRE



TECHNICAL FEATURE

- Wide shoulder block design and enhanced block stiffness increase stability and durability, even on tough roads.
- Sidewall pattern design can guard against cuts, bruises and impact breaks to improve off-road endurance.
- Block chamfer design can enhance the wear resistance and comfort performance, and help prevent tire damage from stones or external impacts.

PERFORMANCE



SIZE LIST

RANGE:	15-16
SPEED RATE:	S/T/H
ASPECT RATIO:	70-80
SECTION WIDTH:	195-265

ALL TERRAIN

X-PRIVILO AT01 series is completely suitable for multiple road conditions, provides excellent road contacting stability for more safe running. Intensive structure of the sidewall guarantees durability in all weather and road conditions.



X-PRIVILO AT01

SUV/4X4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	195/80R15	100	T	XL	C	C	71	B	✓		606888
	235/75R15	109	T	XL	C	C	71	B	✓		613432
	255/70R15	112	H	XL	C	C	71	B	✓		608523
	265/70R15	112	H		C	C	71	B	✓		608530
16	215/70R16	100	H		C	C	71	B	✓		607969

Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
15	255/70R15C	112/110	S	6PR	C	C	71	B	✓		607790



ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4


X-PRIVILO AT08 UTQG: S60 A B ONLY FOR P TIRE



TECHNICAL FEATURE

- Serrated snow patterns with fine sipes provide great grip under snow & ice conditions.
- The wide open shoulder grooves enhance wet grip and provide excellent water & snow evacuation.
- The wide tread enhance the traction under ice and snow conditions.

PERFORMANCE



SIZE LIST

RANGE:	1S-20
SPEED RATE:	S/T/H
ASPECT RATIO:	50-75
SECTION WIDTH:	215-285

ALL TERRAIN

X-PRIVILO AT08 series has excellent performance for multi road conditions. The whole design offers efficient water drainage and enhance vehicle performance on both on and off roads. Aggressive sidewall protections increase off-road bite and prevent damage from sidewall cut and abrasions.



X-PRIVILO AT08

SUV/4X4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
16	215/70R16	100	T		D	C	71	B	✓		613467
	225/70R16	103	T		D	C	71	B	✓		607793
	225/75R16	104	T		D	C	71	B	✓		607503
	235/70R16	106	T		D	C	71	B	✓		607608
	245/70R16	111	T	XL	D	C	72	B	✓		606942
	255/70R16	111	T		D	C	72	B	✓		607531
	265/70R16	112	T		D	C	72	B	✓		606947
	275/70R16	114	T		D	C	72	B	✓		613482
17	225/60R17	99	T		D	C	71	B	✓		613556
	225/65R17	102	T		D	C	71	B	✓		613575
	235/65R17	104	T		D	C	71	B	✓		607797
	245/65R17	111	T	XL	D	C	72	B	✓		607554
	245/70R17	110	T		D	C	71	B	✓		613661
	255/65R17	110	T		D	C	72	B	✓		607408
	265/65R17	112	T		D	C	72	B	✓		607386
	265/70R17	115	T		D	C	72	B	✓		613551
18	265/60R18	110	T		D	C	72	B	✓		668629
	265/60R18	114	T	XL	D	C	72	B	✓		613566
20	285/60R18	116	T		D	C	73	B	✓		613543
	265/50R20	111	H	XL	D	C	72	B	✓		613752
	285/50R20	116	H	XL	D	C	75	B	✓		607971

Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
15	LT215/75R15C	100/97	S	6PR	-	-	-	-	✓		
	LT235/75R15C	104/101	S	6PR	-	-	-	-	✓		
	LT235/75R15C	116/113	S	6PR	-	-	-	-	✓		

ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4


X-PRIVILO RF06 UTQG: 460 A B ONLY FOR P TIRE



TECHNICAL FEATURE

- The open shoulder grooves enhance wet grip performance and provide excellent water evacuation. Whiteletter is beautifully designed.
- The block tread design with multiple sipes provide outstanding off-road traction.
- 3 main zigzag grooves and rough later blocks provide excellent traction on all kinds of roads.

PERFORMANCE



SIZE LIST

RANGE:	15-17
SPEED RATE:	S
ASPECT RATIO:	70-75
SECTION WIDTH:	225-315

ALL TERRAIN

The special tread compound provides a longer wear life on off-road, Aggressive sidewall protectors are strategically located near the tyre shoulders to increase loose-surface bite while resisting cuts and abrasions from rocks and stumps.



X-PRIVILO RF06

SUV/4X4

Rim	Size	LI	SR	PR	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
15	31X10.50R15LT	109	S	6PR	✓		-	-	-
	LT225/75R16	115/112	S	10PR	✓		-	-	-
16	LT245/75R16	120/116	S	10PR	✓		-	-	-
	LT265/75R16	123/120	S	10PR	✓		-	-	-
	LT285/75R16	126/123	S	10PR	✓		-	-	-
17	LT245/70R17	119/116	S	10PR	✓		-	-	-
	LT245/75R17	121/118	S	10PR	✓		-	-	-
	LT265/70R17	121/118	S	10PR	✓		-	-	-
	LT285/70R17	121/118	S	10PR	✓		-	-	-



ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4


X-PRIVILO AT03



TECHNICAL FEATURE

- A complex network of aggressive tread elements, bionic design from caterpillar, work together to provide stable handling both on and off road.
- Interlocking blocks and innovative siping stabilize tread center to enhanced rigidity for improved everyday straight driving.
- The cut-, chip- and tear-resistant tread compound, by using multi-functionalized S-SBR and highly well-organized carbonblack, provide longer life with 50,000miles warranty.

PERFORMANCE



SIZE LIST

RANGE:	13-18
SPEED RATE:	T/H/R/S
ASPECT RATIO:	60-80
SECTION WIDTH:	175-265

The X-PRIVILO AT03, including P series and LT series, is an Off-Road All-Terrain tire developed to meet the needs of jeep, pickup truck and sport utility vehicle drivers who want confidence and control on and off road.



X-PRIVILO AT03

SUV/4X4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
13	175/75R13	85	T		D	C	70	B	✓		
	175/75R14	87	T		D	C	70	B	✓		
14	175/80R14	88	T		D	C	70	B	✓		
	205/60R15	91	H		D	C	71	B	✓		
15	205/65R15	94	H		D	C	71	B	✓		
	205/70R15	96	T		D	C	71	B	✓		
	215/75R15	100	T		C	C	71	B	✓		
16	235/75R15	109	T	XL	C	C	71	B	✓		
	205/60R16	92	H		C	C	71	B	✓		
	215/65R16	102	H	XL	C	C	71	B	✓		
17	245/70R16	111	T	XL	C	C	71	B	✓		
	245/75R16	111	T		C	C	71	B	✓		
18	265/70R16	116	T	XL	C	C	71	B	✓		
	225/65R17	102	T		C	C	71	B	✓		
17	265/65R17	112	T		C	C	72	B	✓		
	265/70R17	115	T		C	C	72	B	✓		
18	225/60R18	104	H	XL	C	C	72	B	✓		
	265/60R18	114	T	XL	C	C	72	B	✓		

Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
15	LT205/70R15	96/93	R	6PR	C	C	72	B	✓		
	LT215/75R15	100/97	R	6PR	C	C	72	B	✓		
	LT235/75R15	104/101	R	6PR	C	C	72	B	✓		
	31X10.50R15LT	109	S	6PR	C	C	72	B	✓		
16	LT215/65R16	103/100	R	8PR	C	C	72	B	✓		
	LT245/70R16	118/115	R	10PR	C	C	72	B	✓		
	LT245/75R16	120/116	R	10PR	C	C	72	B	✓		
17	LT265/70R16	121/118	R	10PR	C	C	72	B	✓		
	LT225/65R17	107/103	R	8PR	C	C	72	B	✓		
	LT265/65R17	120/117	R	10PR	C	C	72	B	✓		
18	LT265/70R17	121/118	R	10PR	C	C	72	B	✓		
	LT225/60R18	100/97	R	6PR	C	C	72	B	✓		
	LT265/60R18	119/116	R	10PR	C	C	72	B	✓		

X-PRIVILO M/T




TECHNICAL FEATURE

Three main zigzag grooves and aggressive pattern design provide outstanding traction.

The block tread design with multiple-sipes provide outstanding off-road traction and reduce tread damage on off-road condition.

Jointless Nylon band and strong structure design enhance the reliability and durability. Special tread compound and widefootprint deliver excellent braking on wet and dry roads.

PERFORMANCE



SIZE LIST

RANGE:	15-18
SPEED RATE:	Q
ASPECT RATIO:	50-75
SECTION WIDTH:	225-315

INCLUDING FLOATATION SIZES

MUD TERRAIN

X-PRIVILO M/T series is borned for professional off-road conditions. Strong tyre structure brings reliability and durability. The robust design provides excellent traction performance on various tough road conditions. Pretty shoulder design increases the entertainment of refitted vehicle.



X-PRIVILO M/T

SUV/4X4

Rim	Size	LI	SR	PR			dB		M+S	3PMSF	EPREL Code
15	31X10.50R15LT	109	Q	6PR	-	-	-	-	✓		
	33X12.50R15LT	108	Q	6PR	-	-	-	-	✓		
16	LT225/75R16	115/112	Q	10PR	-	-	-	-	✓		
	LT245/75R16	120/116	Q	10PR	-	-	-	-	✓		
	LT265/75R16	123/120	Q	10PR	-	-	-	-	✓		
	LT285/75R16	126/123	Q	10PR	-	-	-	-	✓		
	LT305/70R16	124/121	Q	10PR	-	-	-	-	✓		
17	LT315/75R16	127/124	Q	10PR	-	-	-	-	✓		
	LT265/70R17	121/118	Q	10PR	-	-	-	-	✓		
	LT285/70R17	121/118	Q	8PR	-	-	-	-	✓		
18	33X12.50R17LT	120	Q	10PR	-	-	-	-	✓		
	35X12.50R17LT	125	Q	10PR	-	-	-	-	✓		
	33X12.50R18LT	118	Q	10PR	-	-	-	-	✓		
	35X12.50R18LT	123	Q	10PR	-	-	-	-	✓		



ELECTRIC

PASSENGER

COMMERCIAL VAN

SUV/4X4

TRACMAX

WHEREVER THE ROAD GOES, THERE GOES TRACMAX

WWW.LANDSPIDERTIRE.COM