



MADE IN
THAILAND

CATALOGUE 2026

Passenger Car, SUV and Light Truck



— MIDDLE EAST&AFRICA —

Introduction

Experience the difference with Landspider - your trusted partner for all your tire needs at anytime, everywhere.

Qingdao Landspider Tire Corp., Ltd is dedicated to enhancing the driving experience for every customer by crafting exceptional tires that prioritize comfort, safety, and performance. With over 12 years of rapid expansion, we have emerged as the leading tire supplier in China, achieving a total turnover of \$430 million in 2023 and aiming for \$500 million in 2025, with a global reach extending to more than 150 countries and regions.

With a deep understanding of the unique demands of middle east&africa consumers, we specialize in developing cutting-edge products tailored specifically for this market segment. Our tires are meticulously designed and developed to address the diverse needs and preferences of middle east&africa consumers, meeting stringent standards and requirements. Leveraging advanced Industry 4.0 production techniques, our state-of-the-art facilities guarantee superior performance and reliability in every tire we produce.

As a new entrant in the market, Landspider brand offers a diverse range of tire options to meet the evolving demands of consumers, ranging from compact to luxury vehicles. Our tires are engineered to deliver superior performance, including improved fuel economy, a quiet and comfortable ride, and extended longevity. We prioritize teamwork, innovation, safety, and market orientation, ensuring professional-grade products that can be customized to meet individual requirements.

Choose Landspider for premium-quality tires tailored to the European market, continuous innovation, industry-leading manufacturing processes, and exceptional after-sales service.



Contents

passenger car,suv,light truck



Made In Thailand

UTQG:560 A A M+S CITYTRAXX G/P




RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
13-16	H/T/V	50-80	155-225

Benefits and Features

- The value-oriented year-round tire for car, Minivans and CUVs.
- Long tread life and comfortable ride.
- Highly engineered contour and internal structure for even contact and durability.
- Special silica compound for better wet and fuel efficiency performance.

ALL SEASON TOURING



Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
155/80R13	79T		BSW	7.4	9.3
165/80R13	83T		BSW	7.4	9.3
175/70R13	82T		BSW	7.4	9.3
165/60R14	75H		BSW	7.4	9.3
165/65R14	79H		BSW	7.4	9.3
175/65R14	86T	XL	BSW	7.4	9.3
175/70R14	84H		BSW	7.4	9.3
185/60R14	82H		BSW	7.4	9.3
185/65R14	86H		BSW	7.4	9.3
185/70R14	88H		BSW	7.4	9.3
195/70R14	91H		BSW	7.4	9.3
205/70R14	95H		BSW	7.4	9.3
175/55R15	77H		BSW	7.4	9.3
175/60R15	81V		BSW	7.4	9.3
175/65R15	84H		BSW	7.4	9.3
185/55R15	82V		BSW	7.4	9.3
185/60R15	84H		BSW	7.4	9.3
185/65R15	88H		BSW	7.4	9.3
195/50R15	82V		BSW	7.4	9.3
195/55R15	85V		BSW	7.4	9.3
195/60R15	88H		BSW	7.4	9.3

Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
195/65R15	91H		BSW	7.4	9.3
205/60R15	91V		BSW	7.4	9.3
205/65R15	94H		BSW	7.8	9.8
205/70R15	96H		BSW	7.8	9.8
215/65R15	96H		BSW	7.8	9.8
215/70R15	98H		BSW	7.8	9.8
225/70R15	100H		BSW	7.8	9.8
185/55R16	83V		BSW	7.4	9.3
195/50R16	84V		BSW	7.4	9.3
195/55R16	87V		BSW	7.4	9.3
195/60R16	89H		BSW	7.4	9.3
205/55R16	91V		BSW	7.4	9.3
205/60R16	92V		BSW	7.4	9.3
205/65R16	95H		BSW	7.8	9.8
215/55R16	97V	XL	BSW	7.4	9.3
215/60R16	95V		BSW	7.8	9.8
215/65R16	98H		BSW	7.8	9.8
225/55R16	99V	XL	BSW	7.4	9.3
225/60R16	98H		BSW	7.8	9.8
225/65R16	100H		BSW	7.8	9.8



UTQG:400 A A EUROTRAXX H/P



RANGE SPEED RATE ASPECT RATIO SECTION WIDTH

14-18 H/T/V/W 45-70 155-235

Benefits and Features

- High performance compound and optimal block/void ratio ensures for great dry braking and handling.
- Anti-closing design to improve road grip, especiall in wet conditions.
- Internal structure engineering for superior safety throughout the life of the tire.

SW	Series	Number of groove
≤ 175	all	3
185	≥ 70	3
	≤ 65	4
≥ 195	all	3

ECO COMFORT



Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
145/70R13	71T		BSW	6.4	8.1
145/80R13	75T		BSW	6.4	8.1
155/65R13	73T		BSW	6.4	8.1
155/70R13	75T		BSW	6.4	8.1
155/80R13	79T		BSW	6.4	8.1
165/65R13	77T		BSW	6.4	8.1
165/70R13	79T		BSW	6.4	8.1
175/70R13	82T		BSW	6.4	8.1
155/65R14	75T		BSW	6.4	8.1
165/60R14	75H		BSW	6.4	8.1
165/65R14	79T		BSW	6.4	8.1
165/70R14	81T		BSW	6.4	8.1
165/70R14	85T	XL	BSW	6.4	8.1
175/65R14	82H		BSW	6.6	8.3
175/65R14	86T	XL	BSW	6.6	8.3
175/70R14	84T		BSW	6.6	8.3
175/70R14	88T	XL	BSW	6.6	8.3
175/75R14	87T		BSW	6.6	8.3
185/60R14	82H		BSW	6.6	8.3
185/65R14	86H		BSW	6.6	8.3
185/70R14	88T		BSW	6.6	8.3
155/60R15	74T		BSW	6.4	8.1
165/60R15	81T	XL	BSW	6.4	8.1
165/65R15	81T		BSW	6.4	8.1
175/55R15	77H		BSW	6.6	8.3
175/60R15	81H		BSW	6.6	8.3
175/65R15	84H		BSW	6.6	8.3
185/55R15	82V		BSW	6.6	8.3
185/60R15	84H		BSW	6.6	8.3
185/60R15	88H	XL	BSW	6.6	8.3
185/65R15	88H		BSW	6.6	8.3
185/65R15	92T	XL	BSW	6.6	8.3

Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
195/50R15	82V		BSW	6.8	8.6
195/55R15	85V		BSW	6.8	8.6
195/60R15	88H		BSW	6.8	8.6
195/60R15	88V		BSW	6.8	8.6
195/65R15	91V		BSW	6.8	8.6
195/65R15	95H	XL	BSW	6.8	8.6
205/60R15	91V		BSW	6.8	8.6
205/65R15	94V		BSW	6.8	8.6
215/65R15	96H		BSW	6.8	8.6
185/55R16	87V	XL	BSW	6.6	8.3
195/50R16	84V		BSW	6.8	8.6
195/55R16	87V		BSW	6.8	8.6
195/55R16	91V	XL	BSW	6.8	8.6
195/60R16	89H		BSW	6.8	8.6
205/55R16	91V		BSW	6.8	8.6
205/55R16	91W		BSW	6.8	8.6
205/60R16	92V		BSW	6.8	8.6
205/60R16	96V	XL	BSW	6.8	8.6
215/55R16	97W	XL	BSW	6.8	8.6
215/60R16	95V		BSW	6.8	8.6
215/60R16	99V	XL	BSW	6.8	8.6
215/70R16	100H		BSW	6.8	8.6
225/55R16	99W	XL	BSW	7.0	8.8
225/60R16	98H		BSW	7.0	8.8
225/60R16	102V	XL	BSW	7.0	8.8
235/60R16	100H		BSW	7.0	8.8
*205/40R17	84W	XL	BSW	6.8	8.6
*205/45R17	88W	XL	BSW	6.8	8.6
*205/50R17	93W	XL	BSW	6.8	8.6
*205/55R17	95W	XL	BSW	6.8	8.6
*215/40R17	87W	XL	BSW	6.8	8.6

EUROTRAXX H/P

ECO COMFORT

Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
*215/45R17	91W	XL	BSW	6.8	8.6
*215/50R17	95W	XL	BSW	6.8	8.6
*215/55R17	98W	XL	BSW	6.8	8.6
*215/60R17	100V	XL	BSW	6.8	8.6
*215/65R17	99V		BSW	6.8	8.6
*225/45ZR17	94Y	XL	BSW	6.8	8.6
*225/50ZR17	98Y	XL	BSW	7.0	8.8
*225/55R17	101W	XL	BSW	7.0	8.8
*225/60R17	103V	XL	BSW	7.0	8.8
*225/65R17	106V	XL	BSW	7.0	8.8
*235/45R17	97W	XL	BSW	7.0	8.8
*235/55R17	103W	XL	BSW	7.0	8.8
*235/60R17	106V	XL	BSW	7.0	8.8
*235/65R17	108V	XL	BSW	7.0	8.8
*245/45R17	99W	XL	BSW	7.0	8.8
*215/40ZR18	89Y	XL	BSW	6.8	8.8
*215/45ZR18	93Y	XL	BSW	6.8	8.8
*215/50R18	92W		BSW	6.8	8.6
*215/55R18	99V	XL	BSW	6.8	8.6
*225/40ZR18	92Y	XL	BSW	7.0	8.8
*225/45ZR18	95Y	XL	BSW	7.0	8.8
*225/50R18	99W	XL	BSW	7.0	8.8
*225/55R18	102V	XL	BSW	7.0	8.8
*225/60R18	104V	XL	BSW	7.0	8.8
*235/40ZR18	95Y	XL	BSW	7.0	8.8
*235/45ZR18	98Y	XL	BSW	7.0	8.8
*235/50ZR18	101Y	XL	BSW	7.0	8.8
*235/55R18	104W	XL	BSW	7.0	8.8

Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
*235/60R18	107V	XL	BSW	7.0	8.8
*245/40ZR18	97Y	XL	BSW	7.0	8.8
*245/45ZR18	100Y	XL	BSW	7.0	8.8
*255/35ZR18	94Y	XL	BSW	7.0	8.8
*255/45ZR18	103Y	XL	BSW	7.0	8.8
*255/55R18	109W	XL	BSW	7.0	8.8



UTQG:420 A A M+S CITYTRAXX H/P



RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
17-26	W/Y	25-55	205-315

Benefits and Features

- Outstanding stylish pattern design for HP and UHP.
- The optimized pitch-alignment by simulation for quiet ride.
- High-density and wavy sipes design for comfortable and stable ride.
- High-dispersion silica compound for wet safety and efficiency.



HIGH PERFORMANCE

Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
205/40ZR17	84W	XL	BSW	7.4	9.3
205/45ZR17	88W	XL	BSW	7.4	9.3
205/50ZR17	93W	XL	BSW	7.4	9.3
205/55ZR17	95W	XL	BSW	7.4	9.3
215/45ZR17	91W	XL	BSW	7.4	9.3
215/50ZR17	95W	XL	BSW	7.4	9.3
215/55ZR17	98W	XL	BSW	7.4	9.3
225/45ZR17	94W	XL	BSW	7.4	9.3
225/50ZR17	98W	XL	BSW	7.4	9.3
225/55ZR17	101W	XL	BSW	7.4	9.3
235/45ZR17	97W	XL	BSW	7.4	9.3
235/50ZR17	100W	XL	BSW	7.4	9.3
235/55ZR17	103W	XL	BSW	7.4	9.3
245/40ZR17	95W	XL	BSW	7.4	9.3
245/45ZR17	99W	XL	BSW	7.4	9.3
215/45ZR18	93W	XL	BSW	7.4	9.3
215/55ZR18	99W	XL	BSW	7.4	9.3
225/40ZR18	92W	XL	BSW	7.4	9.3
225/45ZR18	95W	XL	BSW	7.4	9.3
225/50ZR18	99W	XL	BSW	7.4	9.3
225/55ZR18	102W	XL	BSW	7.4	9.3
235/40ZR18	95W	XL	BSW	7.4	9.3
235/45ZR18	98W	XL	BSW	7.4	9.3
235/50ZR18	101W	XL	BSW	7.4	9.3
235/55ZR18	104W	XL	BSW	7.4	9.3
245/40ZR18	97W	XL	BSW	7.4	9.3
245/45ZR18	100W	XL	BSW	7.4	9.3
245/50ZR18	104W	XL	BSW	7.4	9.3
255/35ZR18	94W	XL	BSW	7.6	9.5
255/40ZR18	99W	XL	BSW	7.6	9.5
255/45ZR18	103W	XL	BSW	7.6	9.5
265/35ZR18	97W	XL	BSW	7.6	9.5

Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
225/40ZR19	93W	XL	BSW	7.4	9.3
225/45ZR19	96W	XL	BSW	7.4	9.3
225/55ZR19	103W	XL	BSW	7.4	9.3
235/40ZR19	96W	XL	BSW	7.4	9.3
235/45ZR19	99W	XL	BSW	7.4	9.3
235/50ZR19	103W	XL	BSW	7.4	9.3
235/55ZR19	105W	XL	BSW	7.4	9.3
245/35ZR19	93W	XL	BSW	7.4	9.3
245/40ZR19	98W	XL	BSW	7.4	9.3
245/45ZR19	102W	XL	BSW	7.4	9.3
245/55ZR19	107W	XL	BSW	7.4	9.3
255/35ZR19	96W	XL	BSW	7.6	9.5
255/40ZR19	100W	XL	BSW	7.6	9.5
255/45ZR19	104W	XL	BSW	7.6	9.5
255/50ZR19	107W	XL	BSW	7.6	9.5
255/55ZR19	111W	XL	BSW	7.6	9.5
275/35ZR19	100W	XL	BSW	7.6	9.5
275/40ZR19	105W	XL	BSW	7.6	9.5
225/35ZR20	93W	XL	BSW	7.4	9.3
235/35ZR20	92W	XL	BSW	7.4	9.3
235/45ZR20	100W	XL	BSW	7.4	9.3
235/55ZR20	105W	XL	BSW	7.4	9.3
245/35ZR20	95W	XL	BSW	7.4	9.3
245/40ZR20	99W	XL	BSW	7.4	9.3
245/45ZR20	103W	XL	BSW	7.4	9.3
245/50ZR20	105W	XL	BSW	7.4	9.3
255/35ZR20	97W	XL	BSW	7.6	9.5
255/40ZR20	101W	XL	BSW	7.6	9.5
255/45ZR20	105W	XL	BSW	7.6	9.5
255/50ZR20	109W	XL	BSW	7.6	9.5
255/55ZR20	110W	XL	BSW	7.6	9.5
265/50ZR20	111W	XL	BSW	7.6	9.5

CITYTRAXX H/P

HIGH PERFORMANCE

Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
275/30ZR20	97W	XL	BSW	7.6	9.5
275/35ZR20	102W	XL	BSW	7.6	9.5
275/40ZR20	106W	XL	BSW	7.6	9.5
275/45ZR20	110W	XL	BSW	7.6	9.5
315/35ZR20	110W	XL	BSW	7.8	9.8
265/45ZR21	108Y	XL	BSW	7.6	9.5
275/40ZR21	107Y	XL	BSW	7.6	9.5
275/45ZR21	110W	XL	BSW	7.6	9.5
275/50ZR21	113W	XL	BSW	7.6	9.5
285/45ZR21	113W	XL	BSW	7.8	9.8
295/35ZR21	107W	XL	BSW	7.8	9.8
295/40ZR21	111W	XL	BSW	7.8	9.8
315/35ZR21	111Y	XL	BSW	7.8	9.8

Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
245/30ZR22	92W	XL	BSW	7.8	9.8
255/30ZR22	95W	XL	BSW	7.8	9.8
265/30ZR22	97W	XL	BSW	7.8	9.8
265/35ZR22	102W	XL	BSW	7.8	9.8
265/40ZR22	106W	XL	BSW	7.8	9.8
285/35ZR22	106W	XL	BSW	7.8	9.8
285/40ZR22	110W	XL	BSW	7.8	9.8
285/45ZR22	114W	XL	BSW	7.8	9.8
305/40ZR22	114W	XL	BSW	7.8	9.8
305/45ZR22	118W	XL	BSW	7.8	9.8



UTQG:240 A A M+S CITY SPORT




RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
18	W/V	40-55	245-275

Benefits and Features

- Stylish and striking pattern design.
- Large contact patch for great traction.
- Wide grooves and slanted 3-D blocks increase wet performance.

SPORTY HIGH PERFORMANCE



Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
245/45ZR18	100W	XL	BSW	7.4	9.3
275/40ZR18	103W	XL	BSW	7.4	9.3
255/50R18	106V	XL	BSW	7.4	9.3
255/55R18	109V	XL	BSW	7.4	9.3



UTQG:480 A A M+S CITYTRAXX H/T



RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
16-18	H/T/R/S	55-85	205-285

Benefits and Features

- Balancing optimal comfort, silence performance and reliable handling on highway-terrain.
- Even-wearing design and specialized compound for 50,000 mile limited tread wear.
- Strong shoulder design and highly inner engineering for durability.

LANDSPIDER

Passenger Car,SUV and Light Truck

50K MILE



HIGHWAY TERRAIN

Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
205/70R16	97H		BSW	8.2	10.3
215/70R16	100H		BSW	8.2	10.3
225/70R16	107H	XL	BSW	8.2	10.3
235/60R16	100H		BSW	8.2	10.3
235/65R16	107H	XL	BSW	8.2	10.3
235/70R16	106H		BSW	8.2	10.3
245/70R16	111H	XL	BSW	8.2	10.3
255/70R16	111H		BSW	8.2	10.3
265/70R16	112H		BSW	8.2	10.3
275/70R16	114H		BSW	8.2	10.3
215/60R17	100H	XL	BSW	8.2	10.3
215/65R17	99H		BSW	8.2	10.3
225/60R17	99H		BSW	8.2	10.3
225/65R17	102H		BSW	8.2	10.3
235/60R17	102H		BSW	8.2	10.3
235/65R17	108H	XL	BSW	8.2	10.3
245/65R17	111H	XL	BSW	8.2	10.3
245/70R17	110H		BSW	8.2	10.3
255/65R17	110H		BSW	8.2	10.3
265/65R17	112H		BSW	8.2	10.3
265/70R17	115H		BSW	8.2	10.3
275/65R17	115H		BSW	8.2	10.3
285/65R17	116H		BSW	8.2	10.3
225/60R18	100H		BSW	8.2	10.3
235/60R18	107H	XL	BSW	8.2	10.3
235/65R18	110H	XL	BSW	8.2	10.3
245/60R18	105H		BSW	8.2	10.3
255/55R18	109H	XL	BSW	8.2	10.3
255/60R18	112H	XL	BSW	8.2	10.3
255/65R18	111H		BSW	8.2	10.3
255/70R18	113H		BSW	8.2	10.3
265/60R18	110H		BSW	8.2	10.3
265/65R18	114H		BSW	8.2	10.3
265/70R18	116H		BSW	8.2	10.3
275/65R18	116H		BSW	8.2	10.3
285/60R18	120H	XL	BSW	8.2	10.3
265/55R20	115H	XL	BSW	8.2	10.3
275/55R20	117H	XL	BSW	8.2	10.3
275/60R20	119H	XL	BSW	8.2	10.3
285/50R20	116H	XL	BSW	8.2	10.3
265/50R22	112H	XL	BSW	9.2	10.3
275/50R22	115H	XL	BSW	10.2	10.3

Size	LI/SR	PLY	Sidewall Description	Tread Depth MM 1/32"	
LT235/75R15	104/101R	6PR/LR C	BSW	9.7	12.2
215/70R16C	108/106T	6PR/LR C	BSW	9.7	12.2
LT215/85R16	115/112R	10PR/LR E	BSW	9.7	12.2
LT225/75R16	115/112S	10PR/LR E	BSW	9.7	12.2
235/65R16C	122/119R	10PR/LR E	BSW	9.7	12.2
LT235/85R16	120/116S	10PR/LR E	BSW	9.7	12.2
LT245/75R16	120/116S	10PR/LR E	BSW	9.7	12.2
LT265/75R16	123/120S	10PR/LR E	BSW	9.7	12.2
LT235/80R17	120/117S	10PR/LR E	BSW	9.7	12.2
LT245/70R17	119/116S	10PR/LR E	BSW	9.7	12.2
LT245/75R17	121/118S	10PR/LR E	BSW	9.7	12.2
LT265/70R17	121/118S	10PR/LR E	BSW	9.7	12.2
LT275/65R18	123/120S	10PR/LR E	BSW	9.7	12.2
LT275/70R18	125/122S	10PR/LR E	BSW	9.7	12.2

UTQG:600 A A M+S ROVERTRAXX X/T



RANGE SPEED RATE ASPECT RATIO SECTION WIDTH
17-22 H/T/V 45-70 225-285

Benefits and Features

- To improve your CUV's and SUV's performance with quiet and comfort at riding.
- The limited tread wear of 50,000 miles provides confidence with traction across many seasons.
- Serated lateral grooves and wide circumferential grooves enhance off-road traction.
- Highly engineered for durability.



Passenger Car, SUV and Light Truck


CROSSOVER TERRAIN

50K MILE



Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
195/80R15	100T		RBL	8.5	10.7
235/75R15	109T	XL	RBL	9	11.3
255/70R15	112T		RBL	9	11.3
265/70R15	112T		RBL	9	11.3
205/80R16	104S		RBL	8.5	10.7
215/70R16	100H		RBL	8.5	10.7
225/70R16	103T		RBL	8.5	10.7
225/75R16	108T	XL	RBL	9	11.3
235/70R16	106T		RBL	9	11.3
245/70R16	111H	XL	RBL	9	11.3
245/75R16	115T	XL	RBL	9	11.3
255/70R16	111T		RBL	9	11.3
265/70R16	116H	XL	RBL	9	11.3
215/65R17	99H		RBL	8.5	10.7
225/60R17	99H		RBL	8.5	10.7
225/65R17	102H		RBL	8.5	10.7
235/65R17	108H	XL	RBL	9	11.3
245/65R17	107H		RBL	9	11.3
245/70R17	114H	XL	RBL	9	11.3
265/65R17	116H	XL	RBL	9	11.3
265/70R17	115H		RBL	9	11.3
225/55R18	102H	XL	RBL	9	11.3
225/60R18	104H	XL	RBL	9	11.3
235/55R18	104H	XL	RBL	9	11.3
235/60R18	107H	XL	RBL	9	11.3
235/65R18	110H	XL	RBL	9	11.3
245/60R18	105H		RBL	9	11.3
255/55R18	109H	XL	RBL	9	11.3
255/60R18	112H	XL	RBL	9	11.3
265/60R18	114H	XL	RBL	9	11.3
265/65R18	116H	XL	RBL	9	11.3
265/70R18	116H		RBL	9	11.3
275/65R18	116H		RBL	9	11.3
245/50R20	102H	XL	RBL	9	11.3
255/50R20	109H	XL	RBL	9	11.3
255/55R20	110H	XL	RBL	9	11.3
265/50R20	111H	XL	RBL	9	11.3
275/55R20	117V	XL	RBL	9	11.3
275/60R20	116H	XL	RBL	9	11.3
275/50R22	115V	XL	RBL	9	11.3
285/45R22	114V	XL	RBL	9	11.3

Size	LI/SR	PR	Sidewall Description	Tread Depth MM 1/32"	
31X10.5R15LT	109S	6PR	RBL	11.5	14.5
33X12.5R15LT	108Q	6PR	RBL	11.5	14.5
LT245/75R16	120/116S	10PR	RBL	11.5	14.5
LT265/75R16	123/120S	10PR	RBL	11.5	14.5
LT265/70R17	123/120S	10PR	RBL	11.5	14.5
LT285/70R17	126/123S	10PR	RBL	11.5	14.5
LT245/75R16	120/116S	10PR/LR E	BSW	9.7	12.2
LT265/75R16	123/120S	10PR/LR E	BSW	9.7	12.2
LT235/80R17	120/117S	10PR/LR E	BSW	9.7	12.2
LT245/70R17	119/116S	10PR/LR E	BSW	9.7	12.2
LT245/75R17	121/118S	10PR/LR E	BSW	9.7	12.2
LT265/70R17	121/118S	10PR/LR E	BSW	9.7	12.2
LT275/65R18	123/120S	10PR/LR E	BSW	9.7	12.2
LT275/70R18	125/122S	10PR/LR E	BSW	9.7	12.2



UTQG:520 A B M+S WILDTRAXX A/T



RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
15-20	T/S	50-85	235-315

Benefits and Features

- Specially designed to improve your everyday on and off adventures.
- All-terrain compound harmonized system to ensure longevity of tread wear.
- Highly engineered internal structure for durability.

ALL TERRAIN

55KI
MILE



Size	LI/SR	XL	Sidewall Description	Tread Depth MM 1/32"	
P245/70R16	111T	XL	RWL	10	12.5
P245/75R16	111T		RWL	10	12.5
P255/70R16	111T		RWL	10	12.5
P265/70R16	112T		RWL	8.5	10.7
P245/65R17	111T	XL	RWL	10	12.5
P245/70R17	110T		RWL	10	12.5
P265/65R17	112T		RWL	8.5	10.7
P265/70R17	115T		RWL	10	12.5
P265/60R18	114T	XL	RWL	10	12.5
P265/65R18	116T	XL	RWL	10	12.5
P265/70R18	116T		RWL	10	12.5
P275/65R18	116T		RWL	10	12.5
P265/50R20	111T	XL	RWL	10	12.5
P275/55R20	117T	XL	RWL	10	12.5
P275/60R20	119T	XL	RWL	10	12.5
P285/50R20	116T	XL	RWL	10	12.5

Size	LI/SR	PR	Sidewall Description	Tread Depth MM 1/32"	
31X10.50R15LT	109S	6PR/LR C	RWL	12.3	15.4
33X12.50R15LT	108S	6PR/LR C	RWL	12.3	15.4
35X12.50R15LT	113R	6PR/LR C	RWL	12.3	15.4
LT235/75R15	104/101S	6PR/LR C	RWL	12.3	15.4
LT235/85R16	120/116S	10PR/LR E	RWL	12.3	15.4
LT245/75R16	120/116S	10PR/LR E	RWL	12.3	15.4
LT265/75R16	123/120S	10PR/LR E	RWL	12.3	15.4
LT285/75R16	126/123S	10PR/LR E	RWL	12.3	15.4
LT305/70R16	124/121S	10PR/LR E	RWL	12.3	15.4
LT315/75R16	127/124S	10PR/LR E	RWL	12.3	15.4
LT235/80R17	120/117S	10PR/LR E	RWL	12.3	15.4
LT245/75R17	121/118S	10PR/LR E	RWL	12.3	15.4
LT265/70R17	121/118S	10PR/LR E	RWL	12.3	15.4
LT285/70R17	121/118S	10PR/LR E	RWL	12.3	15.4
LT265/70R18	124/121S	10PR/LR E	RWL	12.3	15.4
LT275/65R18	123/120S	10PR/LR E	RWL	12.3	15.4
LT275/70R18	125/122S	10PR/LR E	RWL	12.3	15.4
LT285/65R18	125/122S	10PR/LR E	RWL	12.3	15.4
LT265/60R20	121/118S	10PR/LR E	RWL	12.3	15.4
LT275/60R20	123/120S	10PR/LR E	RWL	12.3	15.4
LT275/65R20	126/123S	10PR/LR E	RWL	12.3	15.4
LT305/55R20	121/118S	10PR/LR E	RWL	12.3	15.4



M+S WILDTRAXX R/T



RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
16-24	R/S/Q	55-75	265-325

Benefits and Features

- Dynamic hybrid tread design for comfortable and capable on/off-road ride.
- Reinforcing construction with 3-body plies to resist road hazards.
- The specialized tread compound for long wearing service.

RUGGED TERRAIN

3PLY
SIDEWALL

50KI
MILE



Size	LI/SR	PR	Sidewall Description	Tread Depth MM 1/32"	
LT265/75R16	123/120S	10PR/LR E	RBL	13.1	16.5
LT285/75R16	126/123S	10PR/LR E	RBL	13.1	16.5
LT265/70R17	121/118S	10PR/LR E	RBL	13.1	16.5
LT285/70R17	121/118S	10PR/LR E	RBL	13.1	16.5
LT305/65R17	121/118S	10PR/LR E	RBL	13.1	16.5
LT315/70R17	121/118S	10PR/LR E	RBL	13.1	16.5
LT285/65R18	125/122Q	10PR/LR E	RBL	13.1	16.5
LT285/70R18	127/124Q	10PR/LR E	RBL	13.1	16.5
LT305/60R18	121/118S	10PR/LR E	RBL	13.1	16.5
LT325/65R18	127/124S	10PR/LR E	RBL	13.1	16.5
LT275/55R20	120/117S	10PR/LR E	RBL	13.1	16.5
LT285/55R20	122/119S	10PR/LR E	RBL	13.1	16.5
33X12.50R20LT	123R	12PR/LR F	RBL	13.1	16.5
35X12.50R20LT	126R	12PR/LR F	RBL	13.1	16.5
33X12.50R22LT	123R	12PR/LR F	RBL	13.1	16.5
35X12.50R22LT	126R	12PR/LR F	RBL	13.1	16.5
35X12.50R24LT	126R	12PR/LR F	RBL	13.1	16.5
37X13.50R24LT	129R	12PR/LR F	RBL	13.1	16.5



M+S WILDTRAXX M/T



RANGE	SPEED RATE	ASPECT RATIO	SECTION WIDTH
15-24	Q	65-75	245-315

Benefits and Features

- The aggressive tread blocks design for super off-road performance.
- Self-cleaning, deep grooves for 50, 000 miles services.
- Highly engineered 3-body plies for long-mileage durability.
- Anti-cutting compound with strong construction to resist various hazards.





Passenger Car,SUV and Light Truck

MUD TERRAIN


3PLY
SIDEWALL

50K MILE



Size	LI/SR	PR	Sidewall Description	Tread Depth MM 1/32"	
LT245/75R16	120/116Q	10PR/LR E	RBL	15.0	18.18
LT265/75R16	123/120Q	10PR/LR E	RBL	15.0	18.18
LT285/75R16	126/123Q	10PR/LR E	RBL	15.0	18.18
LT315/75R16	127/124Q	10PR/LR E	RBL	15.0	18.18
LT265/70R17	121/118Q	10PR/LR E	RBL	15.0	18.18
LT285/70R17	121/118Q	10PR/LR E	RBL	15.0	18.18
LT275/65R18	123/120Q	10PR/LR E	RBL	15.0	18.18
LT285/65R18	125/122Q	10PR/LR E	RBL	15.0	18.18

Size	LI/SR	PR	Sidewall Description	Tread Depth MM 1/32"	
31X10.50R15LT	109Q	6PR/LR E	RBL	15.0	18.18
33X12.50R15LT	108Q	6PR/LR E	RBL	15.0	18.18
33X12.50R17LT	120Q	10PR/LR E	RBL	15.0	18.18
35X12.50R17LT	121Q	10PR/LR E	RBL	15.0	18.18
33X12.50R18LT	118Q	10PR/LR E	RBL	15.0	18.18
35X12.50R18LT	123Q	10PR/LR E	RBL	15.0	18.18
33X12.50R20LT	114Q	10PR/LR E	RBL	15.0	18.18
35X12.50R20LT	121Q	10PR/LR E	RBL	15.0	18.18
37X13.50R20LT	127Q	10PR/LR E	RBL	15.0	18.18
40X15.50R20LT	130Q	10PR/LR E	RBL	15.0	18.18
33X12.50R22LT	109Q	10PR/LR E	RBL	15.0	18.18
35X12.50R22LT	117Q	10PR/LR E	RBL	15.0	18.18
37X13.50R22LT	123Q	10PR/LR E	RBL	15.0	18.18
40X15.50R22LT	128Q	10PR/LR E	RBL	15.0	18.18
33X12.50R24LT	104Q	10PR/LR E	RBL	15.0	18.18
35X12.50R24LT	114Q	10PR/LR E	RBL	15.0	18.18



M+S ROCKTRAXX M/T



RANGE	SPEED RATE	OVERALL DIA.	SECTION WIDTH
17	Q	37"	12.5"

Benefits and Features

- The aggressive tread blocks design for super off-road performance.
- Self-cleaning, deep grooves provide 50,000-mile service.
- Highly engineered 3-body plies ensure long-mileage durability.
- Anti-cutting compound with strong construction to resist various hazards.

MUD TERRAIN



The ROCKTRAXX M/T features an innovative design to deliver versatile mud terrain performance, providing excellent traction both on and off-road. The tread pattern design in BBDT@ theory and 3-Ply internal engineering provide off-road performance, quick steering response and stability .

Size	LI/SR	PR	Sidewall Description	Tread Depth MM 1/32"	
37X12.50R17LT	128Q	10PR/LR E	RBL	15.5	19.5





ANYTIME EVERYWHERE

WWW.LANDSPIDERTIRE.COM