

TRACMAX
WHEREVER THE ROAD GOES, THERE GOES TRACMAX

**UHP/SUV/LTR/
ALL-SEASON/
WINTER**

2026

**CATALOGUE
UPGRADE**



WHEREVER THE ROAD GOES,THERE GOES TRACMAX

TRACMAX brand was founded in 2002, which originated from the demand of The German market. Its high-speed safety performance, fuel-saving and comfortable performance are deeply loved by consumers. It enjoys high popularity in more than 100 countries, and the cumulative sales volume in the European market is nearly 50 million.

Dedicating to create the world first class brand, Tracmax has successfully obtained China CCC, US DOT, EU E-mark, EU Regulation 117, Gulf Country GCC , Saudi Arabia SASO, Nigeria SONCAP, Brazil INMETRO, Uruguay LATU, and other product certifications.

"Wherever The Road Goes, There Goes Tracmax", with high quality, reasonable pricing and excellent service,we would like to be one of your best tyre suppliers and long term business partner.

Annual sales exceed 500 million dollars.

500 

Full ranges of CAR、 SUV、 4×4and Light truck tyres , meet various needs of Asiapacific.

ALL 

Smart factory: Industrial 4.0

4.0 

Smart factory: Total TRACMAX : 6,000,000 Pieces / Year

6,000,000 



Revolutionary points



A well-dispersed silica is combined with polymer Solution of SBR and BR



Minimal proportions of impurities



Has properties aligned with HIGHEST tire lable ratings



MAXIMUM ENERGY EFFICIENCY



Better filler-polymer interactions



REDUCED CARBON EMISSIONS



Higher tensil strength



LOW-CARBON DEVELOPMENT

Smart factory



smart manufacturer in 2025
industrial 4.0



2026

passenger car,suv,light truck

SUMMER

X-PRIVIO TX5	PG.01	X-PRIVIO RF19	PG.15
X-PRIVIO TX3	PG.05	X-PRIVIO RF28	PG.17
X-PRIVIO RS01	PG.09		
SPARTAN TX6	PG.13		

ELECTRIC

X-PRIVIO ET07	PG.21
X-PRIVIO ET08	PG.23

ALL SEASON

X-PRIVIO A/S TRAC SAVER	PG.27
X-PRIVIO A/S VAN SAVER	PG.33

SUV / 4X4

X-PRIVIO H/T	PG.37	X-PRIVIO AT08	PG.45
X-PRIVIO TX9	PG.39	X-PRIVIO AT03	PG.47
X-PRIVIO AT01	PG.43	X-PRIVIO M/T	PG.49

WINTER

X-PRIVIO S360	PG.53	X-PRIVIO S330	PG.69
X-PRIVIO S500	PG.57	X-PRIVIO VS450	PG.73
X-PRIVIO S550	PG.61		
ICE-PLUS SR1	PG.63		
X-PRIVIO S130	PG.65		

Summer

HIGH PERFORMANCE



X-PRIVILO TX5


UTQG: 400 A A

SUMMER TIRES




NEW COMFORT ON THE WAY

X-PRIVILO TX5 is a high-performance symmetric tyre for compact vehicles, the unique design offers a responsive drive in all conditions. Outstanding versatile performance tyre for a fuel-efficient and comfortable drive.



Four main grooves design ensure anti-hydroplaning performance.




Improve stability and straight-line performance at high speed.




Reduce noise level and improve wet grip.

PERFORMANCE



DRY



WET



COMFORT



MILEAGE



EFFICIENCY

RANGE: **12-18**
SPEED RATE: **T/H/V/W**
ASPECT RATIO: **40-80**
SECTION WIDTH: **145-245**

TRACMAX

X-PRIVILO TX5

Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
18	225/40R18	92	W	XL	✓		400	A	A
	225/45R18	95	W	XL	✓		400	A	A
	235/45R18	98	W	XL	✓		400	A	A
	245/40R18	97	W	XL	✓		400	A	A
	245/45R18	100	W	XL	✓		400	A	A
17	205/50R17	93	W	XL	✓		400	A	A
	215/45R17	91	W	XL	✓		400	A	A
	215/50R17	95	W	XL	✓		400	A	A
	215/55R17	98	V	XL	✓		400	A	A
	215/55R17	98	W	XL	✓		400	A	A
	225/45R17	94	W	XL	✓		400	A	A
	225/50R17	98	W	XL	✓		400	A	A
	225/55R17	101	V	XL	✓		400	A	A
	225/55R17	101	W	XL	✓		400	A	A
16	175/50R16	77	V		✓		400	A	A
	185/50R16	81	V		✓		400	A	A
	185/55R16	83	V		✓		400	A	A
	195/50R16	84	V		✓		400	A	A
	195/55R16	87	V		✓		400	A	A
	195/60R16	89	H		✓		400	A	A
	205/50R16	87	W		✓		400	A	A
	205/55R16	91	V		✓		400	A	A
	205/60R16	92	V		✓		400	A	A
	205/65R16	95	H		✓		400	A	A
	215/55R16	97	W	XL	✓		400	A	A
	215/60R16	95	V		✓		400	A	A
	215/60R16	99	H	XL	✓		400	A	A
	215/65R16	98	H		✓		400	A	A
	225/50R16	96	W	XL	✓		400	A	A
15	225/55R16	99	W	XL	✓		400	A	A
	225/60R16	98	H		✓		400	A	A
	225/60R16	102	V	XL	✓		400	A	A
	155/60R15	74	T		✓		400	A	A
	165/50R15	72	V		✓		400	A	A
	165/60R15	81	T	XL	✓		400	A	A
	165/65R15	81	T		✓		400	A	A
	175/50R15	75	V		✓		400	A	A
	175/55R15	77	T		✓		400	A	A
	175/60R15	81	V		✓		400	A	A
	175/65R15	84	H		✓		400	A	A

X-PRIVIO TX5

SUMMER

Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
15	185/55R15	82	V		✓		400	A	A
	185/60R15	84	H		✓		400	A	A
	185/60R15	88	H	XL	✓		400	A	A
	185/65R15	88	H		✓		400	A	A
	185/65R15	92	H	XL	✓		400	A	A
	195/50R15	82	V		✓		400	A	A
	195/55R15	85	V		✓		400	A	A
	195/60R15	88	H		✓		400	A	A
	195/60R15	88	V		✓		400	A	A
	195/65R15	91	V		✓		400	A	A
	195/65R15	95	H	XL	✓		400	A	A
	205/60R15	91	V		✓		400	A	A
	205/65R15	94	V		✓		400	A	A
	205/65R15	94	H		✓		400	A	A
	205/70R15	96	T		✓		400	A	A
	215/65R15	96	H		✓		400	A	A
	215/65R15	100	H	XL	✓		400	A	A
	215/70R15	98	T		✓		400	A	A
14	155/65R14	75	T		✓		400	A	A
	155/70R14	77	T		✓		400	A	A
	165/55R14	72	V		✓		400	A	A
	165/60R14	75	H		✓		400	A	A
	165/65R14	79	T		✓		400	A	A
	165/70R14	81	T		✓		400	A	A
	175/60R14	79	H		✓		400	A	A
	175/65R14	82	H		✓		400	A	A
	175/65R14	86	T	XL	✓		400	A	A
	175/70R14	84	T		✓		400	A	A
	175/70R14	88	T	XL	✓		400	A	A
	185/50R14	77	V		✓		400	A	A
	185/55R14	80	H		✓		400	A	A
	185/60R14	82	H		✓		400	A	A
	185/65R14	86	H		✓		400	A	A
	185/70R14	88	T		✓		400	A	A
	195/60R14	86	H		✓		400	A	A
	195/65R14	89	H		✓		400	A	A
	195/70R14	91	T		✓		400	A	A
	205/60R14	88	H		✓		400	A	A
	205/70R14	95	T		✓		400	A	A

X-PRIVIO TX5

Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
13	145/70R13	71	T		✓		400	A	A
	145/80R13	75	T		✓		400	A	A
	155/65R13	73	T		✓		400	A	A
	155/70R13	75	T		✓		400	A	A
	155/80R13	79	T		✓		400	A	A
	165/60R13	73	H		✓		400	A	A
	165/65R13	77	T		✓		400	A	A
	165/70R13	79	T		✓		400	A	A
	165/80R13	83	T		✓		400	A	A
	175/60R13	77	H		✓		400	A	A
	175/65R13	80	T		✓		400	A	A
	175/70R13	82	T		✓		400	A	A
	185/70R13	86	T		✓		400	A	A
12	145/70R12	69	T		✓		400	A	A
	145/80R12	74	T		✓		400	A	A
	155/70R12	73	T		✓		400	A	A
	155/80R12	77	T		✓		400	A	A
	165/70R12	77	T		✓		400	A	A
	175/70R12	80	T		✓		400	A	A

X-PRIVIO TX3


UTQG: 320 A A

SUMMER TIRES




HIGH PERFORMANCE FORWARD SPEED


X-PRIVIO TX3 is dynamically engineered deliver high speed, safety and driving pleasure. Perfect performance and handling control for speed enthusiasts with special profile. Maximum grip in bends on wet and dry surfaces. Wide area of use from sport cars to luxury vehicles with high-tech structure and aesthetic appearance.



Four main asymmetric grooves design ensures anti-hydroplaning performance.



A Continuous, circumferential solid center rib ensures linear stability at speed and provides crisp steering response.



The sharp crosscutting groove and the sipe design improves anti-hydroplaning performance.

PERFORMANCE



RANGE: **15-20**
SPEED RATE: **H/V/W/Y**
ASPECT RATIO: **30-55**
SECTION WIDTH: **165-285**

TRACMAX

X-PRIVIO TX3

Rim	Size	LI	SR	XL	RRC	Wet Grip	Noise Class	Noise Value (dB)	M+S	3PMSF	EPREL Code
20	195/50R20	93	V	XL	C	B	A	69			999033
	195/55R20	95	H	XL	C	B	A	69			999034
	215/45ZR20	95	W	XL	C	B	A	69			999035
	225/30ZR20	85	W	XL	C	B	A	69			613488
	225/35ZR20	93	W	XL	C	B	A	69			607723
	225/40ZR20	94	Y	XL	C	B	A	69			
	235/30ZR20	88	Y	XL	C	B	A	69			608618
	235/35ZR20	92	Y	XL	C	B	A	69			
	235/45ZR20	100	Y	XL	C	B	A	69			999036
	235/50ZR20	104	W	XL	C	B	A	69			2205904
	235/55ZR20	105	W	XL	C	B	A	69			2186723
	245/30ZR20	95	Y	XL	C	B	A	69			607982
	245/35ZR20	95	Y	XL	C	B	A	69			613333
	245/40ZR20	99	Y	XL	C	B	A	69			606756
	245/45ZR20	103	Y	XL	C	B	A	69			607892
	245/50ZR20	105	Y	XL	C	B	A	69			607491
	255/30ZR20	92	Y	XL	C	B	A	69			613226
	255/35ZR20	97	Y	XL	C	B	A	69			613201
	255/40ZR20	101	Y	XL	C	B	A	69			607632
	255/45ZR20	105	Y	XL	C	B	A	69			606962
	255/50ZR20	109	Y	XL	C	B	A	69			608539
	255/55ZR20	110	W	XL	C	B	A	69			608889
	265/35ZR20	99	Y	XL	C	B	A	69			2464531
	265/40ZR20	104	Y	XL	C	B	A	69			2210292
	275/30ZR20	97	Y	XL	C	B	B	71			606873
	275/35ZR20	102	Y	XL	C	B	B	71			608657
	285/30ZR20	99	Y	XL	C	B	A	72			
	285/35ZR20	104	Y	XL	C	B	A	72			2232467
19	205/55ZR19	97	W	XL	C	B	A	69			607567
	225/30ZR19	84	Y	XL	C	B	A	69			607922
	225/35ZR19	88	Y	XL	C	B	A	69			607575
	225/40ZR19	93	Y	XL	C	B	A	69			607585
	225/45ZR19	96	Y	XL	C	B	A	69			608610
	225/50ZR19	100	W	XL	C	B	A	69			2210280
	225/55ZR19	103	W	XL	C	B	A	69			607417
	235/35ZR19	91	Y	XL	C	B	A	69			607382
	235/40ZR19	96	Y	XL	C	B	A	69			613211
	235/45ZR19	99	Y	XL	C	B	A	69			609354
	235/50ZR19	103	Y	XL	C	B	A	69			607473
	235/55ZR19	105	Y	XL	C	B	A	69			613243
	245/35ZR19	93	Y	XL	C	B	A	69			608533

X-PRIVIO TX3

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
19	245/40ZR19	98	Y	XL	C	B	A	69			608890
	245/45ZR19	102	Y	XL	C	B	A	69			607464
	245/50ZR19	105	Y	XL	C	B	A	69			2186724
	245/55ZR19	107	W	XL	C	B	A	69			607453
	255/30ZR19	91	Y	XL	C	B	A	69			609450
	255/35ZR19	96	Y	XL	C	B	A	69			607391
	255/40ZR19	100	Y	XL	C	B	A	69			608660
	255/45ZR19	104	Y	XL	C	B	A	69			607363
	255/50ZR19	107	Y	XL	C	B	A	69			607492
	255/55ZR19	111	W	XL	C	B	A	69			606723
	265/30ZR19	93	W	XL	C	B	A	69			607564
	265/35ZR19	98	Y	XL	C	B	A	69			2210288
	265/50ZR19	110	Y	XL	C	B	A	69			607857
	265/55ZR19	113	Y	XL	C	B	A	69			2205908
	275/30ZR19	96	Y	XL	C	B	B	71			613388
	275/35ZR19	100	Y	XL	C	B	B	71			607447
	275/40ZR19	105	Y	XL	C	B	B	71			608512
	275/45ZR19	108	Y	XL	C	B	B	71			607636
	275/55ZR19	115	W	XL	C	B	B	71			
	275/55ZR19	111	W		C	B	B	71			613562
	285/30ZR19	98	Y	XL	C	B	A	71			
	285/35ZR19	103	Y	XL	C	B	A	72			2322075
	285/45ZR19	111	Y	XL	C	B	A	72			606991
18	205/40ZR18	86	Y	XL	C	B	A	69			999028
	215/35ZR18	84	W	XL	C	B	A	69			606753
	215/40ZR18	89	Y	XL	C	B	A	69			607843
	215/45ZR18	93	Y	XL	C	B	A	69			607366
	215/50ZR18	92	W		C	B	B	69			606928
	215/55R18	99	V	XL	C	B	A	69			607468
	225/35ZR18	87	Y	XL	C	B	A	69			607433
	225/40ZR18	92	Y	XL	C	B	A	69			604831
	225/45ZR18	95	Y	XL	C	B	A	69			607373
	225/50ZR18	99	W	XL	C	B	A	69			606885
	225/55R18	98	H		C	B	B	69			613732
	225/55R18	98	V		C	B	B	69			609328
	235/40ZR18	95	Y	XL	C	B	A	69			607451
	235/45ZR18	98	W	XL	C	B	A	69			607566
	235/50ZR18	97	W		C	B	B	69			607983
	235/50ZR18	101	Y	XL	C	B	A	69			607488
	235/55ZR18	104	W	XL	C	B	A	69			607344
	235/55ZR18	104	Y	XL	C	B	A	69			607747
	245/35ZR18	92	Y	XL	C	B	A	69			607536

X-PRIVIO TX3

Rim	Size	LI	SR	XL	RRC	Wet Grip	Noise Class	Noise Value (dB)	M+S	3PMSF	EPREL Code
18	245/40ZR18	97	Y	XL	C	B	A	69			607370
	245/45ZR18	100	Y	XL	C	B	A	69			607381
	245/50ZR18	104	W	XL	C	B	A	69			606990
	255/35ZR18	94	W	XL	C	B	A	69			613517
	255/35ZR18	94	Y	XL	C	B	A	69			613465
	255/40ZR18	99	Y	XL	C	B	A	69			607917
	255/45ZR18	103	Y	XL	C	B	A	69			613359
	255/55R18	109	V	XL	C	B	A	69			613589
	255/55ZR18	109	Y	XL	C	B	A	69			606959
	265/35ZR18	97	Y	XL	C	B	A	69			606456
	275/35ZR18	95	Y	XL	C	B	A	69			
	275/35ZR18	99	Y	XL	C	B	A	69			
	275/40ZR18	103	Y	XL	C	B	A	69			2488444
	275/45ZR18	107	Y	XL	C	B	B	71			2322073
	285/35ZR18	101	Y	XL	C	B	B	71			2322074
17	195/40ZR17	81	W	XL	C	B	A	69			607764
	195/45ZR17	85	W	XL	C	B	A	69			607591
	205/40ZR17	84	W	XL	C	B	A	69			609360
	205/45ZR17	88	W	XL	C	B	A	69			606957
	205/50ZR17	93	W	XL	C	B	A	69			606906
	205/55ZR17	95	W	XL	C	B	A	69			607419
	215/40ZR17	87	W	XL	C	B	A	69			608542
	215/45ZR17	91	W	XL	C	B	A	69			607429
	215/50ZR17	95	W	XL	C	B	A	69			606914
	215/55ZR17	98	W	XL	C	B	A	69			606940
	225/45ZR17	94	Y	XL	C	B	A	69			604690
	225/45ZR17	94	W	XL	C	B	A	69			607342
	225/50ZR17	98	Y	XL	C	B	A	69			606535
	225/55ZR17	101	W	XL	C	B	A	69			607460
	235/45ZR17	97	W	XL	C	B	A	69			607596
	235/50ZR17	100	W	XL	C	B	A	69			607374
	235/55ZR17	103	W	XL	C	B	A	69			607436
	245/40ZR17	95	W	XL	C	B	A	69			607638
	245/45ZR17	99	W	XL	C	B	A	69			613468
16	165/45R16	74	V	XL	C	B	A	69			2210277
	195/45R16	84	V	XL	C	B	A	69			607365
	205/45ZR16	87	W	XL	C	B	A	69			607411
	205/55ZR16	94	W	XL	C	B	A	69			607593
	215/40ZR16	86	W	XL	C	B	A	69			607372
	215/45R16	90	V	XL	C	B	A	69			607440
	215/45R16	86	H		C	B	B	69			607423
15	195/45R15	78	V		C	B	B	69			606893

X-PRIVIO RS01


UTQG: 340 A A

SUMMER TIRES




SPORTY SUV

X-PRIVIO RS01 is designed as a premium summer pattern with high performance capability. The tread profile enables exceptional high-speed, superb handling and cornering response on dry and wet surfaces. Modern tread design with special compound provides fuel economy as well as durability.



Continuous center ribs can improve stability of handling and straight performance at high speed.



The sipe design can disperse the noise to improve the ride performance.



One narrow groove on outside can increase the block stiffness and improve handling and steering stability during cornering.

PERFORMANCE



RANGE: **20-23**
SPEED RATE: **W/Y**
ASPECT RATIO: **30-55**
SECTION WIDTH: **225-325**

TRACMAX

X-PRIVIO RS01

Rim	Size	LI	SR	XL	RRC	Wet Grip	Noise Class	Noise Value (dB)	M+S	3PMSF	EPREL Code
23	285/35ZR23	107	Y	XL	C	C	A	72	✓		2196855
	285/40ZR23	111	Y	XL	C	C	A	72	✓		2196856
	295/35ZR23	108	Y	XL	C	C	A	72	✓		
	305/35ZR23	111	Y	XL	C	C	A	72	✓		2196857
	325/35ZR23	115	Y	XL	C	C	A	72	✓		
22	255/40R22	103	V	XL	C	C	B	72	✓		607449
	265/35ZR22	102	Y	XL	C	C	B	72	✓		607435
	265/40ZR22	106	Y	XL	C	C	B	72	✓		2322067
	265/50ZR22	112	Y	XL	C	C	B	72	✓		
	275/35ZR22	104	Y	XL	C	C	A	72	✓		999278
	275/40ZR22	108	Y	XL	C	C	B	72	✓		2234373
	275/50ZR22	115	Y	XL	C	C	B	72	✓		607876
	285/35ZR22	106	Y	XL	C	C	A	72	✓		607681
	285/40ZR22	110	Y	XL	C	C	A	72	✓		999326
	285/45ZR22	114	Y	XL	C	C	A	72	✓		
	315/30ZR22	107	Y	XL	C	C	A	72	✓		2234379
	315/35ZR22	111	Y	XL	C	C	A	72	✓		2234387
	325/40ZR22	114	Y		C	C	A	72	✓		
21	225/45ZR21	95	Y		C	C	B	71	✓		2441974
	235/45ZR21	101	Y	XL	C	C	B	71	✓		2322065
	235/50ZR21	101	Y		C	C	B	71	✓		
	245/35ZR21	96	Y	XL	C	C	B	71	✓		607561
	245/40ZR21	100	Y	XL	C	C	B	71	✓		999037
	255/35ZR21	98	Y	XL	C	C	B	72	✓		
	255/40ZR21	102	Y	XL	C	C	B	72	✓		999108
	255/45ZR21	106	Y	XL	C	C	B	72	✓		2322066
	265/35ZR21	101	Y	XL	C	C	B	72	✓		2464530
	265/40ZR21	105	Y	XL	C	C	B	72	✓		999112
	265/45ZR21	108	Y	XL	C	C	B	72	✓		999114
	275/30ZR21	98	Y	XL	C	C	B	72	✓		613144
	275/35ZR21	103	Y	XL	C	C	B	72	✓		999152
	275/40ZR21	107	Y	XL	C	C	B	72	✓		607984
	275/45ZR21	110	W	XL	C	C	B	72	✓		607549

X-PRIVIO RS01

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
21	285/40ZR21	109	Y	XL	C	C	A	72	✓		999144
	285/45ZR21	113	Y	XL	C	C	A	72	✓		999150
	295/35ZR21	107	Y	XL	C	C	A	72	✓		607813
	295/40ZR21	111	Y	XL	C	C	A	72	✓		607743
	315/30ZR21	105	Y	XL	C	C	A	72	✓		2322072
	315/35ZR21	111	Y	XL	C	C	A	72	✓		607459
	315/40ZR21	115	Y	XL	C	C	A	72	✓		607978
20	265/45ZR20	108	Y	XL	C	C	B	72	✓		607393
	265/50ZR20	111	W	XL	C	C	B	72	✓		607515
	265/55ZR20	113	W	XL	C	C	B	72	✓		2322069
	275/40ZR20	106	Y	XL	C	C	B	72	✓		608896
	275/45ZR20	110	Y	XL	C	C	B	72	✓		607428
	275/50ZR20	113	W	XL	C	C	B	72	✓		607959
	275/50ZR20	113	Y	XL	C	C	B	72	✓		613571
	275/55ZR20	117	W	XL	C	C	B	72	✓		613600
	285/50ZR20	116	W	XL	C	C	A	72	✓		607599
	295/40ZR20	110	Y	XL	C	C	A	72	✓		985648
	305/40ZR20	112	Y	XL	C	C	A	72	✓		607545
	315/35ZR20	110	Y	XL	C	C	A	72	✓		609474



SPARTAN TX6

UTQG: 240 A A

SUMMER TIRES

TRACMAX

SPARTAN TX6

Rim	Size	LI	SR	XL	RRC	Wet Grip	Noise Class	Noise Value (dB)	M+S	3PMSF	EPREL Code
20	265/50R20	111	V	XL	C	B	B	73	✓		
18	245/45R18	100	V	XL	C	B	B	73	✓		
	255/50R18	106	V	XL	C	B	B	73	✓		
	255/55R18	109	V	XL	C	B	B	73	✓		
	265/60R18	114	V	XL	C	B	B	73	✓		
	275/40R18	103	V	XL	C	B	B	73	✓		



SPORTY RACE

Aggressive tread pattern features minimal grooves. The Intuitive Responsive Profile technology enables greater cornering line flexibility, paired with exceptionally linear steering response.



The main zigzag grooves and aggressive pattern design provide outstanding traction for plus-sized wheel fitments of SUV.



High void ratio and non-directional asymmetrical pattern offers more evenly traction and cross rotated driving feature.



The sporty pattern design provides a comfortable ultra high performance with quieter ride and longer life.

PERFORMANCE



RANGE: **18-20**
SPEED RATE: **V**
ASPECT RATIO: **40-60**
SECTION WIDTH: **245-275**



X-PRIVILO RF19

SUMMER TIRES



VAN TYRE

X-PRIVILO RF19 is a premium pattern for light trucks and commercial vans, unique pattern design and compound provides a higher load carrying capacity, superior handling, durability and ride comfort.



Solid shoulder block improves tyre load ability, prevents uneven wear, and ensures the tyre endurance performance.



Preventing stress between blocks by applying square-shaped dimples where sipes is turned, resulting in better durability.



Application of 3-channel wide grooves reduces hydroplaning and Enhance performance and safety at high speeds.

PERFORMANCE



DRY



WET



LOADING



COMFORT



DURABILITY

RANGE: **14-17**
SPEED RATE: **H/Q/R/S/T**
ASPECT RATIO: **55-85**
SECTION WIDTH: **175-235**

X-PRIVILO RF19

Rim	Size	LI	SR	PR	RRC	Wet Grip	Noise Class	Noise Value (dB)	M+S	3PMSF	EPREL Code
17	215/60R17C	109/107	T	8PR	C	C	B	71			606915
	225/55R17C	109/107	H	8PR	C	C	B	71			999339
16	175/75R16C	101/99	S	8PR	C	C	B	71			607956
	185/75R16C	104/102	S	8PR	C	C	B	71			606537
	195/60R16C	99/97	H	6PR	C	C	B	71			607455
	195/65R16C	104/102	T	8PR	C	C	B	71			613220
	195/75R16C	107/105	S	8PR	C	C	B	71			607472
	195/75R16C	110/108	R	10PR	C	C	B	71			613370
	205/65R16C	107/105	T	8PR	C	C	B	71			607484
	205/75R16C	110/108	S	8PR	C	C	B	71			607642
	205/75R16C	113/111	R	10PR	C	C	B	71			608568
	215/60R16C	103/101	T	6PR	C	C	B	71			613508
	215/65R16C	109/107	T	8PR	C	C	B	71			607476
	215/70R16C	108/106	T	6PR	C	C	B	71			2322541
	215/75R16C	113/111	S	8PR	C	C	B	71			607685
	215/75R16C	116/114	R	10PR	C	C	B	71			607371
	225/65R16C	112/110	T	8PR	C	C	B	71			608520
	225/75R16C	121/120	R	10PR	C	C	B	71			607335
15	235/65R16C	115/113	T	8PR	C	C	B	71			608892
	235/65R16C	121/119	R	10PR	C	C	B	71			606688
	235/85R16C	120/116	Q	10PR	C	C	B	71			613159
	185/65R15C	97/95	S	6PR	C	C	B	71			2349586
	195/70R15C	104/102	S	8PR	C	C	B	71			607562
	195R15C	106/104	S	8PR	C	C	B	71			613608
	205/65R15C	102/100	T	6PR	C	C	B	71			1371675
	205/70R15C	106/104	S	8PR	C	C	B	71			606704
	215/65R15C	104/102	T	6PR	C	C	B	71			608604
	215/70R15C	109/107	S	8PR	C	C	B	71			608902
14	225/70R15C	112/110	S	8PR	C	C	B	71			606924
	175R14C	99/98	R	8PR	C	C	B	71			607594
	185R14C	102/100	S	8PR	C	C	B	71			613427
	195R14C	106/104	S	8PR	C	C	B	71			608597


X-PRIVILO RF28

SUMMER TIRES




COMMERCIAL VAN


Exceptionally durable all-season tire with improved mileage for commercial vans and transporters.



Excellent braking and steering performance.




Design of extra-deep pattern grooves and outstanding tread compound improves the anti-abrasion capability.




Excellent grip on dry and wet roads for a safe ride with zigzagging pattern grooves, robust pattern blocks.

PERFORMANCE



DRY




WET



LOADING



COMFORT



DURABILITY

RANGE: **12-16**
SPEED RATE: **Q / R**
ASPECT RATIO: **65-75**
SECTION WIDTH: **145-235**

TRACMAX

X-PRIVILO RF28

Rim	Size	LI	SR	PR	RRC	Wet Grip	Noise Class	Noise Value (dB)	M+S	3PMSF
16	175/75R16C	101/99	Q	8PR	C	C	B	72	✓	
	195/75R16C	107/105	R	8PR	C	C	B	72	✓	
	215/65R16C	109/107	R	8PR	C	C	B	72	✓	
	215/75R16C	113/111	R	8PR	C	C	B	72	✓	
	235/65R16C	121/119	R	10PR	C	C	B	72	✓	
15	185/65R15C	97/95	R	6PR	C	C	B	72	✓	
	185R15C	103/102	R	8PR	C	C	B	72	✓	
	195/70R15C	104/102	R	8PR	C	C	B	72	✓	
	WSW 195R15C	106/104	R	8PR	C	C	B	72	✓	
	215/70R15C	109/107	R	8PR	C	C	B	72	✓	
	225/70R15C	112/110	R	8PR	C	C	B	72	✓	
14	165R14C	97/95	Q	8PR	C	C	B	72	✓	
	175R14C	99/98	Q	8PR	C	C	B	72	✓	
	WSW 185R14C	102/100	R	8PR	C	C	B	72	✓	
	WSW 195R14C	106/104	R	8PR	C	C	B	72	✓	
	WSW 205/75R14C	109/107	R	10PR	C	C	B	72	✓	
12	145R12C	86/84	Q	8PR	C	C	B	72	✓	
	155R12C	88/86	Q	8PR	C	C	B	72	✓	

WSW TIRE



ELECTRIC



X-PRIVILO ET07




DESIGN
AWARD
2023

ELECTRIC TIRES




HIGH PERFORMANCE ELECTRIC VEHICLE TIRES


The X-PRIVILO ET07 is designed for high-end electrified vehicles. It delivers optimal traction and braking performance, a quiet ride, and ultra-low energy consumption.



Optimized groove design that rapidly evacuates water for enhanced wet grip.




Efficient lower rolling resistance rubber formula for tire shoulders reduces energy consumption and extends vehicle range.




Wider tread blocks More torque support, EV dedicated tyre.

PERFORMANCE



DRY



WET



QUIET



ENERGY SAVE



DURABILITY

RANGE: **17-22**
SPEED RATE: **W/Y**
ASPECT RATIO: **35-60**
SECTION WIDTH: **215-285**

TRACMAX

X-PRIVILO ET07

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	EPREL Code
22	255/45ZR22	107	Y	XL	B	B	B	73	✓	2697026
	265/40ZR22	106	Y	XL	B	B	B	73	✓	2697065
	285/40ZR22	110	Y	XL	B	B	B	73	✓	2697874
21	245/45ZR21	104	Y	XL	B	B	B	72	✓	2697019
	255/35ZR21	98	Y	XL	B	B	B	73	✓	2697068
	255/45ZR21	106	Y	XL	B	B	B	73	✓	2697059
	265/45ZR21	108	Y	XL	B	B	B	73	✓	2697880
	275/35ZR21	103	Y	XL	B	B	B	73	✓	2697070
	275/40ZR21	107	Y	XL	B	B	B	73	✓	2697878
	285/45ZR21	113	Y	XL	B	B	B	75	✓	2697873
20	215/45ZR20	95	Y	XL	B	B	B	71	✓	
	235/50ZR20	104	Y	XL	B	B	B	72	✓	2697075
	245/40ZR20	99	Y	XL	B	B	B	72	✓	2696931
	245/45ZR20	103	Y	XL	B	B	B	72	✓	2696890
	245/50ZR20	105	W	XL	B	B	B	72	✓	2696905
	255/40ZR20	101	Y	XL	B	B	B	73	✓	2696941
	255/45ZR20	105	Y	XL	B	B	B	73	✓	2697876
	255/50ZR20	109	W	XL	B	B	B	73	✓	
	255/50ZR20	109	Y	XL	B	B	B	73	✓	2697047
	265/40ZR20	104	Y	XL	B	B	B	73	✓	2697877
	265/45ZR20	108	Y	XL	B	B	B	73	✓	2696916
	275/50ZR20	113	W	XL	B	B	B	73	✓	2697009
	285/45ZR20	112	Y	XL	B	B	B	75	✓	2696949
19	225/45ZR19	96	Y	XL	B	B	B	71	✓	
	225/55ZR19	103	W	XL	B	B	B	71	✓	
	235/40ZR19	96	Y	XL	B	B	B	72	✓	2697042
	235/45ZR19	99	Y	XL	B	B	B	72	✓	2696918
	235/50ZR19	103	Y	XL	B	B	B	72	✓	2696989
	235/55ZR19	105	W	XL	B	B	B	72	✓	2696993
	245/40ZR19	98	Y	XL	B	B	B	72	✓	2696987
	245/45ZR19	102	Y	XL	B	B	B	72	✓	2697881
	245/55ZR19	107	W	XL	B	B	B	72	✓	2696937
	255/45ZR19	104	Y	XL	B	B	B	73	✓	2697032
	255/50ZR19	107	W	XL	B	B	B	73	✓	2696945
	255/55ZR19	111	W	XL	B	B	B	73	✓	2697003
18	225/45ZR18	95	Y	XL	B	B	B	71	✓	
	235/45ZR18	98	Y	XL	B	B	B	72	✓	2697879
	235/55ZR18	104	W	XL	B	B	B	72	✓	2696961
	235/60ZR18	107	W	XL	B	B	B	72	✓	2696999
	245/40ZR18	97	Y	XL	B	B	B	72	✓	2696927
	245/45ZR18	100	Y	XL	B	B	B	72	✓	2696869
	245/50ZR18	104	W	XL	B	B	B	71	✓	
	255/40ZR18	99	Y	XL	B	B	B	73	✓	2696908
17	225/45ZR17	94	Y	XL	B	B	B	71	✓	
	235/55ZR17	103	W	XL	B	B	B	72	✓	2696922

X-PRIVILO ET08

UTQG: 700 A A

ELECTRIC TIRES



Engineered to outlast no matter the distance

The X-PRIVILO ET08 meets the design needs of modern vehicles. It offers the increased tread life that today's families expect on their passenger cars and CUVs.

Achieves uniform contact pressure by optimizing contact structure and provides the overall lifespan with uniform tread wear.

The 3D sipes to keep the tire in an optimize shape. This helps to provide outstanding grip performance on dry, wet roads and light snow.

Composed with advanced fillers and flexible rubber materials,Compound provides higher mileage.

PERFORMANCE

DRY

WET

QUIET

ENERGY SAVE

DURABILITY

RANGE: **16-19**
SPEED RATE: **H/V**
ASPECT RATIO: **45-65**
SECTION WIDTH: **175-245**

TRACMAX

X-PRIVILO ET08

Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
19	235/50R19	103	V	XL	✓		700	A	A
	245/45R19	102	V	XL	✓		700	A	A
18	215/50R18	96	V	XL	✓		700	A	A
	215/55R18	99	V	XL	✓		700	A	A
	225/50R18	99	V	XL	✓		700	A	A
	225/55R18	102	V	XL	✓		700	A	A
	225/60R18	104	V	XL	✓		700	A	A
	235/50R18	101	V	XL	✓		700	A	A
17	205/50R17	93	V	XL	✓		700	A	A
	205/55R17	95	V	XL	✓		700	A	A
	215/50R17	95	V	XL	✓		700	A	A
	215/55R17	98	V	XL	✓		700	A	A
	215/60R17	100	V	XL	✓		700	A	A
	225/50R17	98	V	XL	✓		700	A	A
	225/55R17	101	V	XL	✓		700	A	A
	225/65R17	102	H		✓		700	A	A
16	175/55R16	80	H		✓		700	A	A
	195/60R16	89	H		✓		700	A	A
	205/55R16	91	V		✓		700	A	A
	205/60R16	92	H		✓		700	A	A
	215/60R16	95	H		✓		700	A	A
	225/60R16	98	V		✓		700	A	A



ALL SEASON

X-PRIVIO A/S TRAC SAVER

ALL SEASON




ONE TYRE ACROSS ALL SEASONS


With an adaptive all-season compound, A/S TRAC SAVER tyres deliver exceptional grip on snowy and wet winter roads. Optimized sidewall geometry and ideal tread depth deliver a significant reduction in rolling resistance and fuel consumption — without compromising safety.



2 wide tread grooves with fine sipes enhance steering and controlling ability.



Serrated snow patterns with fine sipes provide great grip under snow & ice conditions.



The special tread compound remains flexible to ensure the grip under All Season Trac Saver.

PERFORMANCE



RANGE: **12-21**
SPEED RATE: **H/T/V/W/Y**
ASPECT RATIO: **35-80**
SECTION WIDTH: **145-275**

TRACMAX

X-PRIVIO A/S TRAC SAVER

Rim	Size	LI	SR	XL	RRC	Wet Grip	Noise Class	Noise Value (dB)	M+S	3PMSF	EPREL Code
21	235/45ZR21	101	Y	XL	C	B	B	72	✓	✓	2322076
	195/50R20	93	H	XL	C	C	B	72	✓	✓	807822
20	195/55R20	95	H	XL	C	C	B	72	✓	✓	607392
	235/35ZR20	92	Y	XL	C	B	B	72	✓	✓	2171697
	235/50ZR20	104	W	XL	C	B	B	72	✓	✓	2217600
	245/45ZR20	103	Y	XL	C	B	B	72	✓	✓	1345087
	255/40ZR20	101	Y	XL	C	B	B	72	✓	✓	1345088
	255/45ZR20	105	W	XL	C	B	B	72	✓	✓	1371673
	265/45ZR20	108	Y	XL	C	B	B	72	✓	✓	2205913
	275/40ZR20	106	Y	XL	C	B	B	72	✓	✓	1371674
	275/45ZR20	110	Y	XL	C	B	B	72	✓	✓	2186731
	205/55ZR19	97	W	XL	C	B	B	72	✓	✓	607961
19	225/35ZR19	88	W	XL	D	B	B	72	✓	✓	613559
	225/35ZR19	88	Y	XL	D	B	B	72	✓	✓	607609
	225/40ZR19	93	W	XL	C	B	B	72	✓	✓	613205
	225/40ZR19	93	Y	XL	C	B	B	72	✓	✓	607746
	225/45ZR19	96	Y	XL	C	B	B	72	✓	✓	613207
	225/55ZR19	99	W		C	B	B	72	✓	✓	613452
	235/35ZR19	91	W	XL	C	B	B	72	✓	✓	
	235/35ZR19	91	Y	XL	C	B	B	72	✓	✓	607994
	235/40ZR19	96	Y	XL	C	B	B	72	✓	✓	1371669
	235/45ZR19	99	Y	XL	C	B	B	72	✓	✓	1371670
	235/50ZR19	103	W	XL	C	B	B	72	✓	✓	1371671
	235/55ZR19	105	W	XL	C	B	B	72	✓	✓	607623
	245/35ZR19	93	Y	XL	C	B	B	72	✓	✓	2210295
	245/40ZR19	98	Y	XL	C	B	B	72	✓	✓	607665
	245/40ZR19	98	W	XL	C	B	B	72	✓	✓	613462
	245/45ZR19	102	W	XL	C	B	B	72	✓	✓	613686
	245/45ZR19	102	Y	XL	C	B	B	72	✓	✓	613496
	245/50ZR19	105	W	XL	C	B	B	72	✓	✓	2186728
	255/35ZR19	96	Y	XL	C	B	B	72	✓	✓	606448
	255/40ZR19	100	Y	XL	C	B	B	72	✓	✓	607624
	255/45ZR19	104	Y	XL	C	B	B	72	✓	✓	2171703
	255/50ZR19	107	Y	XL	C	B	B	72	✓	✓	2186730
	255/55ZR19	111	W	XL	C	B	B	72	✓	✓	2210299

X-PRIVIO A/S TRAC SAVER

Rim	Size	LI	SR	XL	RRC	Wet Grip	Noise Class	Noise Value (dB)	M+S	3PMSF	EPREL Code
18	215/40ZR18	89	Y	XL	D	B	B	72	✓	✓	2169681
	215/45R18	93	V	XL	C	B	B	72	✓	✓	2171680
	215/50ZR18	92	W		C	B	B	72	✓	✓	607405
	215/55R18	99	V	XL	C	B	B	72	✓	✓	613473
	225/40ZR18	92	W	XL	C	B	B	72	✓	✓	608855
	225/40ZR18	92	Y	XL	C	B	B	72	✓	✓	613248
	225/45ZR18	95	W	XL	C	B	B	72	✓	✓	607443
	225/50ZR18	99	W	XL	C	B	B	72	✓	✓	1371668
	225/55R18	98	V		C	B	B	72	✓	✓	613379
	225/60R18	104	V	XL	C	B	B	72	✓	✓	2171689
	235/40ZR18	95	Y	XL	C	B	B	72	✓	✓	2169683
	235/45ZR18	98	W	XL	C	B	B	72	✓	✓	613524
	235/45ZR18	98	Y	XL	C	B	B	72	✓	✓	606917
	235/50ZR18	101	W	XL	C	B	B	72	✓	✓	606871
	235/55R18	104	V	XL	C	B	B	72	✓	✓	613480
	235/60ZR18	107	W	XL	C	B	B	72	✓	✓	606956
	245/40ZR18	97	W	XL	C	B	B	72	✓	✓	613673
	245/40ZR18	97	Y	XL	C	B	B	72	✓	✓	607461
	245/45ZR18	100	Y	XL	C	B	B	72	✓	✓	606927
	245/45ZR18	100	W	XL	C	B	B	72	✓	✓	608850
	245/50ZR18	104	Y	XL	C	B	B	72	✓	✓	1371672
	255/35ZR18	94	Y	XL	C	B	B	72	✓	✓	2217601
	255/40ZR18	99	Y	XL	C	B	B	72	✓	✓	1371678
	255/45ZR18	103	Y	XL	C	B	B	72	✓	✓	2186729
	255/55ZR18	109	W	XL	C	B	B	72	✓	✓	2205909
17	175/65R17	87	H		D	C	B	71	✓	✓	1751965
	205/40ZR17	84	W	XL	D	B	B	72	✓	✓	608509
	205/45ZR17	88	W	XL	D	B	B	72	✓	✓	613479
	205/50ZR17	93	W	XL	C	B	B	72	✓	✓	613306
	205/55ZR17	95	W	XL	C	B	B	72	✓	✓	613316
	215/40ZR17	87	W	XL	D	B	B	72	✓	✓	606963
	215/45ZR17	91	W	XL	C	B	B	72	✓	✓	606904
	215/50ZR17	95	W	XL	C	B	B	72	✓	✓	613222
	215/55ZR17	98	W	XL	C	B	B	72	✓	✓	609417
	215/60R17	100	V	XL	C	B	B	72	✓	✓	606746
	215/65R17	99	V		C	B	B	72	✓	✓	607401
	225/45ZR17	91	W		C	B	B	72	✓	✓	608650
	225/45ZR17	94	Y	XL	C	B	B	72	✓	✓	607396
	225/45ZR17	94	W	XL	C	B	B	72	✓	✓	606736

X-PRIVIO A/S TRAC SAVER

Rim	Size	LI	SR	XL	RRC	Wet Grip	Noise Class	Noise Value (dB)	M+S	3PMSF	EPREL Code
17	225/50ZR17	98	Y	XL	C	B	B	72	✓	✓	608549
	225/50ZR17	98	W	XL	C	B	B	72	✓	✓	607499
	225/55ZR17	101	W	XL	C	B	B	72	✓	✓	613302
	225/60R17	103	V	XL	C	B	B	72	✓	✓	607416
	225/65R17	106	V	XL	C	B	B	72	✓	✓	607619
	235/45ZR17	97	W	XL	C	B	B	72	✓	✓	607410
	235/55ZR17	103	W	XL	C	B	B	72	✓	✓	613252
	235/60R17	106	V	XL	C	B	B	72	✓	✓	2186727
	235/65ZR17	108	W	XL	C	B	B	72	✓	✓	607615
	245/45ZR17	99	W	XL	C	B	B	72	✓	✓	607968
16	175/60R16	86	H	XL	D	C	B	71	✓	✓	2169680
	185/50R16	81	V		D	C	B	71	✓	✓	2171639
	185/55R16	87	V	XL	D	C	B	71	✓	✓	2171667
	195/45R16	84	V	XL	D	C	B	72	✓	✓	613483
	195/50R16	88	V	XL	D	C	B	72	✓	✓	606992
	195/55R16	87	V		D	C	B	72	✓	✓	607501
	195/55R16	91	V	XL	C	C	B	72	✓	✓	607425
	195/60R16	89	V		D	C	B	72	✓	✓	607421
	205/45ZR16	87	W	XL	D	B	B	72	✓	✓	606775
	205/50ZR16	91	W	XL	C	B	B	72	✓	✓	607612
	205/55R16	91	V		C	B	B	72	✓	✓	604710
	205/55R16	94	V	XL	C	B	B	72	✓	✓	608643
	205/55R16	91	H		C	B	B	72	✓	✓	607928
	205/60R16	92	H		C	B	B	72	✓	✓	607873
	205/60R16	96	V	XL	C	B	B	72	✓	✓	607388
	205/65R16	99	H	XL	C	B	B	72	✓	✓	2067623
	215/45R16	90	V	XL	D	B	B	72	✓	✓	606886
	215/55ZR16	97	W	XL	C	B	B	72	✓	✓	607407
	215/60R16	99	V	XL	C	B	B	72	✓	✓	613239
	215/65R16	98	V		C	B	B	72	✓	✓	608524
15	215/70R16	100	H		C	B	B	72	✓	✓	607974
	225/55ZR16	99	W	XL	C	B	B	72	✓	✓	607657
	225/60R16	102	V	XL	C	B	B	72	✓	✓	607804
	235/60R16	100	V		C	B	B	72	✓	✓	606971
	155/60R15	74	T		D	C	B	71	✓	✓	2169677
	165/60R15	81	H	XL	D	C	B	71	✓	✓	2095938
	165/65R15	81	H		D	C	B	71	✓	✓	606941
	175/55R15	77	T		D	C	B	71	✓	✓	2186725
	175/60R15	85	H	XL	D	C	B	71	✓	✓	2067621
	175/65R15	84	H		D	C	B	71	✓	✓	609321

X-PRIVIO A/S TRAC SAVER

ALL SEASON

Rim	Size	LI	SR	XL	RRC	Wet Grip	Noise Class	Noise Value (dB)	M+S	3PMSF	EPREL Code
15	185/55R15	82	H		D	C	B	71	✓	✓	607486
	185/60R15	88	H	XL	D	C	B	71	✓	✓	606960
	185/60R15	84	H		D	C	B	71	✓	✓	607403
	185/65R15	88	H		D	C	B	71	✓	✓	606790
	185/65R15	92	H	XL	C	C	B	71	✓	✓	608511
	195/50R15	82	V		D	C	B	72	✓	✓	613345
	195/55R15	85	V		D	C	B	72	✓	✓	607589
	195/60R15	88	V		D	C	B	72	✓	✓	613365
	195/65R15	91	H		C	C	B	72	✓	✓	606874
	195/65R15	95	H	XL	C	C	B	72	✓	✓	607369
	205/65R15	94	V		C	B	B	72	✓	✓	607803
	215/65R15	96	H		C	B	B	72	✓	✓	608516
14	155/65R14	75	T		D	C	B	71	✓	✓	607471
	165/60R14	79	H	XL	D	C	B	71	✓	✓	606784
	165/65R14	79	T		D	C	B	71	✓	✓	613487
	165/70R14	81	T		D	C	B	71	✓	✓	608914
	165/70R14	85	T	XL	D	C	B	71	✓	✓	607337
	175/65R14	82	T		D	C	B	71	✓	✓	606529
	175/65R14	86	T	XL	D	C	B	71	✓	✓	608553
	175/70R14	84	T		D	C	B	71	✓	✓	607399
	175/70R14	88	T	XL	D	C	B	71	✓	✓	607350
	185/55R14	80	H		D	C	B	71	✓	✓	607651
	185/60R14	82	H		D	C	B	71	✓	✓	613507
	185/65R14	86	H		D	C	B	71	✓	✓	613203
	185/70R14	88	T		D	C	B	71	✓	✓	607446
	195/65R14	89	H		C	C	B	72	✓	✓	807816
	195/70R14	91	T		C	C	B	72	✓	✓	607848
	205/70R14	95	T		C	B	B	72	✓	✓	807820
13	145/70R13	71	T		D	C	B	71	✓	✓	606765
	145/80R13	79	T	XL	D	C	B	71	✓	✓	606761
	155/65R13	73	T		D	C	B	71	✓	✓	607582
	155/70R13	75	T		D	C	B	71	✓	✓	613470
	155/80R13	79	T		D	C	B	71	✓	✓	616995
	165/70R13	79	T		D	C	B	71	✓	✓	607380
	165/70R13	83	T	XL	D	C	B	71	✓	✓	607607
	175/65R13	80	T		D	C	B	71	✓	✓	607933
	175/70R13	82	T		D	C	B	71	✓	✓	607731
	185/70R13	86	T		D	C	B	71	✓	✓	807813

TRACMAX

X-PRIVIO A/S TRAC SAVER

Rim	Size	LI	SR	XL	RRC	Wet Grip	Noise Class	Noise Value (dB)	M+S	3PMSF	EPREL Code
12	155/70R12	73	T		D	C	B	71	✓	✓	807806
	165/70R12	77	T		D	C	B	71	✓	✓	807807
	175/70R12	80	T		D	C	B	71	✓	✓	807808




X-PRIVILO A/S VAN SAVER

ALL SEASON



ONE TYRE ACROSS ALL SEASONS

A/S VAN SAVER is developed for light and medium-duty vans, trucks and pickups, as well as crossover and sporty utility vehicles. With optimized wet braking and aquaplaning performance, VAN SAVER improves handling from dry to snowy roads.



Three main grooves of the tread design provides outstanding drainage ability.




Excellent handling performance due to ultimate tread design with central groove and brand new compound.




Solid shoulder design for better mileage.

PERFORMANCE



DRY



WET



WINTER



COMFORT



DURABILITY

RANGE: **14-17**
SPEED RATE: **H/R/S/T**
ASPECT RATIO: **55-75**
SECTION WIDTH: **175-235**

TRACMAX

X-PRIVILO A/S VAN SAVER

Rim	Size	LI	SR	PR	RRC	Wet Grip	Noise Class	Noise Value (dB)	M+S	3PMSF	EPREL Code
17	215/60R17C	109/107	T	8PR	C	B	B	72	✓	✓	607703
	225/55R17C	109/107	H	8PR	C	B	B	72	✓	✓	1002113
16	185/75R16C	104/102	S	8PR	D	B	B	72	✓	✓	607648
	195/60R16C	99/97	H	6PR	D	B	B	72	✓	✓	607673
	195/65R16C	104/102	S	8PR	D	B	B	72	✓	✓	606623
	195/75R16C	107/105	S	8PR	D	B	B	72	✓	✓	613310
	205/65R16C	107/105	T	8PR	D	B	B	72	✓	✓	608633
	205/75R16C	113/111	S	8PR	C	B	B	72	✓	✓	607409
	215/60R16C	103/101	T	6PR	D	B	B	72	✓	✓	607850
	215/65R16C	109/107	T	8PR	C	B	B	72	✓	✓	606868
	215/75R16C	113/111	S	8PR	C	B	B	72	✓	✓	607907
	225/65R16C	112/110	S	8PR	C	B	B	72	✓	✓	609458
	225/75R16C	121/120	R	10PR	C	B	B	72	✓	✓	606954
	235/65R16C	115/113	S	8PR	C	B	B	72	✓	✓	607603
15	235/65R16C	121/119	R	10PR	C	B	B	72	✓	✓	607463
	195/70R15C	104/102	S	8PR	D	B	B	72	✓	✓	609439
	205/70R15C	106/104	S	8PR	D	B	B	72	✓	✓	607772
	215/70R15C	109/107	S	8PR	C	B	B	72	✓	✓	613338
	225/70R15C	112/110	S	8PR	C	B	B	72	✓	✓	606891
14	175/65R14C	90/88	T	6PR	D	B	B	72	✓	✓	613434
	175/70R14C	95/93	T	6PR	D	B	B	72	✓	✓	607394

SUV / 4 x 4



X-PRIVILO H/T

UTQG: 500 A A

SUV / 4X4 TIRES



HIGHWAY TERRAIN

X-PRIVILO H/T is a professional tread pattern engineered for SUVs, delivering excellent handling, comfort and safety on paved highways.

The reinforced shoulder design ensures great handling and even wearing performance.

Four wide circumferential tread grooves deliver the ride stability. Improved grooves and bead profile design.

High-density sipes with special compound improve traction on dry and wet roads.

PERFORMANCE

DRY

WET

SPORT

COMFORT

MILEAGE

RANGE: **16-18**
SPEED RATE: **H/V**
ASPECT RATIO: **55-70**
SECTION WIDTH: **215-285**

TRACMAX

X-PRIVILO H/T

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	EPREL Code
18	215/60R18	98	H		C	C	B	70	✓	1002124
	225/55R18	98	H		C	C	B	70	✓	607883
	225/60R18	100	V		C	C	B	70	✓	607727
	235/60R18	107	H	XL	C	C	B	70	✓	607963
	235/60R18	107	V	XL	C	C	B	70	✓	607613
	235/65R18	110	H	XL	C	C	B	70	✓	613632
	245/60R18	105	H		C	C	B	70	✓	607954
	255/55R18	109	V	XL	C	C	B	71	✓	607981
	255/60R18	112	V	XL	C	C	B	71	✓	607990
	255/70R18	113	H		C	C	B	71	✓	608867
	265/60R18	110	H		C	C	B	71	✓	607699
	265/65R18	114	H		C	C	B	71	✓	613542
	275/65R18	116	H		C	C	B	71	✓	613538
	285/60R18	120	H	XL	C	C	A	72	✓	613549
17	215/60R17	100	H	XL	C	C	B	70	✓	607479
	215/65R17	99	H		C	C	B	70	✓	607853
	225/60R17	99	H		C	C	B	70	✓	609312
	225/65R17	102	H		C	C	B	70	✓	606908
	235/60R17	106	H	XL	C	C	B	70	✓	607395
	235/65R17	108	H	XL	C	C	B	70	✓	607477
	235/65R17	108	V	XL	C	C	B	70	✓	607597
	245/65R17	111	H	XL	C	C	B	70	✓	607754
	245/70R17	110	H		C	C	B	70	✓	613696
	255/60R17	110	V	XL	C	C	B	71	✓	607606
	255/65R17	110	H		C	C	B	71	✓	607947
	255/65R17	110	V		C	C	B	71	✓	607952
	265/65R17	112	H		C	C	B	71	✓	607953
	265/70R17	115	H		C	C	B	71	✓	613539
	275/65R17	115	H		C	C	B	71	✓	613541
16	285/65R17	116	H		C	C	B	72	✓	613231
	215/70R16	100	H		C	C	B	70	✓	607866
	225/70R16	107	H	XL	C	C	B	70	✓	607750
	235/60R16	100	H		C	C	B	70	✓	607543
	235/65R16	107	H	XL	C	C	B	70	✓	613494
	235/70R16	106	H		C	C	B	70	✓	608514
	245/70R16	111	H	XL	C	C	B	70	✓	607757
	255/65R16	109	H		C	C	B	71	✓	607507
	255/70R16	111	H		C	C	B	71	✓	607782
	265/70R16	112	H		C	C	B	71	✓	607666
	275/70R16	114	H		C	C	B	71	✓	613653

X-PRIVILO TX9


UTQG: 500 A A

SUV / 4X4 TIRES




HIGHWAY TERRAIN

X-PRIVILO TX9 features a symmetrical tread design, delivering an exhilarating driving experience tailored for consumers who seek the thrill of driving. It provides precise handling and exceptional grip in dry/wet conditions.



Four wide main longitudinal grooves enhance drainage performance, demonstrating outstanding hydroplaning resistance at high speeds.




The optimized multi-pitch arrangement significantly reduces tire noise. By refining the number and size of the pitches, it ensures a quieter driving experience.



The optimized composite material provides superior wet grip and lower rolling resistance.

PERFORMANCE



DRY



WET



SPORT



COMFORT



MILEAGE

RANGE: **15-20**
SPEED RATE: **T/H/V**
ASPECT RATIO: **50-75**
SECTION WIDTH: **205-285**

TRACMAX

X-PRIVILO TX9

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	EPREL Code
20	275/55R20	117	V	XL	C	B	B	73	✓	2410715
	275/60R20	116	V	XL	C	B	B	73	✓	2432949
	285/50R20	116	V	XL	C	B	B	73	✓	2410721
19	225/55R19	103	V	XL	C	B	B	72	✓	2409916
	235/55R19	105	V	XL	C	B	B	72	✓	2409947
	235/60R19	107	V	XL	C	B	B	72	✓	2410691
	235/65R19	109	H	XL	C	B	B	72	✓	2431659
	245/55R19	107	V	XL	C	B	B	72	✓	2410698
	255/55R19	111	V	XL	C	B	B	73	✓	2410707
	255/60R19	113	V	XL	C	B	B	73	✓	2410710
18	225/60R18	100	V		C	B	B	71	✓	2409925
	235/60R18	107	H	XL	C	B	B	72	✓	2410688
	235/65R18	110	H	XL	C	B	B	72	✓	2431658
	245/60R18	105	H		C	B	B	71	✓	2431676
	255/60R18	112	V	XL	C	B	B	73	✓	2432203
	255/70R18	113	H		C	B	B	72	✓	2432335
	265/60R18	110	H		C	B	B	72	✓	2432337
	265/65R18	114	H		C	B	B	72	✓	2432345
	265/70R18	116	H		C	B	B	72	✓	2432462
	275/65R18	116	H		C	B	B	72	✓	2432951
	285/60R18	120	H	XL	C	B	B	75	✓	2432953
17	205/60R17	97	V	XL	C	B	B	72	✓	2409878
	215/60R17	100	H	XL	C	B	B	72	✓	2409902
	215/65R17	99	H		C	B	B	71	✓	2409904
	225/60R17	99	H		C	B	B	71	✓	2409921
	225/65R17	102	H		C	B	B	71	✓	2431657
	235/60R17	106	H	XL	C	B	B	72	✓	2410687
	235/65R17	108	H	XL	C	B	B	72	✓	2410690
	245/65R17	111	H	XL	C	B	B	72	✓	2431698
	245/70R17	110	H		C	B	B	71	✓	2431711
	255/60R17	110	V	XL	C	B	B	73	✓	2432195
	255/65R17	110	V		C	B	B	72	✓	2432270
	265/65R17	112	H		C	B	B	72	✓	2432339
	265/70R17	115	H		C	B	B	72	✓	2432446
	275/65R17	115	H		C	B	B	72	✓	2432950
	285/65R17	116	H		C	B	B	74	✓	2432962

X-PRIVIO TX9

SUV / 4X4

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	EPREL Code
16	205/70R16	97	H		C	B	B	71	✓	2409880
	215/70R16	100	H		C	B	B	71	✓	2431656
	225/70R16	107	H	XL	C	B	B	72	✓	2409937
	235/60R16	100	H		C	B	B	71	✓	2410686
	235/70R16	106	H		C	B	B	71	✓	2431661
	245/70R16	111	H	XL	C	B	B	72	✓	2410700
	245/75R16	111	T		C	B	B	71	✓	2410704
	255/65R16	109	H		C	B	B	72	✓	2432248
	255/70R16	111	H		C	B	B	72	✓	2432329
	265/70R16	112	H		C	B	B	72	✓	2432378
15	275/70R16	114	H		C	B	B	72	✓	2432952
	215/75R15	100	T		C	B	B	71	✓	2409910
	235/75R15	109	T	XL	C	B	B	72	✓	2431663



X-PRIVILO AT01

ONLY FOR P TIRE

UTQG: 500 A A

SUV / 4X4 TIRES



ALL TERRAIN


X-PRIVILO AT01 series is completely suitable for multiple road conditions, provides excellent road contact stability for safer running. Intensive structure of the sidewall guarantees durability in all weather and road conditions.



Wide shoulder block design and enhanced block stiffness increase stability and durability, even on tough roads.




Sidewall pattern design can guard against cuts, bruises and impact breaks to improve off-road endurance.



Block chamfer design can enhance the wear resistance and comfort performance, and help prevent tire damage from stones or external impacts.

PERFORMANCE



RANGE: 15-16

SPEED RATE: S/T/H

ASPECT RATIO: 70-80

SECTION WIDTH: 195-265

TRACMAX

X-PRIVILO AT01

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	EPREL Code
16	215/70R16	100	H		C	C	B	71	✓	607969
15	195/80R15	100	T	XL	C	C	B	71	✓	606888
	235/75R15	109	T	XL	C	C	B	71	✓	613432
	255/70R15	112	H	XL	C	C	B	71	✓	608523
	265/70R15	112	H		C	C	B	71	✓	608530

Rim	Size	LI	SR	PR	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	EPREL Code
15	255/70R15C	112/110	S	6PR	C	C	B	71	✓	607790

X-PRIVILO AT08

ONLY FOR P TIRE


UTQG: 560 A A

SUV / 4X4 TIRES



ALL TERRAIN

X-PRIVILO AT08 series has excellent performance for multi road conditions. The whole design offers efficient water drainage and enhance vehicle performance on both on and off roads. Aggressive sidewall protections increase off-road bite and prevent damage from sidewall cut and abrasions.



Serrated snow patterns with fine sipes provide great grip under snow & ice conditions.




The wide open shoulder grooves enhance wet grip and provide excellent water & snow evacuation.



The wide tread enhances the traction under ice and snow conditions.

PERFORMANCE



RANGE: 15-20

SPEED RATE: S/T/H

ASPECT RATIO: 50-75

SECTION WIDTH: 215-285

TRACMAX

X-PRIVILO AT08

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	EPREL Code
20	265/50R20	111	H	XL	D	C	B	72	✓	613752
	285/50R20	116	H	XL	D	C	B	75	✓	607971
18	265/60R18	110	T		D	C	B	72	✓	668629
	265/60R18	114	T	XL	D	C	B	72	✓	613566
	285/60R18	116	T		D	C	B	73	✓	613543
17	225/60R17	99	T		D	C	B	71	✓	613556
	225/65R17	102	T		D	C	B	71	✓	613575
	235/65R17	104	T		D	C	B	71	✓	607797
	245/65R17	111	T	XL	D	C	B	72	✓	607554
	245/70R17	110	T		D	C	B	71	✓	613661
	255/65R17	110	T		D	C	B	72	✓	607408
	265/65R17	112	T		D	C	B	72	✓	607386
	265/70R17	115	T		D	C	B	72	✓	613551
	275/70R17	118	T		D	C	B	72	✓	613551
16	215/70R16	100	T		D	C	B	71	✓	613467
	225/70R16	103	T		D	C	B	71	✓	607793
	225/75R16	104	T		D	C	B	71	✓	607503
	235/70R16	106	T		D	C	B	71	✓	607608
	245/70R16	111	T	XL	D	C	B	72	✓	606942
	255/70R16	111	T		D	C	B	72	✓	607531
	265/70R16	112	T		D	C	B	72	✓	606947
	275/70R16	114	T		D	C	B	72	✓	613482
	285/70R16	116	T		D	C	B	72	✓	613482

Rim	Size	LI	SR	PR	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	EPREL Code
15	LT215/75R15C	100/97	S	6PR	-	-	-	-	✓	-
	LT235/75R15C	104/101	S	6PR	-	-	-	-	✓	-
	LT235/75R15C	116/113	S	6PR	-	-	-	-	✓	-


X-PRIVILO AT03 M+S

SUV / 4X4 TIRES




ALL-TERRAIN


The X-PRIVILO AT03, including P series and LT series, is an OffRoad All-Terrain tire developed to meet the needs of jeep, pickup truck and sport utility vehicle drivers who want confidence and control on and off road.



A complex network of aggressive tread elements, bionic design from caterpillar, work together to provide stable handling both on and off road.







Interlocking blocks and innovative sipping stabilize tread center to enhanced rigidity for improved everyday straight driving.



The cut-chip-and-tear-resistant tread compound, by using multi-functionalized S-SBR and highly well-organized carbonblack, provide longer life with 50,000miles warranty.

PERFORMANCE



RANGE: **13-18**
SPEED RATE: **H/R/S/T**
ASPECT RATIO: **60-80**
SECTION WIDTH: **175-265**

TRACMAX

X-PRIVILO AT03

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	EPREL Code
18	225/60R18	104	H	XL	C	C	B	72	✓	-
	265/60R18	114	T	XL	C	C	B	72	✓	-
17	225/65R17	102	T		C	C	B	71	✓	-
	265/65R17	112	T		C	C	B	72	✓	-
	265/70R17	115	T		C	C	B	72	✓	-
16	205/60R16	92	H		C	C	B	71	✓	-
	215/65R16	102	H	XL	C	C	B	71	✓	-
	245/70R16	111	T	XL	C	C	B	71	✓	-
	245/75R16	111	T		C	C	B	71	✓	-
	265/70R16	116	T	XL	C	C	B	71	✓	-
15	205/60R15	91	H		D	C	B	71	✓	-
	205/65R15	94	H		D	C	B	71	✓	-
	205/70R15	96	T		D	C	B	71	✓	-
	215/75R15	100	T		C	C	B	71	✓	-
	235/75R15	109	T	XL	C	C	B	71	✓	-
14	175/75R14	87	T		D	C	B	70	✓	-
	175/80R14	88	T		D	C	B	70	✓	-
13	175/75R13	85	T		D	C	B	70	✓	-

Rim	Size	LI	SR	PR	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	EPREL Code
18	LT225/60R18	100/97	R	6PR	C	C	B	72	✓	-
	LT265/60R18	119/116	R	10PR	C	C	B	72	✓	-
17	LT225/65R17	107/103	R	8PR	C	C	B	72	✓	-
	LT265/65R17	120/117	R	10PR	C	C	B	72	✓	-
	LT265/70R17	121/118	R	10PR	C	C	B	72	✓	-
16	LT215/65R16	103/100	R	8PR	C	C	B	72	✓	-
	LT245/70R16	118/115	R	10PR	C	C	B	72	✓	-
	LT245/75R16	120/116	R	10PR	C	C	B	72	✓	-
	LT265/70R16	121/118	R	10PR	C	C	B	72	✓	-
15	LT205/70R15	96/93	R	6PR	C	C	B	72	✓	-
	LT215/75R15	100/97	R	6PR	C	C	B	72	✓	-
	LT235/75R15	104/101	R	6PR	C	C	B	72	✓	-
	31X10.50R15LT	109	S	6PR	C	C	B	72	✓	-

X-PRIVILO M/T

SUV / 4X4 TIRES



MUD TERRAIN

X-PRIVILO M/T series is born for professional off-road conditions. Strong tyre structure brings reliability and durability. The robust design provides excellent traction performance on various tough road conditions. Pretty shoulder design increases the entertainment of refitted vehicle.

Three main zigzag grooves and aggressive pattern design provide outstanding traction.

The block tread design with multiple-sipes provide outstanding off-road traction and reduce tread damage on off-road condition.

Jointless Nylon band and strong structure design enhance the reliability and durability. Special tread compound and wide footprint deliver excellent braking on wet and dry roads.

PERFORMANCE

OFF-ROAD

DRY

WET

COMFORT

DURABILITY

RANGE: **15-18**
SPEED RATE: **Q**
ASPECT RATIO: **50-75**
SECTION WIDTH: **225-315**

TRACMAX

X-PRIVILO M/T

Rim	Size	LI	SR	PR	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	EPREL Code
18	33X12.50R18LT	118	Q	10PR	-	-	-	-	✓	-
	35X12.50R18LT	123	Q	10PR	-	-	-	-	✓	-
17	LT265/70R17	121/118	Q	10PR	-	-	-	-	✓	-
	LT285/70R17	121/118	Q	8PR	-	-	-	-	✓	-
	33X12.50R17LT	120	Q	10PR	-	-	-	-	✓	-
	35X12.50R17LT	125	Q	10PR	-	-	-	-	✓	-
16	LT225/75R16	115/112	Q	10PR	-	-	-	-	✓	-
	LT245/75R16	120/116	Q	10PR	-	-	-	-	✓	-
	LT265/75R16	123/120	Q	10PR	-	-	-	-	✓	-
	LT285/75R16	126/123	Q	10PR	-	-	-	-	✓	-
	LT305/70R16	124/121	Q	10PR	-	-	-	-	✓	-
	LT315/75R16	127/124	Q	10PR	-	-	-	-	✓	-
15	31X10.50R15LT	109	Q	6PR	-	-	-	-	✓	-
	33X12.50R15LT	108	Q	6PR	-	-	-	-	✓	-



WINTER



X-PRIVIO S360




WINTER TIRES




SUPERD STUDLESS SNOW TYRE


X-PRIVIO S360 is Tracmax's premium studless passenger car tires new designed pattern, with soft compound and block pattern spread the overall tread. supporting the vehicle to achieve super high performance, safety and durability with shorter braking distance.



Sturdy shoulder blocks ensure confident cornering. Their minimal deformation also results in slower, more even tread wear.



Wide longitudinal drainage grooves deliver stable handling and reliable braking performance on wet roads.



The optimized size and placement of transverse grooves shift noise to higher frequencies, effectively reducing road noise for a quieter ride.

PERFORMANCE



RANGE: **13-22**
SPEED RATE: **H/R/S/T/V**
ASPECT RATIO: **35-70**
SECTION WIDTH: **175-325**

TRACMAX

X-PRIVIO S360

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
22	265/50R22	112	T	XL	C	C	B	72	✓	✓	2049110
	275/40R22	107	H	XL	C	C	B	72	✓	✓	2049155
	275/50R22	115	T	XL	C	C	B	72	✓	✓	2049169
	285/40R22	110	H	XL	C	C	A	72	✓	✓	2049248
	285/45R22	114	H	XL	C	C	A	72	✓	✓	2049819
	315/35R22	111	H	XL	C	C	B	74	✓	✓	2049820
	325/35R22	114	H	XL	C	C	B	74	✓	✓	2049822
	325/40R22	114	H		C	C	B	74	✓	✓	2049823
21	235/50R21	101	T		C	C	B	72	✓	✓	2049038
	275/45R21	110	T	XL	C	C	B	72	✓	✓	2017318
	285/45R21	113	T	XL	C	C	A	72	✓	✓	2049270
	315/40R21	115	H	XL	C	C	B	74	✓	✓	2049821
20	235/55R20	102	T		C	C	B	72	✓	✓	2017275
	245/45R20	103	V	XL	C	C	B	72	✓	✓	2017295
	245/50R20	105	T	XL	C	C	B	72	✓	✓	2049045
	255/40R20	101	H	XL	C	C	B	72	✓	✓	2049095
	255/45R20	105	T	XL	C	C	B	72	✓	✓	2017305
	255/50R20	109	T	XL	C	C	B	72	✓	✓	2017308
	265/50R20	111	T	XL	C	C	B	72	✓	✓	2017311
	265/55R20	113	T	XL	C	C	B	72	✓	✓	2048050
	275/40R20	106	V	XL	C	C	B	72	✓	✓	2017314
	275/45R20	110	T	XL	C	C	B	72	✓	✓	2017317
	275/50R20	113	T	XL	C	C	B	72	✓	✓	2017319
	275/60R20	116	T	XL	C	C	B	72	✓	✓	2049225
	285/35R20	104	H	XL	C	C	A	72	✓	✓	2049235
	285/50R20	116	T	XL	C	C	A	72	✓	✓	2017321
	315/35R20	110	V	XL	C	C	A	72	✓	✓	2017323
19	225/45R19	96	T	XL	C	C	B	72	✓	✓	2016830
	225/55R19	103	T	XL	C	C	B	72	✓	✓	2016837
	235/50R19	103	T	XL	C	C	B	72	✓	✓	2017270
	235/55R19	105	T	XL	C	C	B	72	✓	✓	2017274
	245/40R19	98	S	XL	C	C	B	72	✓	✓	2017289
	245/45R19	102	T	XL	C	C	B	72	✓	✓	2017294
	245/55R19	107	T	XL	C	C	B	72	✓	✓	2017298

X-PRIVIO S360
WINTER

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
19	255/40R19	100	V	XL	C	C	B	72	✓	✓	2017302
	255/45R19	104	T	XL	C	C	B	72	✓	✓	2017304
	255/50R19	107	T	XL	C	C	B	72	✓	✓	2017306
	255/55R19	111	T	XL	C	C	B	72	✓	✓	2017310
	265/55R19	113	T	XL	C	C	B	72	✓	✓	2048043
18	215/55R18	99	T	XL	C	C	B	72	✓	✓	2016777
	225/40R18	92	H	XL	C	C	B	72	✓	✓	2016823
	225/45R18	95	T	XL	C	C	B	72	✓	✓	2016828
	225/50R18	95	H		C	C	B	72	✓	✓	2016833
	225/55R18	98	T		C	C	B	72	✓	✓	2016835
	225/60R18	104	T	XL	C	C	B	72	✓	✓	2017264
	235/45R18	98	T	XL	C	C	B	72	✓	✓	2017268
	235/50R18	101	T	XL	C	C	B	72	✓	✓	2017269
	235/55R18	104	T	XL	C	C	B	72	✓	✓	2017272
	235/60R18	107	T	XL	C	C	B	72	✓	✓	2017276
	245/40R18	97	T	XL	C	C	B	72	✓	✓	2017286
	245/45R18	100	T	XL	C	C	B	72	✓	✓	2017292
	245/50R18	100	S		C	C	B	72	✓	✓	2017296
	255/55R18	109	T	XL	C	C	B	72	✓	✓	2017309
	265/60R18	114	T	XL	C	C	B	72	✓	✓	2017312
	265/65R18	116	T	XL	C	C	B	72	✓	✓	2049137
	285/60R18	116	T		C	C	A	72	✓	✓	2017322
17	205/50R17	93	T	XL	C	C	B	72	✓	✓	2016746
	205/55R17	95	R	XL	C	C	B	72	✓	✓	2016749
	215/45R17	91	T	XL	C	C	B	72	✓	✓	2016765
	215/50R17	95	T	XL	C	C	B	72	✓	✓	2016771
	215/55R17	98	T	XL	C	C	B	72	✓	✓	2016775
	215/60R17	100	R	XL	C	C	B	72	✓	✓	2016783
	215/65R17	103	T	XL	C	C	B	72	✓	✓	2016809
	225/45R17	94	T	XL	C	C	B	72	✓	✓	2016825
	225/50R17	98	T	XL	C	C	B	72	✓	✓	2016832
	225/55R17	101	T	XL	C	C	B	72	✓	✓	2016834
	225/60R17	103	S	XL	C	C	B	72	✓	✓	2016838

X-PRIVIO S360

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
17	225/65R17	106	T	XL	C	C	B	72	✓	✓	2017265
	235/45R17	94	S		C	C	B	72	✓	✓	2017267
	235/55R17	103	T	XL	C	C	B	72	✓	✓	2017271
	235/65R17	108	T	XL	C	C	B	72	✓	✓	2017277
	245/65R17	111	T	XL	C	C	B	72	✓	✓	2017299
	245/70R17	110	T		C	C	B	72	✓	✓	2017301
	265/65R17	116	T	XL	C	C	B	72	✓	✓	2017313
16	195/55R16	87	T		D	D	B	72	✓	✓	2016735
	205/55R16	94	T	XL	C	C	B	72	✓	✓	1987949
	205/60R16	96	T	XL	C	C	B	72	✓	✓	2016750
	205/65R16	99	T	XL	C	C	B	72	✓	✓	2016758
	215/55R16	97	T	XL	C	C	B	72	✓	✓	2016773
	215/60R16	99	T	XL	C	C	B	72	✓	✓	2016779
	215/65R16	102	T	XL	C	C	B	72	✓	✓	2016790
	215/70R16	100	T		C	C	B	72	✓	✓	2016819
	225/70R16	103	T		C	C	B	72	✓	✓	2017266
	235/70R16	106	T		C	C	B	72	✓	✓	2017279
	245/70R16	111	T	XL	C	C	B	72	✓	✓	2017300
15	185/60R15	88	T	XL	D	D	B	71	✓	✓	2016721
	185/65R15	92	T	XL	C	D	B	71	✓	✓	2016727
	195/55R15	89	T	XL	D	D	B	72	✓	✓	2016731
	195/60R15	92	T	XL	C	D	B	72	✓	✓	2016742
	195/65R15	95	T	XL	C	D	B	72	✓	✓	1987929
	205/65R15	99	T	XL	C	C	B	72	✓	✓	2016753
	205/70R15	100	T	XL	C	C	B	72	✓	✓	2016762
14	175/65R14	82	R		D	D	B	71	✓	✓	2016706
	175/70R14	88	T	XL	D	D	B	71	✓	✓	2016713
	185/60R14	82	T		D	D	B	71	✓	✓	2016717
	185/65R14	90	T	XL	D	D	B	71	✓	✓	2016725
	185/70R14	92	T	XL	C	D	B	71	✓	✓	2016730
13	175/70R13	82	T		D	D	B	71	✓	✓	2016709

X-PRIVILO S500



WINTER TIRES



STUDDABLE SNOW TYRE

X-PRIVILO S500 is studdable performance winter tyres for passenger cars. Super grip design delivers ultimate safety under all winter conditions. Patent-designed rubber formula guarantee soft performance in extremely cold weather. Low Fuel consumption and comfortable noise level.



high-density stud arrangement guarantee the grip performance under ice and snow road conditions. Padded stud design ensures the stud stability, avoid loose and fall off while running.



The special tread formula allows tyres to keep elastic and soft in extreme cold weather conditions.



The directional tread pattern and sipe design bring good drainage performance in snow, slush and water conditions. The sipe pattern and saw-tooth block edges improve the handling and stability on snow and ice.

PERFORMANCE



DRY



WET



WINTER



COMFORT



MILEAGE

RANGE: **13-22**
SPEED RATE: **H/S/T**
ASPECT RATIO: **35-75**
SECTION WIDTH: **155-325**

X-PRIVILO S500

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
22	265/40R22	106	T	XL	C	D	B	72	✓	✓	2048103
	265/50R22	112	T	XL	C	D	B	72	✓	✓	2049843
	275/35R22	104	H	XL	C	D	B	72	✓	✓	2050067
	275/40R22	107	T	XL	C	D	B	72	✓	✓	2048143
	275/50R22	115	T	XL	C	D	B	72	✓	✓	2054832
	285/40R22	110	H	XL	C	D	A	72	✓	✓	2048159
	285/45R22	114	H	XL	C	D	A	72	✓	✓	2048172
	315/35R22	111	T	XL	C	D	B	75	✓	✓	2382740
	325/40R22	114	H		C	D	B	73	✓	✓	
21	235/50R21	101	T		C	D	B	72	✓	✓	2049824
	245/45R21	104	H	XL	C	D	B	72	✓	✓	2382737
	265/45R21	108	T	XL	C	D	B	72	✓	✓	2048111
	275/40R21	107	H	XL	C	D	B	72	✓	✓	2050121
	275/45R21	110	T	XL	C	D	B	72	✓	✓	1549487
	275/50R21	113	H	XL	C	D	B	72	✓	✓	2382738
	285/40R21	109	H	XL	C	D	B	72	✓	✓	2382739
	285/45R21	113	T	XL	C	D	A	72	✓	✓	2054836
	295/35R21	107	H	XL	C	D	B	75	✓	✓	2054841
20	315/35R21	111	H	XL	C	D	B	75	✓	✓	2054845
	315/40R21	115	H	XL	C	D	B	75	✓	✓	2054846
	235/55R20	105	T	XL	C	D	B	72	✓	✓	1548525
	245/45R20	103	T	XL	C	D	B	72	✓	✓	1548598
	245/50R20	105	T	XL	C	D	B	72	✓	✓	2048073
	255/45R20	105	H	XL	C	D	B	72	✓	✓	2048092
	255/50R20	109	T	XL	C	D	B	72	✓	✓	1548659
	255/55R20	110	H	XL	C	D	B	72	✓	✓	2382230
	265/50R20	111	T	XL	C	D	B	72	✓	✓	1548698
	265/55R20	113	T	XL	C	D	B	72	✓	✓	2048133
	275/45R20	110	T	XL	C	D	B	72	✓	✓	1548748
	275/50R20	113	T	XL	C	D	B	72	✓	✓	1549492
	275/60R20	116	T	XL	C	D	B	72	✓	✓	2054834
	285/45R20	112	T	XL	C	D	A	72	✓	✓	2382232
	285/50R20	116	T	XL	C	D	A	72	✓	✓	1549494
	305/40R20	112	H	XL	C	D	B	75	✓	✓	2054843

X-PRIVIO S500

WINTER

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
19	225/45R19	96	T	XL	C	D	B	72	✓	✓	1548450
	225/55R19	103	T	XL	C	D	B	72	✓	✓	1548458
	235/40R19	96	T	XL	C	D	B	72	✓	✓	2382199
	235/50R19	103	T	XL	C	D	B	72	✓	✓	1548486
	235/55R19	105	T	XL	C	D	B	72	✓	✓	1548516
	245/40R19	98	H	XL	C	D	B	72	✓	✓	2049841
	245/45R19	102	T	XL	C	D	B	72	✓	✓	1548593
	245/55R19	107	T	XL	C	D	B	72	✓	✓	1548604
	255/45R19	104	T	XL	C	D	B	72	✓	✓	1548629
	255/50R19	107	T	XL	C	D	B	72	✓	✓	1548645
	255/55R19	111	T	XL	C	D	B	72	✓	✓	1548684
	265/55R19	113	T	XL	C	D	B	72	✓	✓	2048124
	275/35R19	100	H	XL	C	D	B	72	✓	✓	2050055
18	215/55R18	99	T	XL	C	D	B	72	✓	✓	1548437
	225/45R18	95	T	XL	C	D	B	72	✓	✓	1548447
	225/55R18	102	T	XL	C	D	B	72	✓	✓	1548453
	225/60R18	104	T	XL	C	D	B	72	✓	✓	1548468
	235/45R18	98	T	XL	C	D	B	72	✓	✓	1548481
	235/50R18	101	T	XL	C	D	B	72	✓	✓	1548483
	235/55R18	104	T	XL	C	D	B	72	✓	✓	1548505
	235/60R18	107	T	XL	C	D	B	72	✓	✓	1548531
	235/65R18	110	T	XL	C	D	B	72	✓	✓	1548537
	245/40R18	97	T	XL	C	D	B	72	✓	✓	1548571
	245/45R18	100	T	XL	C	D	B	72	✓	✓	1548582
	245/60R18	105	T		C	D	B	72	✓	✓	1548611
	255/55R18	109	T	XL	C	D	B	72	✓	✓	1548672
	255/60R18	112	T	XL	C	D	B	72	✓	✓	1548690
	265/60R18	114	T	XL	C	D	B	72	✓	✓	1548712
17	265/65R18	116	T	XL	C	D	B	72	✓	✓	2050047
	285/60R18	120	T	XL	C	D	A	72	✓	✓	1549499
	205/50R17	93	T	XL	C	D	B	72	✓	✓	1548429
	215/50R17	95	T	XL	C	D	B	72	✓	✓	1548435
	215/55R17	98	T	XL	C	D	B	72	✓	✓	668829
	215/60R17	100	T	XL	C	D	B	72	✓	✓	1548438
	215/65R17	99	T		C	D	B	72	✓	✓	1548441
	225/45R17	94	T	XL	C	D	B	72	✓	✓	668843

X-PRIVIO S500

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
17	225/50R17	98	T	XL	C	D	B	72	✓	✓	668853
	225/55R17	101	T	XL	C	D	B	72	✓	✓	668862
	225/60R17	103	T	XL	C	D	B	72	✓	✓	1548467
	225/65R17	106	T	XL	C	D	B	72	✓	✓	668872
	235/55R17	103	T	XL	C	D	B	72	✓	✓	1548492
	235/65R17	108	T	XL	C	D	B	72	✓	✓	668874
	265/65R17	112	T		C	D	B	72	✓	✓	1548724
16	195/55R16	91	T	XL	C	D	B	72	✓	✓	1548343
	205/55R16	94	T	XL	C	D	B	72	✓	✓	668669
	205/60R16	96	T	XL	C	D	B	72	✓	✓	668793
	205/65R16	99	T	XL	C	D	B	72	✓	✓	1548430
	215/55R16	97	T	XL	C	D	B	72	✓	✓	1548436
	215/60R16	99	T	XL	C	D	B	72	✓	✓	668811
	215/65R16	102	T	XL	C	D	B	72	✓	✓	668820
	215/70R16	100	T		C	D	B	72	✓	✓	1548444
	225/70R16	107	T	XL	C	D	B	72	✓	✓	1548470
	235/70R16	106	T		C	D	B	72	✓	✓	1548541
	245/70R16	111	T	XL	C	D	B	72	✓	✓	1548619
	265/70R16	112	T		C	D	B	72	✓	✓	1548739
15	185/55R15	82	T		D	D	B	71	✓	✓	1547454
	185/60R15	88	T	XL	C	D	B	72	✓	✓	668716
	185/65R15	92	T	XL	C	D	B	72	✓	✓	668721
	195/55R15	85	T		D	D	B	72	✓	✓	1548342
	195/60R15	92	T	XL	C	D	B	72	✓	✓	1548344
	195/65R15	95	T	XL	C	D	B	72	✓	✓	668758
	205/65R15	99	T	XL	C	D	B	72	✓	✓	668780
	205/70R15	96	T		C	D	B	72	✓	✓	1548432
14	205/75R15	97	T		C	D	B	72	✓	✓	1548433
	175/65R14	86	T	XL	D	D	B	71	✓	✓	1547345
	175/70R14	88	T	XL	C	D	B	71	✓	✓	1547446
	185/60R14	82	T		D	D	B	71	✓	✓	1547463
	185/65R14	90	T	XL	C	D	B	71	✓	✓	1547479
13	185/70R14	92	T	XL	C	D	B	71	✓	✓	1547495
	155/70R13	75	T		D	D	B	71	✓	✓	1547329
	175/70R13	82	T		D	D	B	71	✓	✓	1547365

X-PRIVILO S550



WINTER TIRES



STUDDABLE LT WINTER TYRE

This series offers exceptional winter grip and driving stability combined with strong structure and great mileage. Safety and reliability for extreme winter conditions. Strength and Stability for heavy loads.

Unsymmetrical and directional Wave shape grooves design Improves grip on ice and snow, skid resistance, and effectively reduces noise emissions.

The winter tread formula allows the tire to maintain elasticity to improve grip in extreme cold weather conditions.

Strong structure offers good strength for heavy loads.

PERFORMANCE

DRY

WET

WINTER

COMFORT

DURABILITY

RANGE: **16-17**
SPEED RATE: **S**
ASPECT RATIO: **70-75**
SECTION WIDTH: **225-265**

TRACMAX

X-PRIVILO S550

Rim	Size	LI	SR	PR	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
17	LT245/70R17	119/116	S	10PR	C	D	B	73	✓	✓	1573061
	LT265/70R17	121/118	S	10PR	C	D	B	73	✓	✓	1573063
16	LT225/75R16	115/112	S	10PR	C	D	B	73	✓	✓	1573060
	LT245/75R16	120/116	S	10PR	C	D	B	73	✓	✓	1573062



ICE-PLUS SR1




WINTER TIRES




WINTER STUDDABLE VAN TYRE


Studdable tread pattern design with reinforced structure ensures excellent handing performance in extreme winter road conditions. The special tread compound effectively enhances the performance of the tyre grip to ensure safe driving in winter season.



Special silica tread compound ensures the tire has good snow performance at low temperature conditions, and reduces tire rolling resistance.




The wide lateral grooves enhance the edge effect, improve the traction and braking performance on the snow and ice road.



Deepened groove depth with stud design improves the grip and handling performance on ice and snow road, make sure safety.

PERFORMANCE



RANGE: **14-16**
SPEED RATE: **Q**
ASPECT RATIO: **65-80**
SECTION WIDTH: **185-235**

TRACMAX

ICE-PLUS SR1

Rim	Size	LI	SR	PR	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
16	185/75R16C	104/102	Q	8PR	D	D	B	72	✓	✓	661836
	195/75R16C	107/105	Q	8PR	D	D	B	72	✓	✓	2048033
	205/65R16C	107/105	Q	8PR	D	D	B	72	✓	✓	651385
	215/65R16C	109/107	Q	8PR	D	D	B	72	✓	✓	651386
	235/65R16C	115/113	Q	8PR	D	D	B	72	✓	✓	661841
14	185R14C	102/100	Q	8PR	D	D	B	72	✓	✓	607604



X-PRIVIO S130




WINTER TIRES




STUDLESS SNOW TYRE


The X-PRIVIO S130 is a studless snow tire specifically engineered for passenger cars, delivering precise handling and short braking distances for superior safety. Its optimized tread pattern and carefully balanced compound formulation ensure continuous road contact even under the harshest weather conditions.



The design of single guide pattern and transverse drainage groove makes the snowy/wet slippery pavement show excellent traction and braking performance.




Longitudinal semi-deep drainage groove design enables effective connection between patterned blocks, increases the strength of patterned blocks, and provides better turning performance.



High density 3D snow steel sheet design can effectively enhance the grip force in the snow, effectively pierce the water film on the wet road surface, and prevent the occurrence of water sliding.

PERFORMANCE



DRY



WET



WINTER



COMFORT



MILEAGE

RANGE: **13-16**
SPEED RATE: **H/S/T/V**
ASPECT RATIO: **50-80**
SECTION WIDTH: **135-265**

TRACMAX

X-PRIVIO S130

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
16	185/60R16	86	H		D	B	B	70	✓	✓	613649
	195/50R16	84	H		D	B	B	70	✓	✓	607420
	195/50R16	88	V	XL	D	B	B	70	✓	✓	606440
	195/55R16	87	H		D	B	B	70	✓	✓	607402
	195/55R16	91	V	XL	C	B	B	70	✓	✓	607376
	195/60R16	89	H		D	B	B	70	✓	✓	608521
	205/55R16	91	H		C	B	B	70	✓	✓	716183
	205/55R16	91	V		C	B	B	70	✓	✓	606520
	205/60R16	92	T		C	B	B	70	✓	✓	833446
	205/60R16	92	H		C	B	B	70	✓	✓	606930
	205/60R16	96	H	XL	C	B	B	70	✓	✓	609423
	215/60R16	95	H		C	B	B	70	✓	✓	607886
	215/60R16	99	H	XL	C	B	B	70	✓	✓	606995
	215/65R16	98	T		C	B	B	70	✓	✓	
	215/65R16	98	H		C	B	B	70	✓	✓	613209
	215/65R16	102	H	XL	C	B	B	70	✓	✓	606608
	225/60R16	98	T		C	B	B	70	✓	✓	
	225/60R16	98	H		C	B	B	70	✓	✓	613705
	225/60R16	102	H	XL	C	B	B	70	✓	✓	607960
	*265/70R16	112	H		C	B	B	72	✓	✓	
15	135/70R15	70	T		D	B	B	70	✓	✓	608863
	145/65R15	72	T		D	B	B	70	✓	✓	607432
	155/60R15	74	T		D	B	B	70	✓	✓	607895
	165/60R15	81	T	XL	D	B	B	70	✓	✓	607452
	165/65R15	81	T		D	B	B	70	✓	✓	607635
	175/55R15	77	T		D	B	B	70	✓	✓	607718
	175/65R15	84	T		D	B	B	70	✓	✓	613490
	185/55R15	82	H		D	B	B	70	✓	✓	607578
	185/60R15	84	T		D	B	B	70	✓	✓	606946
	185/60R15	88	T	XL	D	B	B	70	✓	✓	607439
	185/65R15	88	T		D	B	B	70	✓	✓	833448
	185/65R15	88	H		D	B	B	70	✓	✓	606948
	185/65R15	92	T	XL	C	B	B	70	✓	✓	607807
	195/50R15	82	H		D	B	B	70	✓	✓	606884
	195/55R15	85	H		D	B	B	70	✓	✓	606932
	195/60R15	88	T		D	B	B	70	✓	✓	
	195/60R15	88	H		D	B	B	70	✓	✓	607465
	195/65R15	91	T		C	B	B	70	✓	✓	1323804
	195/65R15	91	H		C	B	B	70	✓	✓	606916
	195/65R15	95	T	XL	C	B	B	70	✓	✓	607854

*UNDER DEVELOPMENT

X-PRIVLO S130

WINTER

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
15	205/60R15	91	H		C	B	B	70	✓	✓	607693
	205/65R15	94	H		C	B	B	70	✓	✓	607662
	205/70R15	96	S		C	B	B	70	✓	✓	765152
	205/70R15	96	T		C	B	B	70	✓	✓	607634
	215/65R15	96	H		C	B	B	70	✓	✓	607985
	215/65R15	100	H	XL	C	B	B	70	✓	✓	607740
	215/70R15	98	S		C	B	B	70	✓	✓	
	215/70R15	98	T		C	B	B	70	✓	✓	608859
14	155/65R14	75	T		D	B	B	70	✓	✓	607387
	165/60R14	79	T	XL	D	B	B	70	✓	✓	607611
	165/65R14	79	T		D	B	B	70	✓	✓	606898
	165/70R14	81	T		D	B	B	70	✓	✓	606779
	165/70R14	85	T	XL	D	B	B	70	✓	✓	607977
	175/65R14	82	T		D	B	B	70	✓	✓	606877
	175/65R14	86	T	XL	D	B	B	70	✓	✓	607519
	175/70R14	84	T		D	B	B	70	✓	✓	607659
	175/70R14	88	T	XL	D	B	B	70	✓	✓	607469
	185/55R14	80	T		D	B	B	70	✓	✓	607940
	185/60R14	82	T		D	B	B	70	✓	✓	
	185/60R14	82	H		D	B	B	70	✓	✓	608909
	185/65R14	86	T		D	B	B	70	✓	✓	2442014
	185/65R14	86	H		D	B	B	70	✓	✓	606588
	185/70R14	88	T		D	B	B	70	✓	✓	607927
	195/65R14	89	T		D	B	B	70	✓	✓	613553
	195/70R14	91	T		C	B	B	70	✓	✓	606730
13	145/70R13	71	T		D	B	B	70	✓	✓	607870
	145/80R13	75	T		D	B	B	70	✓	✓	607840
	155/65R13	73	T		D	B	B	70	✓	✓	606920
	155/70R13	75	T		D	B	B	70	✓	✓	608547
	155/80R13	79	T		D	B	B	70	✓	✓	607426
	165/70R13	79	T		D	B	B	70	✓	✓	607812
	175/65R13	80	T		D	B	B	70	✓	✓	607390
	175/70R13	82	T		D	B	B	70	✓	✓	704084



X-PRIVILO S330




WINTER TIRES




STUDLESS SNOW TYRE UHP/SUV


X-PRIVILO S330 comprehensively improves safety and handling performance in Winter conditions, the high-tech features are contributed by new winter formula and sipe designs.



Wide longitudinal drainage grooves ensure stable handling and braking performance on wet roads.



Unique arrow single guide pattern design increases snow traction and enhances winter driving pleasure.



The 3D S-Curve grooves design improves handling performance on winter roads, supports a faster braking.

PERFORMANCE



RANGE: **17-21**
SPEED RATE: **H/T/V**
ASPECT RATIO: **35-70**
SECTION WIDTH: **205-315**

X-PRIVILO S330

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
21	275/45R21	110	V	XL	C	C	B	73	✓	✓	607406
	295/35R21	107	V	XL	C	C	B	73	✓	✓	607361
20	235/45R20	100	V	XL	C	C	B	72	✓	✓	2382228
	235/50R20	104	V	XL	C	C	B	72	✓	✓	2095922
	245/35R20	95	V	XL	C	C	B	72	✓	✓	607438
	245/40R20	99	V	XL	C	C	B	72	✓	✓	607944
	245/45R20	103	V	XL	C	C	B	72	✓	✓	607890
	255/35R20	97	V	XL	C	C	B	73	✓	✓	607842
	255/40R20	101	V	XL	C	C	B	73	✓	✓	607737
	255/45R20	105	V	XL	C	C	B	73	✓	✓	607602
	255/50R20	109	V	XL	C	C	B	73	✓	✓	607495
	255/55R20	110	V	XL	C	C	B	73	✓	✓	607988
	265/45R20	108	V	XL	C	C	B	73	✓	✓	606715
	275/45R20	110	V	XL	C	C	B	73	✓	✓	608510
	275/55R20	117	V	XL	C	C	B	73	✓	✓	613617
	275/60R20	119	V	XL	C	C	B	73	✓	✓	613518
	*315/35R20	110	V	XL	C	C	B	73	✓	✓	
19	*225/40R19	93	V	XL	C	C	B	72	✓	✓	
	225/45R19	96	V	XL	C	C	B	72	✓	✓	608895
	225/55R19	103	V	XL	C	C	B	72	✓	✓	607588
	235/45R19	99	V	XL	C	C	B	72	✓	✓	607863
	235/50R19	103	V	XL	C	C	B	72	✓	✓	607878
	*245/35R19	93	V	XL	C	C	B	72	✓	✓	
	*245/40R19	98	V	XL	C	C	B	72	✓	✓	
	*245/45R19	102	V	XL	C	C	B	72	✓	✓	
	245/55R19	107	V	XL	C	C	B	72	✓	✓	
	*255/35R19	96	V	XL	C	C	B	73	✓	✓	
	255/40R19	100	V	XL	C	C	B	73	✓	✓	607896
	255/45R19	104	V	XL	C	C	B	73	✓	✓	607837
	255/50R19	107	V	XL	C	C	B	73	✓	✓	606994
	255/55R19	111	V	XL	C	C	B	73	✓	✓	607716
	*275/35R19	100	V	XL	C	C	B	73	✓	✓	
	*275/40R19	105	V	XL	C	C	B	73	✓	✓	
	285/45R 19	111	V	XL	C	C	B	73	✓	✓	608505

*UNDER DEVELOPMENT

X-PRIVIO S330

WINTER

Rim	Size	LI	SR	XL	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
18	215/45R18	93	V	XL	C	C	B	72	✓	✓	607559
	215/55R18	99	V	XL	C	C	B	72	✓	✓	607605
	225/45R18	95	V	XL	C	C	B	72	✓	✓	613460
	225/50R18	99	V	XL	C	C	B	72	✓	✓	607454
	225/55R18	102	V	XL	C	C	B	72	✓	✓	613503
	225/60R18	104	V	XL	C	C	B	72	✓	✓	608506
	*235/45R18	98	V	XL	C	C	B	72	✓	✓	
	235/55R18	104	V	XL	C	C	B	72	✓	✓	607570
	245/60R18	105	H		C	C	B	72	✓	✓	607798
	255/40R18	99	V	XL	C	C	B	73	✓	✓	607522
	255/45R18	103	V	XL	C	C	B	73	✓	✓	607915
	255/60R18	112	V	XL	C	C	B	73	✓	✓	607694
17	265/60R18	114	V	XL	C	C	B	73	✓	✓	607911
	*205/45R17	88	V	XL	C	C	B	71	✓	✓	
	*215/40R17	87	V	XL	C	C	B	71	✓	✓	
	215/65R17	99	V		C	C	B	72	✓	✓	2067619
	215/65R17	103	V	XL	C	C	B	72	✓	✓	2382196
	*255/60R17	106	H		C	C	B	72	✓	✓	
	*265/70R17	115	T		C	C	B	72	✓	✓	

*UNDER DEVELOPMENT



X-PRIVIO VS450




WINTER TIRES




WINTER COMMERCIAL VAN


Designed to operate in slippery wintry weather conditions, meeting the industry's severe snow service requirements and branded with the Three-Peak Mountain Snowflake (3PMSF) symbol, X-privio VS450 tyres enhance traction on cold, wet, snow-covered and icy roads.



Two straight and one semi-serrated main grooves can effectively drain the accumulated water, improve grip on wet and slippery roads, and have excellent snow performance.



Five-frequency combination pattern block can effectively reduce the resonance phenomenon of pattern block and the tread noise.



The design of the joint shoulder pattern block enlarges the grounding area and effectively improves the tire's dry-ground handling and ice-snow traction.

PERFORMANCE



RANGE: **14-16**
SPEED RATE: **R/S/T**
ASPECT RATIO: **60-80**
SECTION WIDTH: **165-235**

TRACMAX

X-PRIVIO VS450

Rim	Size	LI	SR	PR	RRC	Wet Grip	NoiseClass	Noise Value (dB)	M+S	3PMSF	EPREL Code
16	175/75R16C	101/99	R	8PR	C	B	B	72	✓	✓	607683
	185/75R16C	104/102	R	8PR	C	B	B	72	✓	✓	613354
	195/60R16C	99/97	T	6PR	C	B	B	72	✓	✓	607861
	195/65R16C	104/102	T	8PR	C	B	B	72	✓	✓	607846
	195/75R16C	107/105	R	8PR	C	B	B	72	✓	✓	606986
	195/75R16C	110/108	R	10PR	C	B	B	72	✓	✓	606712
	205/65R16C	107/105	R	8PR	C	B	B	72	✓	✓	606683
	205/75R16C	110/108	R	8PR	C	B	B	72	✓	✓	607687
	205/75R16C	113/111	R	10PR	C	B	B	72	✓	✓	607973
	215/60R16C	103/101	R	6PR	C	B	B	72	✓	✓	608611
	215/65R16C	109/107	R	8PR	C	B	B	72	✓	✓	607546
	215/75R16C	113/111	R	8PR	C	B	B	72	✓	✓	607965
	215/75R16C	116/114	R	10PR	C	B	B	72	✓	✓	607957
	225/65R16C	112/110	R	8PR	C	B	B	72	✓	✓	606934
	225/75R16C	121/120	R	10PR	C	B	B	72	✓	✓	607950
	235/65R16C	115/113	R	8PR	C	B	B	72	✓	✓	613449
15	235/65R16C	121/119	R	10PR	C	B	B	72	✓	✓	606951
	185/65R15C	97/95	S	6PR	C	B	B	72	✓	✓	2217602
	195/70R15C	104/102	R	8PR	C	B	B	72	✓	✓	607979
	205/70R15C	106/104	R	8PR	C	B	B	72	✓	✓	607967
	215/70R15C	109/107	R	8PR	C	B	B	72	✓	✓	607450
	225/70R15C	112/110	R	8PR	C	B	B	72	✓	✓	606692
14	165/70R14C	89/87	R	6PR	D	B	B	72	✓	✓	606911
	175/65R14C	90/88	T	6PR	D	B	B	72	✓	✓	606976
	175/70R14C	95/93	T	6PR	D	B	B	72	✓	✓	607352
	175R14C	99/98	R	8PR	C	B	B	72	✓	✓	607735
	185R14C	102/100	R	8PR	C	B	B	72	✓	✓	607653
	195R14C	106/104	R	8PR	C	B	B	72	✓	✓	613740

TRACMAX

WHEREVER THE ROAD GOES, THERE GOES TRACMAX

WWW.LANDSPIDERTIRE.COM