



# CATALOGUE UPGRADE

HP/UHP/SUV/WINTER

passenger car tyre product manual

# Fearless Progress, Steering into a New Era

No adventure without risk, no driving without safeguarding. On the way to the future, WINDFORCE is always upgrading and around you.

WINDFORCE brand, since 2012, unremitting team efforts and innovation, has developed 1200 tyre sizes covering PCR, UHP, SUV, 4 × 4, VAN, WINTER, ALL SEASON, etc.

WINDFORCE provides safety and value for the global customers, is constantly striving to create the best solutions for each application. WINDFORCE provides a wide variety of PCR/TBR to customers, based on the demand from local market. WINDFORCE persists on green tyres to protect the environment in a concept of low carbon development and lowers the rolling resistance of tyres.

WINDFORCE supplied by global TOP 10 manufacturer, has perfect quality supervision system, after-sales system and quality certification system to guarantee the product quality and improve the customer satisfaction.

## Sustainable Ecosystem

We are steadfast in our commitment to sustainable development, seamlessly integrating environmental, social, and governance (ESG) considerations into our strategic and operational frameworks.



### Circular Technology

Recycling waste tyre resources involves a comprehensive approach including repairing, renovating, and reusing old tyres to promote a circular economy.

### Rubber raw materials


Every drop of our rubber is taken from the optimal temperature at 4-7 a.m. Strictly conforming to the latest regulations in EU.

### Rubber Factory


Build an industrial ET brain smart factory

- Land utilization rate increases by 15%-25%.
- Reduce labor costs by 20%-30%.
- Increase molding efficiency by 20%-30%.
- Overall system production efficiency is improved by 15%-20%.


## SUMMER




## SUMMER




## SUV / 4x4




## ALL SEASON



## COMMERICAL



## WINTER





## PREMIUM SUMMER TYRE FAMILY

A premium summer tyre family exclusively designed for passenger cars and high-performance vehicles, integrating cutting-edge technology with dynamic design philosophy to deliver exceptional handling, safety, and driving pleasure in various conditions



ADVANFORS TOURING   ADVANFORS H/P   ADVANFORS UHP   ADVANFORS UHP II   TERRAMASTER H/P   TRANSMASTER VAN   ADVANFORS VAN

# ADVANFORS TOURING

**UTQG: 420 A A**

Classical symmetric tread & advanced compound tech balance handling, treadwear, and ride comfort, suitable for all-around touring tyre drivers.




## Features & benefits

The tyre's casing is constructed with two steel belts reinforced by spirally wrapped nylon for enhanced strength and durability. This construction helps maintain the tire's shape and provides a smooth, comfortable ride while also improving high-speed stability and handling precision.

Symmetric tread design with multiple grooves and sipes for wet weather confidence.

TRI-PLEX TREAD COMPOUND, silica-enhanced all-season formulation, for lower rolling resistance for good fuel efficiency.

**M+S**

 Quieter Ride

 Comfortable

 Efficiency

 Control

### ADVANFORS TOURING

| Rim (inch) | Tire Size  | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|------------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 13         | 155/65R13  | 73         | T            |    | BSW            | TL    | √   | 532               | 157                | 4.5          |
|            | 155/70R13  | 75         | T            |    | BSW            | TL    | √   | 548               | 157                | 4.5          |
|            | 155/80R13  | 79         | T            |    | BSW            | TL    | √   | 578               | 157                | 4.5          |
|            | 165/65R13  | 77         | T            |    | BSW            | TL    | √   | 544               | 170                | 5.0          |
|            | 165/70R13  | 79         | T            |    | BSW            | TL    | √   | 562               | 170                | 5.0          |
|            | 165/80R13  | 83         | T            |    | BSW            | TL    | √   | 594               | 165                | 4.5          |
|            | 175/60R13  | 77         | T            |    | BSW            | TL    | √   | 540               | 177                | 5.0          |
|            | 175/70R13  | 82         | T            |    | BSW            | TL    | √   | 576               | 177                | 5.0          |
|            | 175/75R13  | 85         | T            |    | BSW            | TL    | √   | 592               | 177                | 5.0          |
| 14         | 185/70R13  | 86         | T            |    | BSW            | TL    | √   | 590               | 189                | 5.5          |
|            | 165/55R14  | 72         | T            |    | BSW            | TL    | √   | 538               | 170                | 5.0          |
|            | 165/60R14  | 75         | H            |    | BSW            | TL    | √   | 554               | 170                | 5.0          |
|            | 165/65R14  | 79         | H            |    | BSW            | TL    | √   | 570               | 170                | 5.0          |
|            | 165/70R14  | 81         | T            |    | BSW            | TL    | √   | 588               | 170                | 5.0          |
|            | 175/65R14  | 82         | H            |    | BSW            | TL    | √   | 584               | 177                | 5.0          |
|            | 175/70R14  | 84         | T            |    | BSW            | TL    | √   | 602               | 177                | 5.0          |
|            | 175/75R14  | 87         | T            |    | BSW            | TL    | √   | 618               | 177                | 5.0          |
|            | 185/60R14  | 82         | H            |    | BSW            | TL    | √   | 578               | 189                | 5.5          |
|            | 185/65R14  | 86         | H            |    | BSW            | TL    | √   | 596               | 189                | 5.5          |
|            | 185/70R14  | 88         | T            |    | BSW            | TL    | √   | 616               | 189                | 5.5          |
|            | 195/60R14  | 86         | H            |    | BSW            | TL    | √   | 590               | 201                | 6.0          |
| 15         | 195/70R14  | 91         | T            |    | BSW            | TL    | √   | 630               | 201                | 6.0          |
|            | 205/60R14  | 88         | H            |    | BSW            | TL    | √   | 602               | 209                | 6.0          |
|            | 205/70R14  | 95         | T            |    | BSW            | TL    | √   | 644               | 209                | 6.0          |
|            | 175/50R15  | 75         | H            |    | BSW            | TL    | √   | 557               | 182                | 5.5          |
|            | 175/60R15  | 81         | H            |    | BSW            | TL    | √   | 591               | 177                | 5.0          |
|            | 175/65R15  | 84         | H            |    | BSW            | TL    | √   | 609               | 177                | 5.0          |
|            | 185/55R15  | 82         | V            |    | BSW            | TL    | √   | 585               | 194                | 6.0          |
|            | 185/60R15  | 84         | H            |    | BSW            | TL    | √   | 603               | 189                | 5.5          |
|            | 185/65R15  | 88         | H            |    | BSW            | TL    | √   | 621               | 189                | 5.5          |
|            | 195/50R15  | 82         | V            |    | BSW            | TL    | √   | 577               | 201                | 6.0          |
|            | 195/55R15  | 85         | V            |    | BSW            | TL    | √   | 595               | 201                | 6.0          |
|            | 195/60R15  | 88         | V            |    | BSW            | TL    | √   | 615               | 201                | 6.0          |
| 16         | 195/65R15  | 91         | V            |    | BSW            | TL    | √   | 635               | 201                | 6.0          |
|            | 205/60R15  | 91         | H            |    | BSW            | TL    | √   | 627               | 209                | 6.0          |
|            | 205/65R15  | 94         | V            |    | BSW            | TL    | √   | 647               | 209                | 6.0          |
|            | 205/70R15  | 96         | H            |    | BSW            | TL    | √   | 669               | 209                | 6.0          |
|            | 215/70R15  | 98         | H            |    | BSW            | TL    | √   | 683               | 221                | 6.5          |
|            | 185/55R16  | 83         | V            |    | BSW            | TL    | √   | 610               | 194                | 6.0          |
|            | 195/50R16  | 84         | V            |    | BSW            | TL    | √   | 602               | 201                | 6.0          |
|            | 195/55R16  | 87         | V            |    | BSW            | TL    | √   | 620               | 201                | 6.0          |
|            | 195/60R16  | 89         | H            |    | BSW            | TL    | √   | 640               | 201                | 6.0          |
|            | 205/45ZR16 | 87         | W            | XL | BSW            | TL    | √   | 590               | 206                | 7.0          |
|            | 205/50R16  | 91         | V            | XL | BSW            | TL    | √   | 612               | 214                | 6.5          |
|            | 205/55R16  | 91         | V            |    | BSW            | TL    | √   | 632               | 214                | 6.5          |
| 16         | 205/55ZR16 | 94         | W            | XL | BSW            | TL    | √   | 632               | 214                | 6.5          |
|            | 205/60R16  | 92         | V            |    | BSW            | TL    | √   | 652               | 209                | 6.0          |
|            | 205/65R16  | 95         | H            |    | BSW            | TL    | √   | 672               | 209                | 6.0          |
|            | 215/45ZR16 | 90         | W            | XL | BSW            | TL    | √   | 600               | 213                | 7.0          |



# ADVANFORS TOURING



| Rim<br>(inch) | Tire Size  | Load<br>Index | Speed<br>Symbol | XL | Sidewall<br>Style | TL/TT | ECE | Overall<br>Diam<br>(mm) | Section<br>Width<br>(mm) | Standard<br>Rim |
|---------------|------------|---------------|-----------------|----|-------------------|-------|-----|-------------------------|--------------------------|-----------------|
| 16            | 215/55R16  | 97            | V               | XL | BSW               | TL    | √   | 642                     | 226                      | 7.0             |
|               | 215/60R16  | 99            | V               | XL | BSW               | TL    | √   | 664                     | 221                      | 6.5             |
|               | 215/65R16  | 98            | V               |    | BSW               | TL    | √   | 686                     | 221                      | 6.5             |
|               | 225/55R16  | 99            | V               | XL | BSW               | TL    | √   | 654                     | 233                      | 7.0             |
|               | 225/60R16  | 98            | H               |    | BSW               | TL    | √   | 676                     | 228                      | 6.5             |
|               | 235/60R16  | 100           | H               |    | BSW               | TL    | √   | 688                     | 240                      | 7.0             |
| 17            | 195/40ZR17 | 81            | W               | XL | BSW               | TL    | √   | 588                     | 200                      | 7.0             |
|               | 195/45ZR17 | 85            | W               | XL | BSW               | TL    | √   | 608                     | 195                      | 6.5             |
|               | 205/40ZR17 | 84            | W               | XL | BSW               | TL    | √   | 596                     | 212                      | 7.5             |
|               | 205/45ZR17 | 88            | W               | XL | BSW               | TL    | √   | 616                     | 206                      | 7.0             |
|               | 205/50ZR17 | 93            | W               | XL | BSW               | TL    | √   | 638                     | 214                      | 6.5             |
|               | 205/55ZR17 | 95            | W               | XL | BSW               | TL    | √   | 658                     | 214                      | 6.5             |
|               | 215/45ZR17 | 91            | W               | XL | BSW               | TL    | √   | 626                     | 213                      | 7.0             |
|               | 215/50ZR17 | 95            | W               | XL | BSW               | TL    | √   | 648                     | 226                      | 7.0             |
|               | 215/55ZR17 | 98            | W               | XL | BSW               | TL    | √   | 668                     | 226                      | 7.0             |
|               | 225/45ZR17 | 94            | W               | XL | BSW               | TL    | √   | 634                     | 225                      | 7.5             |
|               | 225/50ZR17 | 98            | W               | XL | BSW               | TL    | √   | 658                     | 233                      | 7.0             |
|               | 225/55ZR17 | 101           | W               | XL | BSW               | TL    | √   | 680                     | 233                      | 7.0             |
|               | 235/45ZR17 | 97            | W               | XL | BSW               | TL    | √   | 644                     | 236                      | 8.0             |
|               | 235/55ZR17 | 103           | W               | XL | BSW               | TL    | √   | 690                     | 245                      | 7.5             |
| 18            | 215/40ZR18 | 89            | W               | XL | BSW               | TL    | √   | 629                     | 218                      | 7.5             |
|               | 215/45ZR18 | 93            | W               | XL | BSW               | TL    | √   | 651                     | 213                      | 7.0             |
|               | 225/40ZR18 | 92            | W               | XL | BSW               | TL    | √   | 637                     | 230                      | 8.0             |
|               | 225/45ZR18 | 95            | W               | XL | BSW               | TL    | √   | 659                     | 225                      | 7.5             |
|               | 235/40ZR18 | 95            | W               | XL | BSW               | TL    | √   | 645                     | 241                      | 8.5             |
|               | 235/45ZR18 | 98            | W               | XL | BSW               | TL    | √   | 669                     | 236                      | 8.0             |
|               | 245/40ZR18 | 97            | W               | XL | BSW               | TL    | √   | 653                     | 248                      | 8.5             |
|               | 245/45ZR18 | 100           | W               | XL | BSW               | TL    | √   | 677                     | 243                      | 8.0             |
|               | 255/40ZR18 | 99            | W               | XL | BSW               | TL    | √   | 661                     | 260                      | 9.0             |
|               | 255/45ZR18 | 103           | W               | XL | BSW               | TL    | √   | 687                     | 255                      | 8.5             |



# ADVANFORS H/P

**UTQG: 400 A A**

The summer tyre ADVANFORS H/P, is designed to provide you safety all the while and to offer the best longevity in its category.



## Features & benefits

- Non-symmetric from outside to inside for high-class performance. With close stiffness of two shoulders design, more freedom is allowed.
- High performance compound and optimal block/void ratio ensures for great dry braking and handling.
- The calculation of circumferetial grooves for the series can efficiently avoid aquaplaning and delivering a strong brake performance.



|               |           |
|---------------|-----------|
| RANGE         | 13-18     |
| SPEED RATE    | H/T/V/W/Y |
| ASPECT RATIO  | 35-80     |
| SECTION WIDTH | 145-255   |

| SW   | Series | Number of groove |
|------|--------|------------------|
| ≤175 | all    | 3                |
| 185  | ≥70    | 3                |
|      | ≤65    | 4                |
| ≥195 | all    | 4                |

### ADVANFORS H/P

| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 13         | 145/70R13 | 71         | T            |    | BSW            | TL    | √   | 534               | 150                | 4.5          |
|            | 145/80R13 | 75         | T            |    | BSW            | TL    | √   | 562               | 145                | 4.0          |
|            | 155/65R13 | 73         | T            |    | BSW            | TL    | √   | 532               | 157                | 4.5          |
|            | 155/70R13 | 75         | T            |    | BSW            | TL    | √   | 548               | 157                | 4.5          |
|            | 155/80R13 | 79         | T            |    | BSW            | TL    | √   | 578               | 157                | 4.5          |
|            | 165/65R13 | 77         | T            |    | BSW            | TL    | √   | 544               | 170                | 5.0          |
|            | 165/70R13 | 79         | T            |    | BSW            | TL    | √   | 562               | 170                | 5.0          |
|            | 175/65R13 | 80         | T            |    | BSW            | TL    | √   | 558               | 177                | 5.0          |
|            | 175/70R13 | 82         | T            |    | BSW            | TL    | √   | 576               | 177                | 5.0          |
|            | 175/75R13 | 85         | T            |    | BSW            | TL    | √   | 592               | 177                | 5.0          |
| 14         | 155/65R14 | 75         | T            |    | BSW            | TL    | √   | 558               | 157                | 4.5          |
|            | 165/60R14 | 75         | H            |    | BSW            | TL    | √   | 554               | 170                | 5.0          |
|            | 165/65R14 | 79         | T            |    | BSW            | TL    | √   | 570               | 170                | 5.0          |
|            | 165/70R14 | 81         | T            |    | BSW            | TL    | √   | 588               | 170                | 5.0          |
|            | 165/70R14 | 85         | T            | XL | BSW            | TL    | √   | 588               | 170                | 5.0          |
|            | 175/65R14 | 82         | H            |    | BSW            | TL    | √   | 584               | 177                | 5.0          |
|            | 175/65R14 | 86         | T            | XL | BSW            | TL    | √   | 584               | 177                | 5.0          |
|            | 175/70R14 | 84         | T            |    | BSW            | TL    | √   | 602               | 177                | 5.0          |
|            | 175/70R14 | 88         | T            | XL | BSW            | TL    | √   | 602               | 177                | 5.0          |
|            | 175/75R14 | 87         | T            |    | BSW            | TL    | √   | 618               | 177                | 5.0          |
|            | 185/55R14 | 80         | V            |    | BSW            | TL    | √   | 560               | 194                | 6.0          |
|            | 185/60R14 | 82         | H            |    | 578            | TL    | √   | 578               | 189                | 5.5          |
|            | 185/65R14 | 86         | H            |    | 596            | TL    | √   | 596               | 189                | 5.5          |
|            | 185/70R14 | 88         | T            |    | 616            | TL    | √   | 616               | 189                | 5.5          |
| 15         | 195/70R14 | 91         | T            |    | 630            | TL    | √   | 630               | 201                | 6.0          |
|            | 155/60R15 | 74         | T            |    | BSW            | TL    | √   | 567               | 157                | 4.5          |
|            | 165/60R15 | 81         | T            | XL | BSW            | TL    | √   | 579               | 170                | 5.0          |
|            | 165/65R15 | 81         | T            |    | BSW            | TL    | √   | 595               | 170                | 5.0          |
|            | 175/55R15 | 77         | H            |    | BSW            | TL    | √   | 573               | 182                | 5.5          |
|            | 175/60R15 | 81         | H            |    | BSW            | TL    | √   | 591               | 177                | 5.0          |
|            | 175/65R15 | 84         | H            |    | BSW            | TL    | √   | 609               | 177                | 5.0          |
|            | 185/55R15 | 82         | V            |    | BSW            | TL    | √   | 585               | 194                | 6.0          |
|            | 185/60R15 | 84         | H            |    | BSW            | TL    | √   | 603               | 189                | 5.5          |
|            | 185/60R15 | 88         | H            | XL | BSW            | TL    | √   | 603               | 189                | 5.5          |
|            | 185/65R15 | 88         | H            |    | BSW            | TL    | √   | 621               | 189                | 5.5          |
|            | 185/65R15 | 92         | T            | XL | BSW            | TL    | √   | 621               | 189                | 5.5          |
|            | 195/50R15 | 82         | V            |    | BSW            | TL    | √   | 577               | 201                | 6.0          |
|            | 195/55R15 | 85         | V            |    | BSW            | TL    | √   | 595               | 201                | 6.0          |
|            | 195/60R15 | 88         | H            |    | BSW            | TL    | √   | 615               | 201                | 6.0          |
|            | 195/60R15 | 88         | V            |    | BSW            | TL    | √   | 615               | 201                | 6.0          |
|            | 195/65R15 | 91         | V            |    | BSW            | TL    | √   | 635               | 201                | 6.0          |
|            | 195/65R15 | 95         | H            | XL | BSW            | TL    | √   | 635               | 201                | 6.0          |
|            | 205/60R15 | 91         | V            |    | BSW            | TL    | √   | 627               | 209                | 6.0          |
|            | 205/65R15 | 94         | V            |    | BSW            | TL    | √   | 672               | 209                | 6.0          |
|            | 215/65R15 | 96         | H            |    | BSW            | TL    | √   | 661               | 221                | 6.5          |

# ADVANFORS H/P



| Rim<br>(inch) | Tire Size   | Load<br>Index | Speed<br>Symbol | XL | Sidewall<br>Style | TL/TT | ECE | Overall<br>Diam<br>(mm) | Section<br>Width<br>(mm) | Standard<br>Rim |
|---------------|-------------|---------------|-----------------|----|-------------------|-------|-----|-------------------------|--------------------------|-----------------|
| 16            | 185/55R16   | 87            | V               | XL | BSW               | TL    | √   | 610                     | 194                      | 6.0             |
|               | 195/50R16   | 84            | V               |    | BSW               | TL    | √   | 602                     | 201                      | 6.0             |
|               | 195/55R16   | 87            | V               |    | BSW               | TL    | √   | 620                     | 201                      | 6.0             |
|               | 195/55R16   | 91            | V               | XL | BSW               | TL    | √   | 620                     | 201                      | 6.0             |
|               | 195/60R16   | 89            | H               |    | BSW               | TL    | √   | 640                     | 201                      | 6.0             |
|               | 205/55R16   | 91            | V               |    | BSW               | TL    | √   | 632                     | 214                      | 6.5             |
|               | 205/55R16   | 91            | W               |    | BSW               | TL    | √   | 632                     | 214                      | 6.5             |
|               | 205/60R16   | 92            | V               |    | BSW               | TL    | √   | 652                     | 209                      | 6.0             |
|               | 205/60R16   | 96            | V               | XL | BSW               | TL    | √   | 652                     | 209                      | 6.0             |
|               | 215/55R16   | 97            | W               | XL | BSW               | TL    | √   | 642                     | 226                      | 7.0             |
|               | 215/60R16   | 95            | V               |    | BSW               | TL    | √   | 664                     | 221                      | 6.5             |
|               | 215/60R16   | 99            | V               | XL | BSW               | TL    | √   | 664                     | 221                      | 6.5             |
|               | 215/65R16   | 98            | H               |    | BSW               | TL    | √   | 686                     | 221                      | 6.5             |
|               | 215/70R16   | 100           | H               |    | BSW               | TL    | √   | 708                     | 221                      | 6.5             |
|               | 225/55R16   | 99            | W               | XL | BSW               | TL    | √   | 654                     | 233                      | 7.0             |
|               | 225/60R16   | 98            | H               |    | BSW               | TL    | √   | 676                     | 228                      | 6.5             |
|               | 225/60R16   | 102           | V               | XL | BSW               | TL    | √   | 676                     | 228                      | 6.5             |
|               | 225/70R16   | 107           | H               | XL | BSW               | TL    | √   | 722                     | 228                      | 6.5             |
|               | 235/60R16   | 100           | H               |    | BSW               | TL    | √   | 688                     | 240                      | 7.0             |
|               | *205/40R17  | 84            | W               | XL | BSW               | TL    | √   | 596                     | 212                      | 7.5             |
| 17            | *205/45R17  | 88            | W               | XL | BSW               | TL    | √   | 616                     | 206                      | 7.0             |
|               | *205/50R17  | 93            | W               | XL | BSW               | TL    | √   | 638                     | 214                      | 6.5             |
|               | *205/55R17  | 95            | W               | XL | BSW               | TL    | √   | 658                     | 214                      | 6.5             |
|               | *215/40R17  | 87            | W               | XL | BSW               | TL    | √   | 604                     | 218                      | 7.5             |
|               | *215/45R17  | 91            | W               | XL | BSW               | TL    | √   | 626                     | 213                      | 7.0             |
|               | *215/50R17  | 95            | W               | XL | BSW               | TL    | √   | 648                     | 226                      | 7.0             |
|               | *215/55R17  | 98            | W               | XL | BSW               | TL    | √   | 668                     | 226                      | 7.0             |
|               | *215/60R17  | 100           | V               | XL | BSW               | TL    | √   | 690                     | 221                      | 6.5             |
|               | *215/65R17  | 99            | V               |    | BSW               | TL    | √   | 712                     | 221                      | 6.5             |
|               | *225/45ZR17 | 94            | Y               | XL | BSW               | TL    | √   | 634                     | 225                      | 7.5             |
|               | *225/50ZR17 | 98            | Y               | XL | BSW               | TL    | √   | 658                     | 233                      | 7.0             |
|               | *225/55R17  | 101           | W               | XL | BSW               | TL    | √   | 680                     | 233                      | 7.0             |
|               | *225/60R17  | 103           | V               | XL | BSW               | TL    | √   | 702                     | 228                      | 6.5             |
|               | *225/65R17  | 106           | V               | XL | BSW               | TL    | √   | 724                     | 228                      | 6.5             |
|               | *235/45R17  | 97            | W               | XL | BSW               | TL    | √   | 644                     | 236                      | 8.0             |
|               | *235/55R17  | 103           | W               | XL | BSW               | TL    | √   | 690                     | 245                      | 7.5             |
|               | *235/60R17  | 106           | W               | XL | BSW               | TL    | √   | 714                     | 240                      | 7.0             |
|               | *235/65R17  | 108           | V               | XL | BSW               | TL    | √   | 738                     | 240                      | 7.0             |
|               | *245/45R17  | 99            | W               | XL | BSW               | TL    | √   | 652                     | 243                      | 8.0             |

## ADVANFORS H/P

| Rim<br>(inch) | Tire Size   | Load<br>Index | Speed<br>Symbol | XL | Sidewall<br>Style | TL/TT | ECE | Overall<br>Diam<br>(mm) | Section<br>Width<br>(mm) | Standard<br>Rim |
|---------------|-------------|---------------|-----------------|----|-------------------|-------|-----|-------------------------|--------------------------|-----------------|
| 18            | *215/40ZR18 | 89            | Y               | XL | BSW               | TL    | √   | 629                     | 218                      | 7.5             |
|               | *215/45ZR18 | 93            | Y               | XL | BSW               | TL    | √   | 651                     | 213                      | 7.0             |
|               | *215/50R18  | 92            | W               |    | BSW               | TL    | √   | 673                     | 226                      | 7.0             |
|               | *215/55R18  | 99            | V               | XL | BSW               | TL    | √   | 693                     | 226                      | 7.0             |
|               | *225/40ZR18 | 92            | Y               | XL | BSW               | TL    | √   | 637                     | 230                      | 8.0             |
|               | *225/45ZR18 | 95            | Y               | XL | BSW               | TL    | √   | 659                     | 225                      | 7.5             |
|               | *225/50R18  | 99            | W               | XL | BSW               | TL    | √   | 683                     | 233                      | 7.0             |
|               | *225/55R18  | 102           | V               | XL | BSW               | TL    | √   | 705                     | 233                      | 7.0             |
|               | *225/60R18  | 104           | V               | XL | BSW               | TL    | √   | 727                     | 228                      | 6.5             |
|               | *235/40ZR18 | 95            | Y               | XL | BSW               | TL    | √   | 645                     | 241                      | 8.5             |
|               | *235/45ZR18 | 98            | Y               | XL | BSW               | TL    | √   | 669                     | 236                      | 8.0             |
|               | *235/50ZR18 | 101           | Y               | XL | BSW               | TL    | √   | 693                     | 245                      | 7.5             |
|               | *235/55R18  | 104           | W               | XL | BSW               | TL    | √   | 715                     | 245                      | 7.5             |
|               | *235/60R18  | 107           | V               | XL | BSW               | TL    | √   | 739                     | 240                      | 7.0             |
|               | *245/40ZR18 | 97            | Y               | XL | BSW               | TL    | √   | 653                     | 248                      | 8.5             |
|               | *245/45ZR18 | 100           | Y               | XL | BSW               | TL    | √   | 677                     | 243                      | 8.0             |
|               | *255/35ZR18 | 94            | Y               | XL | BSW               | TL    | √   | 635                     | 260                      | 9.0             |
|               | *255/45ZR18 | 103           | Y               | XL | BSW               | TL    | √   | 687                     | 255                      | 8.5             |
|               | *255/55R18  | 109           | W               | XL | BSW               | TL    | √   | 737                     | 265                      | 8.0             |

\*UNDER DEVELOPMENT

# ADVANFORS UHP

**UTQG: 420 AA A**

The ADVANFORS UHP aims to maximize road performance and driving pleasure of their newest sport car, super SUVs and electrified vehicles.



## Features & benefits

- Stylish and strong shoulder design to form enough ground contact in the outer area for crisp cornering.
- Wide longitudinal grooves and shoulder lateral openings provide optimum drainage when driving straight ahead.
- The whole 3-D edges design for smooth tread block entry into the footprint to improve acoustic comfort.

**M+S**



|               |         |
|---------------|---------|
| RANGE         | 15-20   |
| SPEED RATE    | V/W/Y   |
| ASPECT RATIO  | 30-65   |
| SECTION WIDTH | 195-315 |

### ADVANFORS UHP

| Rim (inch) | Tire Size  | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|------------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 15         | 195/45R15  | 78         | V            |    | BSW            | TL    | √   | 557               | 195                | 6.5          |
|            | 195/45R16  | 84         | V            | XL | BSW            | TL    | √   | 582               | 195                | 6.5          |
|            | 205/45R16  | 87         | W            | XL | BSW            | TL    | √   | 590               | 206                | 7.0          |
| 16         | 205/50R16  | 87         | W            |    | BSW            | TL    | √   | 594               | 165                | 4.5          |
|            | 205/50R16  | 91         | W            | XL | BSW            | TL    | √   | 594               | 165                | 4.5          |
|            | 205/55R16  | 94         | W            | XL | BSW            | TL    | √   | 632               | 241                | 6.5          |
|            | 215/45R16  | 90         | W            | XL | BSW            | TL    | √   | 600               | 213                | 7.0          |
|            | 195/40R17  | 81         | W            | XL | BSW            | TL    | √   | 554               | 170                | 5.0          |
| 17         | 205/40R17  | 84         | W            | XL | BSW            | TL    | √   | 596               | 212                | 7.5          |
|            | 205/45R17  | 88         | W            | XL | BSW            | TL    | √   | 616               | 206                | 7.0          |
|            | 205/50R17  | 93         | W            | XL | BSW            | TL    | √   | 638               | 214                | 6.5          |
|            | 205/55R17  | 95         | W            | XL | BSW            | TL    | √   | 658               | 214                | 6.5          |
|            | 215/40R17  | 87         | W            | XL | BSW            | TL    | √   | 604               | 218                | 7.5          |
|            | 215/45R17  | 91         | W            | XL | BSW            | TL    | √   | 626               | 213                | 7.0          |
|            | 215/50R17  | 95         | W            | XL | BSW            | TL    | √   | 648               | 226                | 7.0          |
|            | 215/55R17  | 98         | W            | XL | BSW            | TL    | √   | 668               | 226                | 7.0          |
|            | 215/60R17  | 100        | V            | XL | BSW            | TL    | √   | 690               | 221                | 6.5          |
|            | 225/45ZR17 | 94         | Y            | XL | BSW            | TL    | √   | 634               | 225                | 7.5          |
|            | 225/50ZR17 | 98         | Y            | XL | BSW            | TL    | √   | 658               | 233                | 7.0          |
|            | 225/55R17  | 101        | W            | XL | BSW            | TL    | √   | 680               | 233                | 7.0          |
|            | 225/60R17  | 103        | V            | XL | BSW            | TL    | √   | 702               | 228                | 6.5          |
|            | 225/65R17  | 106        | V            | XL | BSW            | TL    | √   | 724               | 228                | 6.5          |
|            | 235/45R17  | 97         | W            | XL | BSW            | TL    | √   | 644               | 236                | 8.0          |
|            | 235/55R17  | 103        | W            | XL | BSW            | TL    | √   | 690               | 245                | 7.5          |
|            | 235/60R17  | 106        | V            | XL | BSW            | TL    | √   | 714               | 240                | 7.0          |
| 18         | 235/65R17  | 108        | V            | XL | BSW            | TL    | √   | 738               | 240                | 7.0          |
|            | 245/45R17  | 99         | W            | XL | BSW            | TL    | √   | 652               | 243                | 8.0          |
|            | 205/40ZR18 | 86         | Y            | XL | BSW            | TL    | √   | 621               | 212                | 7.5          |
|            | 215/40ZR18 | 89         | Y            | XL | BSW            | TL    | √   | 629               | 218                | 7.5          |
|            | 215/45ZR18 | 93         | Y            | XL | BSW            | TL    | √   | 651               | 213                | 7.0          |
|            | 215/50R18  | 92         | W            |    | BSW            | TL    | √   | 673               | 226                | 7.0          |
|            | 215/55R18  | 99         | W            | XL | BSW            | TL    | √   | 693               | 226                | 7.0          |
|            | 225/40ZR18 | 92         | Y            | XL | BSW            | TL    | √   | 637               | 230                | 8.0          |
|            | 225/45ZR18 | 95         | Y            | XL | BSW            | TL    | √   | 659               | 225                | 7.5          |
|            | 225/50R18  | 99         | W            | XL | BSW            | TL    | √   | 683               | 233                | 7.0          |
|            | 225/55R18  | 102        | W            | XL | BSW            | TL    | √   | 705               | 233                | 7.0          |
|            | 225/60R18  | 104        | V            | XL | BSW            | TL    | √   | 727               | 228                | 6.5          |
|            | 235/40ZR18 | 95         | Y            | XL | BSW            | TL    | √   | 645               | 241                | 8.5          |

# ADVANFORS UHP



| Rim<br>(inch) | Tire Size  | Load<br>Index | Speed<br>Symbol | XL | Sidewall<br>Style | TL/TT | ECE | Overall<br>Diam<br>(mm) | Section<br>Width<br>(mm) | Standard<br>Rim |
|---------------|------------|---------------|-----------------|----|-------------------|-------|-----|-------------------------|--------------------------|-----------------|
| 18            | 235/45ZR18 | 98            | Y               | XL | BSW               | TL    | √   | 669                     | 236                      | 8.0             |
|               | 235/50ZR18 | 101           | Y               | XL | BSW               | TL    | √   | 693                     | 245                      | 7.5             |
|               | 235/55R18  | 104           | W               | XL | BSW               | TL    | √   | 715                     | 245                      | 7.5             |
|               | 235/60R18  | 107           | V               | XL | BSW               | TL    | √   | 739                     | 240                      | 7.0             |
|               | 245/40ZR18 | 97            | Y               | XL | BSW               | TL    | √   | 653                     | 248                      | 8.5             |
|               | 245/45ZR18 | 100           | Y               | XL | BSW               | TL    | √   | 677                     | 243                      | 8.0             |
|               | 245/50R18  | 104           | W               | XL | BSW               | TL    | √   | 703                     | 253                      | 7.5             |
|               | 255/35ZR18 | 94            | Y               | XL | BSW               | TL    | √   | 635                     | 260                      | 9.0             |
|               | 255/40ZR18 | 99            | Y               | XL | BSW               | TL    | √   | 661                     | 260                      | 9.0             |
|               | 255/45ZR18 | 103           | Y               | XL | BSW               | TL    | √   | 687                     | 255                      | 8.5             |
| 19            | 265/35ZR18 | 97            | Y               | XL | BSW               | TL    | √   | 643                     | 271                      | 9.5             |
|               | 225/35ZR19 | 88            | Y               | XL | BSW               | TL    | √   | 641                     | 230                      | 8.0             |
|               | 225/40ZR19 | 93            | Y               | XL | BSW               | TL    | √   | 663                     | 230                      | 8.0             |
|               | 225/45ZR19 | 96            | Y               | XL | BSW               | TL    | √   | 685                     | 225                      | 7.5             |
|               | 225/55R19  | 103           | W               | XL | BSW               | TL    | √   | 731                     | 233                      | 7.0             |
|               | 235/35ZR19 | 91            | Y               | XL | BSW               | TL    | √   | 647                     | 241                      | 8.5             |
|               | 235/40ZR19 | 96            | Y               | XL | BSW               | TL    | √   | 671                     | 241                      | 8.5             |
|               | 235/45ZR19 | 99            | Y               | XL | BSW               | TL    | √   | 695                     | 236                      | 8.0             |
|               | 235/50ZR19 | 103           | Y               | XL | BSW               | TL    | √   | 719                     | 245                      | 7.5             |
|               | 235/55ZR19 | 105           | Y               | XL | BSW               | TL    | √   | 741                     | 245                      | 7.5             |
|               | 245/35ZR19 | 93            | Y               | XL | BSW               | TL    | √   | 655                     | 248                      | 8.5             |
|               | 245/40ZR19 | 98            | Y               | XL | BSW               | TL    | √   | 679                     | 248                      | 8.5             |
|               | 245/45ZR19 | 102           | Y               | XL | BSW               | TL    | √   | 703                     | 243                      | 8.0             |
|               | 255/30ZR19 | 91            | Y               | XL | BSW               | TL    | √   | 637                     | 260                      | 9.0             |
|               | 255/35ZR19 | 96            | Y               | XL | BSW               | TL    | √   | 661                     | 260                      | 9.0             |
|               | 255/40ZR19 | 100           | Y               | XL | BSW               | TL    | √   | 687                     | 260                      | 9.0             |
|               | 255/50ZR19 | 107           | Y               | XL | BSW               | TL    | √   | 739                     | 265                      | 8.0             |
|               | 255/55R19  | 111           | W               | XL | BSW               | TL    | √   | 763                     | 265                      | 8.0             |
| 20            | 275/30ZR19 | 96            | Y               | XL | BSW               | TL    | √   | 649                     | 278                      | 9.5             |
|               | 275/35ZR19 | 100           | Y               | XL | BSW               | TL    | √   | 675                     | 278                      | 9.5             |
|               | 245/30ZR20 | 90            | Y               | XL | BSW               | TL    | √   | 656                     | 248                      | 8.5             |
|               | 245/35ZR20 | 95            | Y               | XL | BSW               | TL    | √   | 680                     | 248                      | 8.5             |
|               | 245/40ZR20 | 99            | Y               | XL | BSW               | TL    | √   | 704                     | 248                      | 8.5             |
|               | 245/45ZR20 | 103           | Y               | XL | BSW               | TL    | √   | 728                     | 243                      | 8.0             |
|               | 255/30ZR20 | 92            | Y               | XL | BSW               | TL    | √   | 662                     | 260                      | 9.0             |
|               | 255/35ZR20 | 97            | Y               | XL | BSW               | TL    | √   | 686                     | 260                      | 9.0             |
|               | 255/40ZR20 | 101           | Y               | XL | BSW               | TL    | √   | 712                     | 260                      | 9.0             |
|               | 255/45ZR20 | 105           | Y               | XL | BSW               | TL    | √   | 738                     | 255                      | 8.5             |
|               | 265/45ZR20 | 108           | Y               | XL | BSW               | TL    | √   | 746                     | 266                      | 9.0             |

## ADVANFORS UHP

| Rim<br>(inch) | Tire Size  | Load<br>Index | Speed<br>Symbol | XL | Sidewall<br>Style | TL/TT | ECE | Overall<br>Diam<br>(mm) | Section<br>Width<br>(mm) | Standard<br>Rim |
|---------------|------------|---------------|-----------------|----|-------------------|-------|-----|-------------------------|--------------------------|-----------------|
| 20            | 265/50R20  | 111           | W               | XL | BSW               | TL    | √   | 774                     | 277                      | 8.5             |
|               | 275/30ZR20 | 97            | Y               | XL | BSW               | TL    | √   | 674                     | 278                      | 9.5             |
|               | 275/35ZR20 | 102           | Y               | XL | BSW               | TL    | √   | 700                     | 278                      | 9.5             |
|               | 275/40ZR20 | 106           | Y               | XL | BSW               | TL    | √   | 728                     | 278                      | 9.5             |
|               | 275/45ZR20 | 110           | Y               | XL | BSW               | TL    | √   | 756                     | 273                      | 9.0             |
|               | 315/35ZR20 | 110           | Y               | XL | BSW               | TL    | √   | 728                     | 320                      | 11.0            |

# ADVANFORS UHP II

UTQG: 420 AA A

Highly stylishly designed and engineered specially for various luxury sedans and EVs.



## Features & benefits

- Sporty and stylish HP/UHP non-symmetric tread pattern design. Logical control of transition from inside to outside for excellent wet/dry performance.
- Continuous ribs and reinforced two-shoulder design for high-speed stability and uniform treadwear.
- Different-size pitches design and alignment effectively lower rolling noise and improve driving comfort.

M+S



|               |         |
|---------------|---------|
| RANGE         | 16-22   |
| SPEED RATE    | V/W     |
| ASPECT RATIO  | 30-65   |
| SECTION WIDTH | 195-315 |

### ADVANFORS UHP II

| Rim (inch) | Tire Size   | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-------------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 16         | *195/45R16  | 84         | V            | XL | BSW            | TL    | √   | 582               | 195                | 6.5          |
|            | 195/55R16   | 91         | V            | XL | BSW            | TL    | √   | 620               | 201                | 6.0          |
|            | *205/45ZR16 | 87         | W            | XL | BSW            | TL    | √   | 590               | 206                | 7.0          |
|            | 205/55ZR16  | 94         | W            | XL | BSW            | TL    | √   | 632               | 214                | 6.5          |
|            | 205/60R16   | 96         | V            | XL | BSW            | TL    | √   | 652               | 209                | 6.0          |
|            | *215/45R16  | 90         | V            | XL | BSW            | TL    | √   | 600               | 213                | 7.0          |
|            | 215/55ZR16  | 97         | W            | XL | BSW            | TL    | √   | 642               | 226                | 7.0          |
|            | 225/55ZR16  | 99         | W            | XL | BSW            | TL    | √   | 654               | 233                | 7.0          |
| 17         | *205/40ZR17 | 84         | W            | XL | BSW            | TL    | √   | 596               | 212                | 7.5          |
|            | 205/45ZR17  | 88         | W            | XL | BSW            | TL    | √   | 616               | 206                | 7.0          |
|            | 205/50ZR17  | 93         | W            | XL | BSW            | TL    | √   | 638               | 241                | 6.5          |
|            | 205/55ZR17  | 95         | W            | XL | BSW            | TL    | √   | 658               | 214                | 6.5          |
|            | *215/40ZR17 | 87         | W            | XL | BSW            | TL    | √   | 604               | 218                | 7.5          |
|            | 215/45ZR17  | 91         | W            | XL | BSW            | TL    | √   | 626               | 213                | 7.0          |
|            | 215/50ZR17  | 95         | W            | XL | BSW            | TL    | √   | 648               | 226                | 7.0          |
|            | 215/55ZR17  | 98         | W            | XL | BSW            | TL    | √   | 668               | 226                | 7.0          |
|            | 215/60R17   | 100        | V            | XL | BSW            | TL    | √   | 690               | 221                | 6.5          |
|            | *215/65R17  | 103        | V            | XL | BSW            | TL    | √   | 712               | 221                | 6.5          |
|            | 225/45ZR17  | 94         | W            | XL | BSW            | TL    | √   | 634               | 225                | 7.5          |
|            | 225/50ZR17  | 98         | W            | XL | BSW            | TL    | √   | 658               | 233                | 7.0          |
|            | 225/55ZR17  | 101        | W            | XL | BSW            | TL    | √   | 680               | 233                | 7.0          |
|            | 225/60R17   | 103        | V            | XL | BSW            | TL    | √   | 702               | 228                | 6.5          |
|            | 225/65R17   | 102        | V            |    | BSW            | TL    | √   | 724               | 228                | 6.5          |
|            | 235/45ZR17  | 97         | W            | XL | BSW            | TL    | √   | 644               | 236                | 8.0          |
| 18         | 235/50ZR17  | 100        | W            | XL | BSW            | TL    | √   | 668               | 245                | 7.5          |
|            | 235/55ZR17  | 103        | W            | XL | BSW            | TL    | √   | 690               | 245                | 7.5          |
|            | *235/60R17  | 102        | V            |    | BSW            | TL    | √   | 714               | 240                | 7.0          |
|            | *235/65R17  | 108        | V            | XL | BSW            | TL    | √   | 738               | 240                | 7.0          |
|            | 245/40ZR17  | 95         | W            | XL | BSW            | TL    | √   | 628               | 248                | 8.5          |
|            | 245/45ZR17  | 99         | W            | XL | BSW            | TL    | √   | 652               | 243                | 8.0          |
|            | 215/40ZR18  | 89         | W            | XL | BSW            | TL    | √   | 629               | 218                | 7.5          |
|            | 215/45ZR18  | 93         | W            | XL | BSW            | TL    | √   | 651               | 213                | 7.0          |
|            | 215/50ZR18  | 96         | W            | XL | BSW            | TL    | √   | 673               | 226                | 7.0          |
|            | 215/55ZR18  | 99         | W            | XL | BSW            | TL    | √   | 693               | 226                | 7.0          |

# ADVANFORS UHP II



| Rim (inch) | Tire Size   | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-------------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 18         | 225/60R18   | 104        | V            | XL | BSW            | TL    | ✓   | 727               | 228                | 6.5          |
|            | 235/40ZR18  | 95         | W            | XL | BSW            | TL    | ✓   | 645               | 241                | 8.5          |
|            | 235/45ZR18  | 98         | W            | XL | BSW            | TL    | ✓   | 669               | 236                | 8.0          |
|            | 235/50ZR18  | 101        | W            | XL | BSW            | TL    | ✓   | 693               | 245                | 7.5          |
|            | 235/55ZR18  | 104        | W            | XL | BSW            | TL    | ✓   | 715               | 245                | 7.5          |
|            | 235/60R18   | 107        | V            | XL | BSW            | TL    | ✓   | 739               | 240                | 7.0          |
|            | 245/35ZR18  | 92         | W            | XL | BSW            | TL    | ✓   | 629               | 248                | 8.5          |
|            | 245/40ZR18  | 97         | W            | XL | BSW            | TL    | ✓   | 653               | 248                | 8.5          |
|            | 245/45ZR18  | 100        | W            | XL | BSW            | TL    | ✓   | 677               | 243                | 8.0          |
|            | 245/50ZR18  | 104        | W            | XL | BSW            | TL    | ✓   | 703               | 253                | 7.5          |
|            | 255/35ZR18  | 94         | W            | XL | BSW            | TL    | ✓   | 635               | 260                | 9.0          |
|            | 255/40ZR18  | 99         | W            | XL | BSW            | TL    | ✓   | 661               | 260                | 9.0          |
|            | 255/45ZR18  | 103        | W            | XL | BSW            | TL    | ✓   | 687               | 255                | 8.5          |
|            | 255/55ZR18  | 109        | W            | XL | BSW            | TL    | ✓   | 737               | 265                | 8.0          |
|            | *265/35ZR18 | 97         | W            | XL | BSW            | TL    | ✓   | 643               | 271                | 9.5          |
|            | 275/40ZR18  | 103        | W            | XL | BSW            | TL    | ✓   | 677               | 278                | 9.5          |
| 19         | 225/40ZR19  | 93         | W            | XL | BSW            | TL    | ✓   | 663               | 230                | 8.0          |
|            | 225/45ZR19  | 96         | W            | XL | BSW            | TL    | ✓   | 685               | 225                | 7.5          |
|            | 225/55ZR19  | 103        | W            | XL | BSW            | TL    | ✓   | 731               | 233                | 7.0          |
|            | 235/35ZR19  | 91         | W            | XL | BSW            | TL    | ✓   | 647               | 241                | 8.5          |
|            | 235/40ZR19  | 96         | W            | XL | BSW            | TL    | ✓   | 671               | 241                | 8.5          |
|            | 235/45ZR19  | 99         | W            | XL | BSW            | TL    | ✓   | 695               | 236                | 8.0          |
|            | 235/50ZR19  | 103        | W            | XL | BSW            | TL    | ✓   | 719               | 245                | 7.5          |
|            | 235/55ZR19  | 105        | W            | XL | BSW            | TL    | ✓   | 741               | 245                | 7.5          |
|            | 245/35ZR19  | 93         | W            | XL | BSW            | TL    | ✓   | 655               | 248                | 8.5          |
|            | 245/40ZR19  | 98         | W            | XL | BSW            | TL    | ✓   | 679               | 248                | 8.5          |
|            | 245/45ZR19  | 102        | W            | XL | BSW            | TL    | ✓   | 703               | 243                | 8.0          |
|            | 245/50ZR19  | 105        | W            | XL | BSW            | TL    | ✓   | 729               | 253                | 7.5          |
|            | 245/55ZR19  | 107        | W            | XL | BSW            | TL    | ✓   | 753               | 253                | 7.5          |
|            | 255/35ZR19  | 96         | W            | XL | BSW            | TL    | ✓   | 661               | 260                | 9.0          |
|            | 255/40ZR19  | 100        | W            | XL | BSW            | TL    | ✓   | 687               | 260                | 9.0          |
|            | 255/45ZR19  | 104        | W            | XL | BSW            | TL    | ✓   | 713               | 255                | 8.5          |
|            | 255/50ZR19  | 107        | W            | XL | BSW            | TL    | ✓   | 739               | 265                | 8.0          |
|            | 255/55ZR19  | 111        | W            | XL | BSW            | TL    | ✓   | 763               | 265                | 8.0          |
|            | 255/60R19   | 113        | V            | XL | BSW            | TL    | ✓   | 789               | 260                | 7.5          |
|            | 265/50ZR19  | 110        | W            | XL | BSW            | TL    | ✓   | 749               | 277                | 8.5          |
|            | 275/35ZR19  | 100        | W            | XL | BSW            | TL    | ✓   | 675               | 278                | 9.5          |
|            | 275/40ZR19  | 105        | W            | XL | BSW            | TL    | ✓   | 703               | 278                | 9.5          |

# ADVANFORS UHP II



| Rim (inch) | Tire Size   | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-------------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 19         | 275/45ZR19  | 108        | W            | XL | BSW            | TL    | ✓   | 731               | 273                | 9.0          |
|            | 285/45ZR19  | 111        | W            | XL | BSW            | TL    | ✓   | 739               | 285                | 9.5          |
|            | 235/50ZR20  | 104        | W            | XL | BSW            | TL    | ✓   | 744               | 245                | 7.5          |
|            | *235/55ZR20 | 105        | W            | XL | BSW            | TL    | ✓   | 766               | 245                | 7.5          |
|            | 245/35ZR20  | 95         | W            | XL | BSW            | TL    | ✓   | 680               | 248                | 8.5          |
|            | 245/40ZR20  | 99         | W            | XL | BSW            | TL    | ✓   | 704               | 248                | 8.5          |
|            | 245/45ZR20  | 103        | W            | XL | BSW            | TL    | ✓   | 728               | 243                | 8.0          |
|            | 245/50ZR20  | 102        | W            | XL | BSW            | TL    | ✓   | 754               | 253                | 7.5          |
|            | *255/35ZR20 | 97         | W            | XL | BSW            | TL    | ✓   | 686               | 260                | 9.0          |
|            | 255/40ZR20  | 101        | W            | XL | BSW            | TL    | ✓   | 712               | 260                | 9.0          |
|            | 255/45ZR20  | 105        | W            | XL | BSW            | TL    | ✓   | 738               | 255                | 8.5          |
|            | 255/50ZR20  | 109        | W            | XL | BSW            | TL    | ✓   | 764               | 265                | 8.0          |
| 20         | 255/55ZR20  | 110        | W            | XL | BSW            | TL    | ✓   | 788               | 265                | 8.0          |
|            | 265/40ZR20  | 104        | W            | XL | BSW            | TL    | ✓   | 720               | 271                | 9.5          |
|            | 265/45ZR20  | 108        | W            | XL | BSW            | TL    | ✓   | 746               | 266                | 9.0          |
|            | 265/50ZR20  | 111        | W            | XL | BSW            | TL    | ✓   | 774               | 277                | 8.5          |
|            | 275/30ZR20  | 97         | W            | XL | BSW            | TL    | ✓   | 674               | 278                | 9.5          |
|            | 275/35ZR20  | 102        | W            | XL | BSW            | TL    | ✓   | 700               | 278                | 9.5          |
|            | 275/40ZR20  | 106        | W            | XL | BSW            | TL    | ✓   | 728               | 278                | 9.5          |
|            | 275/45ZR20  | 110        | W            | XL | BSW            | TL    | ✓   | 756               | 273                | 9.0          |
|            | 275/50ZR20  | 113        | W            | XL | BSW            | TL    | ✓   | 784               | 284                | 8.5          |
|            | 275/55ZR20  | 117        | W            | XL | BSW            | TL    | ✓   | 810               | 284                | 8.5          |
|            | 285/45ZR20  | 112        | W            | XL | BSW            | TL    | ✓   | 764               | 285                | 9.5          |
|            | 285/50ZR20  | 116        | W            | XL | BSW            | TL    | ✓   | 794               | 297                | 9.0          |
| 21         | 305/40ZR20  | 112        | W            | XL | BSW            | TL    | ✓   | 752               | 313                | 11.0         |
|            | 315/35ZR20  | 110        | W            | XL | BSW            | TL    | ✓   | 728               | 320                | 11.0         |
|            | 255/45ZR21  | 106        | W            | XL | BSW            | TL    | ✓   | 763               | 255                | 8.5          |
|            | 265/45ZR21  | 108        | W            | XL | BSW            | TL    | ✓   | 771               | 266                | 9.0          |
|            | 275/40ZR21  | 107        | W            | XL | BSW            | TL    | ✓   | 753               | 278                | 9.5          |
|            | 275/45ZR21  | 110        | W            | XL | BSW            | TL    | ✓   | 781               | 273                | 9.0          |
|            | 285/35ZR21  | 105        | W            | XL | BSW            | TL    | ✓   | 733               | 290                | 10.0         |
|            | *285/40ZR21 | 109        | W            | XL | BSW            | TL    | ✓   | 761               | 290                | 10.0         |
|            | 285/45ZR21  | 113        | W            | XL | BSW            | TL    | ✓   | 789               | 285                | 9.5          |
|            | *295/35ZR21 | 107        | W            | XL | BSW            | TL    | ✓   | 739               | 301                | 10.5         |
|            | *295/40ZR21 | 111        | W            | XL | BSW            | TL    | ✓   | 769               | 301                | 10.5         |
|            | 315/35ZR21  | 111        | W            | XL | BSW            | TL    | ✓   | 753               | 320                | 11.0         |
| 22         | 275/40ZR22  | 107        | W            | XL | BSW            | TL    | ✓   | 779               | 278                | 9.5          |
|            | 315/35ZR22  | 111        | W            | XL | BSW            | TL    | ✓   | 779               | 320                | 11.0         |

\*UNDER DEVELOPMENT

# TERRAMASTER H/P

UTQG: 380 A A

The TERRAMASTER H/P offers the broadest size range for passengers vehicles, ensures comfort through improved construction, enhances wet grip and reduces rolling resistance with an optimized compound, and delivers exceptional dry/wet handling performance.



## Features & benefits

- Covering a most wide range of sizes for eco, HP/UHP vehicles.
- The "3+1" wider main grooves in variable width circumferential grooves offer exceptional water-evacuation performance for wet driving safety.
- High performance compounding and optimized block/ratio ensures for great road grips and lower rolling resistance.

 Wet Traction

 Comfortable

 Control

 Mileage

|               |           |
|---------------|-----------|
| RANGE         | 13-21     |
| SPEED RATE    | T/H/V/W/Y |
| ASPECT RATIO  | 30-80     |
| SECTION WIDTH | 155-315   |

### TERRAMASTER H/P

| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 13         | 155/65R13 | 73         | T            |    | BSW            | TL    | √   | 532               | 157                | 4.5          |
|            | 155/70R13 | 75         | T            |    | BSW            | TL    | √   | 548               | 157                | 4.5          |
|            | 155/80R13 | 79         | T            |    | BSW            | TL    | √   | 578               | 157                | 4.5          |
|            | 165/70R13 | 79         | T            |    | BSW            | TL    | √   | 562               | 170                | 5.0          |
|            | 165/80R13 | 83         | T            |    | BSW            | TL    | √   | 594               | 165                | 4.5          |
|            | 175/70R13 | 82         | T            |    | BSW            | TL    | √   | 576               | 177                | 5.0          |
|            | 185/70R13 | 86         | T            |    | BSW            | TL    | √   | 590               | 189                | 5.5          |
| 14         | 155/65R14 | 75         | T            |    | BSW            | TL    | √   | 558               | 157                | 4.5          |
|            | 165/60R14 | 75         | H            |    | BSW            | TL    | √   | 554               | 170                | 5.0          |
|            | 165/65R14 | 79         | T            |    | BSW            | TL    | √   | 570               | 170                | 5.0          |
|            | 165/70R14 | 81         | T            |    | BSW            | TL    | √   | 588               | 170                | 5.0          |
|            | 175/60R14 | 79         | H            |    | BSW            | TL    | √   | 566               | 177                | 5.0          |
|            | 175/65R14 | 82         | H            |    | BSW            | TL    | √   | 584               | 177                | 5.0          |
|            | 175/70R14 | 84         | T            |    | BSW            | TL    | √   | 602               | 177                | 5.0          |
|            | 175/70R14 | 88         | T            | XL | BSW            | TL    | √   | 602               | 177                | 5.0          |
|            | 185/55R14 | 80         | V            |    | BSW            | TL    | √   | 560               | 194                | 6.0          |
|            | 185/60R14 | 82         | H            |    | BSW            | TL    | √   | 578               | 189                | 5.5          |
|            | 185/65R14 | 86         | H            |    | BSW            | TL    | √   | 596               | 189                | 5.5          |
|            | 185/70R14 | 88         | T            |    | BSW            | TL    | √   | 616               | 189                | 5.5          |
|            | 195/65R14 | 89         | H            |    | BSW            | TL    | √   | 660               | 201                | 6.0          |
|            | 195/70R14 | 91         | T            |    | BSW            | TL    | √   | 630               | 201                | 6.0          |
| 15         | 155/60R15 | 74         | H            |    | BSW            | TL    | √   | 567               | 157                | 4.5          |
|            | 165/60R15 | 81         | T            | XL | BSW            | TL    | √   | 579               | 170                | 5.0          |
|            | 165/65R15 | 81         | H            |    | BSW            | TL    | √   | 595               | 170                | 5.0          |
|            | 175/55R15 | 77         | H            |    | BSW            | TL    | √   | 573               | 182                | 5.5          |
|            | 175/60R15 | 81         | H            |    | BSW            | TL    | √   | 591               | 177                | 5.0          |
|            | 175/65R15 | 84         | H            |    | BSW            | TL    | √   | 609               | 177                | 5.0          |
|            | 185/55R15 | 82         | V            |    | BSW            | TL    | √   | 585               | 194                | 6.0          |
|            | 185/55R15 | 86         | V            | XL | BSW            | TL    | √   | 585               | 194                | 6.0          |
|            | 185/60R15 | 84         | H            |    | BSW            | TL    | √   | 603               | 189                | 5.5          |
|            | 185/60R15 | 88         | H            | XL | BSW            | TL    | √   | 603               | 189                | 5.5          |
|            | 185/65R15 | 88         | H            |    | BSW            | TL    | √   | 621               | 189                | 5.5          |
|            | 195/45R15 | 78         | V            |    | BSW            | TL    | √   | 557               | 195                | 6.5          |
|            | 195/50R15 | 82         | V            |    | BSW            | TL    | √   | 577               | 201                | 6.0          |
|            | 195/55R15 | 85         | V            |    | BSW            | TL    | √   | 595               | 201                | 6.0          |
|            | 195/60R15 | 88         | H            |    | BSW            | TL    | √   | 615               | 201                | 6.0          |
|            | 195/60R15 | 88         | V            |    | BSW            | TL    | √   | 615               | 201                | 6.0          |
|            | 195/65R15 | 91         | V            |    | BSW            | TL    | √   | 635               | 201                | 6.0          |
|            | 195/65R15 | 91         | H            |    | BSW            | TL    | √   | 635               | 201                | 6.0          |
|            | 195/65R15 | 95         | H            | XL | BSW            | TL    | √   | 635               | 201                | 6.0          |
|            | 205/60R15 | 91         | H            |    | BSW            | TL    | √   | 627               | 209                | 6.0          |
|            | 205/65R15 | 94         | V            |    | BSW            | TL    | √   | 647               | 209                | 6.0          |
|            | 205/70R15 | 96         | H            |    | BSW            | TL    | √   | 669               | 209                | 6.0          |
|            | 215/65R15 | 96         | H            |    | BSW            | TL    | √   | 661               | 221                | 6.5          |
|            | 215/70R15 | 98         | H            |    | BSW            | TL    | √   | 683               | 221                | 6.5          |

# TERRAMASTER H/P



| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 16         | 185/55R16 | 83         | V            |    | BSW            | TL    | ✓   | 610               | 194                | 6.0          |
|            | 195/45R16 | 84         | V            | XL | BSW            | TL    | ✓   | 582               | 195                | 6.5          |
|            | 195/50R16 | 84         | V            |    | BSW            | TL    | ✓   | 602               | 201                | 6.0          |
|            | 195/50R16 | 88         | V            | XL | BSW            | TL    | ✓   | 602               | 201                | 6.0          |
|            | 195/55R16 | 87         | V            |    | BSW            | TL    | ✓   | 620               | 201                | 6.0          |
|            | 195/55R16 | 91         | V            | XL | BSW            | TL    | ✓   | 620               | 201                | 6.0          |
|            | 195/60R16 | 89         | V            |    | BSW            | TL    | ✓   | 640               | 201                | 6.0          |
|            | 205/45R16 | 87         | W            | XL | BSW            | TL    | ✓   | 590               | 206                | 7.0          |
|            | 205/50R16 | 87         | V            |    | BSW            | TL    | ✓   | 612               | 214                | 6.5          |
|            | 205/50R16 | 91         | V            | XL | BSW            | TL    | ✓   | 612               | 214                | 6.5          |
|            | 205/55R16 | 91         | V            |    | BSW            | TL    | ✓   | 632               | 214                | 6.5          |
|            | 205/55R16 | 94         | W            | XL | BSW            | TL    | ✓   | 632               | 214                | 6.5          |
|            | 205/60R16 | 92         | V            |    | BSW            | TL    | ✓   | 652               | 209                | 6.0          |
|            | 205/60R16 | 96         | V            | XL | BSW            | TL    | ✓   | 652               | 209                | 6.0          |
|            | 205/65R16 | 95         | H            |    | BSW            | TL    | ✓   | 672               | 209                | 6.0          |
|            | 215/40R16 | 86         | W            | XL | BSW            | TL    | ✓   | 578               | 218                | 7.5          |
|            | 215/45R16 | 90         | W            | XL | BSW            | TL    | ✓   | 600               | 213                | 7.0          |
|            | 215/55R16 | 97         | W            | XL | BSW            | TL    | ✓   | 642               | 226                | 7.0          |
|            | 215/60R16 | 99         | V            | XL | BSW            | TL    | ✓   | 664               | 221                | 6.5          |
|            | 215/65R16 | 98         | V            |    | BSW            | TL    | ✓   | 686               | 221                | 6.5          |
|            | 215/70R16 | 100        | H            |    | BSW            | TL    | ✓   | 708               | 221                | 6.5          |
|            | 225/55R16 | 99         | W            | XL | BSW            | TL    | ✓   | 654               | 233                | 7.0          |
|            | 225/60R16 | 98         | H            |    | BSW            | TL    | ✓   | 676               | 228                | 6.5          |
|            | 235/60R16 | 100        | H            |    | BSW            | TL    | ✓   | 688               | 240                | 7.0          |
| 17         | 195/45R17 | 85         | W            | XL | BSW            | TL    | ✓   | 608               | 195                | 6.5          |
|            | 205/40R17 | 84         | W            | XL | BSW            | TL    | ✓   | 596               | 212                | 7.5          |
|            | 205/45R17 | 88         | W            | XL | BSW            | TL    | ✓   | 616               | 206                | 7.0          |
|            | 205/50R17 | 93         | W            | XL | BSW            | TL    | ✓   | 638               | 214                | 6.5          |
|            | 205/55R17 | 95         | W            | XL | BSW            | TL    | ✓   | 658               | 214                | 6.5          |
|            | 215/40R17 | 87         | W            | XL | BSW            | TL    | ✓   | 604               | 218                | 7.5          |
|            | 215/45R17 | 91         | W            | XL | BSW            | TL    | ✓   | 626               | 213                | 7.0          |
|            | 215/50R17 | 95         | W            | XL | BSW            | TL    | ✓   | 648               | 226                | 7.0          |
|            | 215/55R17 | 98         | W            | XL | BSW            | TL    | ✓   | 668               | 226                | 7.0          |
|            | 215/60R17 | 96         | V            |    | BSW            | TL    | ✓   | 690               | 221                | 6.5          |
|            | 225/45R17 | 94         | W            | XL | BSW            | TL    | ✓   | 634               | 225                | 7.5          |
|            | 225/50R17 | 98         | W            | XL | BSW            | TL    | ✓   | 658               | 233                | 7.0          |
|            | 225/55R17 | 101        | W            | XL | BSW            | TL    | ✓   | 680               | 233                | 7.0          |
|            | 225/60R17 | 103        | V            | XL | BSW            | TL    | ✓   | 702               | 228                | 6.5          |
|            | 225/65R17 | 106        | V            | XL | BSW            | TL    | ✓   | 724               | 228                | 6.5          |

# TERRAMASTER H/P



| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 17         | 225/60R17 | 103        | V            | XL | BSW            | TL    | ✓   | 702               | 228                | 6.5          |
|            | 225/65R17 | 106        | V            | XL | BSW            | TL    | ✓   | 724               | 228                | 6.5          |
|            | 235/45R17 | 97         | W            | XL | BSW            | TL    | ✓   | 644               | 236                | 8.0          |
|            | 235/50R17 | 100        | W            | XL | BSW            | TL    | ✓   | 668               | 245                | 7.5          |
|            | 235/55R17 | 103        | W            | XL | BSW            | TL    | ✓   | 690               | 245                | 7.5          |
|            | 235/65R17 | 108        | V            | XL | BSW            | TL    | ✓   | 738               | 240                | 7.0          |
|            | 245/40R17 | 95         | W            | XL | BSW            | TL    | ✓   | 628               | 248                | 8.5          |
|            | 245/45R17 | 99         | W            | XL | BSW            | TL    | ✓   | 652               | 243                | 8.0          |
|            | 255/40R17 | 94         | V            |    | BSW            | TL    | ✓   | 636               | 260                | 9.0          |
|            | 205/40R18 | 86         | W            | XL | BSW            | TL    | ✓   | 621               | 212                | 7.5          |
|            | 215/40R18 | 89         | W            | XL | BSW            | TL    | ✓   | 629               | 218                | 7.5          |
|            | 215/45R18 | 93         | W            | XL | BSW            | TL    | ✓   | 651               | 213                | 7.0          |
|            | 215/50R18 | 92         | W            |    | BSW            | TL    | ✓   | 673               | 226                | 7.0          |
|            | 215/55R18 | 99         | V            | XL | BSW            | TL    | ✓   | 693               | 226                | 7.0          |
| 18         | 225/40R18 | 92         | W            | XL | BSW            | TL    | ✓   | 637               | 230                | 8.0          |
|            | 225/45R18 | 95         | W            | XL | BSW            | TL    | ✓   | 659               | 225                | 7.5          |
|            | 225/50R18 | 99         | W            | XL | BSW            | TL    | ✓   | 683               | 233                | 7.0          |
|            | 225/55R18 | 98         | V            |    | BSW            | TL    | ✓   | 705               | 233                | 7.0          |
|            | 225/60R18 | 100        | H            |    | BSW            | TL    | ✓   | 727               | 228                | 6.5          |
|            | 235/40R18 | 95         | W            | XL | BSW            | TL    | ✓   | 645               | 241                | 8.5          |
|            | 235/45R18 | 98         | W            | XL | BSW            | TL    | ✓   | 669               | 236                | 8.0          |
|            | 235/50R18 | 101        | W            | XL | BSW            | TL    | ✓   | 693               | 245                | 7.5          |
|            | 235/55R18 | 104        | W            | XL | BSW            | TL    | ✓   | 715               | 245                | 7.5          |
|            | 235/60R18 | 107        | V            | XL | BSW            | TL    | ✓   | 739               | 240                | 7.0          |
|            | 245/40R18 | 97         | W            | XL | BSW            | TL    | ✓   | 653               | 248                | 8.5          |
|            | 245/45R18 | 100        | W            | XL | BSW            | TL    | ✓   | 677               | 243                | 8.0          |
|            | 255/35R18 | 94         | W            | XL | BSW            | TL    | ✓   | 635               | 260                | 9.0          |
|            | 255/40R18 | 99         | W            | XL | BSW            | TL    | ✓   | 661               | 260                | 9.0          |
| 19         | 255/45R18 | 103        | W            | XL | BSW            | TL    | ✓   | 687               | 255                | 8.5          |
|            | 255/55R18 | 109        | W            | XL | BSW            | TL    | ✓   | 737               | 265                | 8.0          |
|            | 255/60R18 | 112        | V            | XL | BSW            | TL    | ✓   | 763               | 260                | 7.5          |
|            | 265/35R18 | 97         | W            | XL | BSW            | TL    | ✓   | 643               | 271                | 9.5          |
|            | 205/55R19 | 97         | V            | XL | BSW            | TL    | ✓   | 709               | 214                | 6.5          |
|            | 225/35R19 | 88         | W            | XL | BSW            | TL    | ✓   | 641               | 230                | 8.0          |
|            | 225/40R19 | 93         | W            | XL | BSW            | TL    | ✓   | 663               | 230                | 8.0          |
|            | 225/45R19 | 96         | W            | XL | BSW            | TL    | ✓   | 685               | 225                | 7.5          |
|            | 225/55R19 | 103        | V            |    | BSW            | TL    | ✓   | 731               | 233                | 7.0          |
|            | 235/35R19 | 91         | W            | XL | BSW            | TL    | ✓   | 647               | 241                | 8.5          |
|            | 235/40R19 | 96         | W            | XL | BSW            | TL    | ✓   | 671               | 241                | 8.5          |

# TERRAMASTER H/P



| Rim<br>(inch) | Tire Size | Load<br>Index | Speed<br>Symbol | XL | Sidewall<br>Style | TL/TT | ECE | Overall<br>Diam<br>(mm) | Section<br>Width<br>(mm) | Standard<br>Rim |
|---------------|-----------|---------------|-----------------|----|-------------------|-------|-----|-------------------------|--------------------------|-----------------|
| 19            | 235/45R19 | 99            | W               | XL | BSW               | TL    | √   | 695                     | 236                      | 8.0             |
|               | 235/50R19 | 103           | W               | XL | BSW               | TL    | √   | 719                     | 245                      | 7.5             |
|               | 235/55R19 | 105           | V               | XL | BSW               | TL    | √   | 741                     | 245                      | 7.5             |
|               | 245/35R19 | 93            | W               | XL | BSW               | TL    | √   | 655                     | 248                      | 8.5             |
|               | 245/40R19 | 98            | W               | XL | BSW               | TL    | √   | 679                     | 248                      | 8.5             |
|               | 245/45R19 | 102           | W               | XL | BSW               | TL    | √   | 703                     | 243                      | 8.0             |
|               | 255/35R19 | 96            | W               | XL | BSW               | TL    | √   | 661                     | 260                      | 9.0             |
|               | 255/40R19 | 100           | W               | XL | BSW               | TL    | √   | 687                     | 260                      | 9.0             |
|               | 255/45R19 | 104           | W               | XL | BSW               | TL    | √   | 713                     | 255                      | 8.5             |
|               | 255/50R19 | 107           | W               | XL | BSW               | TL    | √   | 739                     | 265                      | 8.0             |
|               | 255/55R19 | 111           | W               | XL | BSW               | TL    | √   | 763                     | 265                      | 8.0             |
|               | 265/35R19 | 98            | W               | XL | BSW               | TL    | √   | 669                     | 271                      | 9.5             |
|               | 275/35R19 | 100           | W               | XL | BSW               | TL    | √   | 675                     | 278                      | 9.5             |
|               | 275/40R19 | 105           | W               | XL | BSW               | TL    | √   | 703                     | 278                      | 9.5             |
| 20            | 195/50R20 | 93            | H               | XL | BSW               | TL    | √   | 704                     | 201                      | 6.0             |
|               | 195/55R20 | 95            | H               | XL | BSW               | TL    | √   | 722                     | 201                      | 6.0             |
|               | 245/35R20 | 95            | W               | XL | BSW               | TL    | √   | 680                     | 248                      | 8.5             |
|               | 245/40R20 | 99            | W               | XL | BSW               | TL    | √   | 704                     | 248                      | 8.5             |
|               | 245/45R20 | 103           | W               | XL | BSW               | TL    | √   | 728                     | 243                      | 8.0             |
|               | 255/35R20 | 97            | W               | XL | BSW               | TL    | √   | 686                     | 260                      | 9.0             |
|               | 255/40R20 | 101           | Y               | XL | BSW               | TL    | √   | 712                     | 260                      | 9.0             |
|               | 255/45R20 | 105           | W               | XL | BSW               | TL    | √   | 738                     | 255                      | 8.5             |
|               | 255/50R20 | 109           | W               | XL | BSW               | TL    | √   | 764                     | 265                      | 8.0             |
|               | 275/30R20 | 97            | W               | XL | BSW               | TL    | √   | 674                     | 278                      | 9.5             |
|               | 275/35R20 | 102           | W               | XL | BSW               | TL    | √   | 700                     | 278                      | 9.5             |
|               | 275/40R20 | 106           | Y               | XL | BSW               | TL    | √   | 728                     | 278                      | 9.5             |
| 21            | 275/45R20 | 110           | Y               | XL | BSW               | TL    | √   | 756                     | 273                      | 9.0             |
|               | 315/35R20 | 110           | Y               | XL | BSW               | TL    | √   | 728                     | 320                      | 11.0            |
|               | 275/40R21 | 107           | Y               | XL | BSW               | TL    | √   | 753                     | 278                      | 9.5             |
|               | 315/35R21 | 111           | Y               | XL | BSW               | TL    | √   | 753                     | 320                      | 11.0            |



# TRANSMASTER VAN

TRANSMASTER VAN, with significant developmental advances in sustainability, has an increased mileage/durability, and lower rolling resistance.



## Features & benefits

- with a higher block/void ratio optimised pattern, the specilized van tyre tread compound enhanced mileage greatly.
- The innovative groove design improves the noise level comfort.While keeping a consistently high wet performance.
- The new design, with optimized pitch-alignment, ensures better noise absorption and less sound creation for a van tyre.

  
Wet Traction

  
Comfortable

  
Control

  
Mileage

### TRANSMASTER VAN

| Rim (inch) | Tire Size  | Load Index | Speed Symbol | PR   | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|------------|------------|--------------|------|----------------|-------|-----|-------------------|--------------------|--------------|
| 14         | 175/65R14C | 90/88      | T            | 6PR  | BSW            | TL    | √   | 584               | 177                | 5.0          |
|            | 175/70R14C | 95/93      | S            | 6PR  | BSW            | TL    | √   | 602               | 177                | 5.0          |
|            | 185R14C    | 102/100    | R            | 8PR  | BSW            | TL    | √   | 650               | 188                | 5.5          |
|            | 195R14C    | 106/104    | Q            | 8PR  | BSW            | TL    | √   | 666               | 198                | 5.5          |
| 15         | 195/70R15C | 104/102    | R            | 8PR  | BSW            | TL    | √   | 655               | 201                | 6.0          |
|            | 205/70R15C | 106 /104   | R            | 8PR  | BSW            | TL    | √   | 669               | 209                | 6.0          |
|            | 215/65R15C | 104/102    | T            | 6PR  | BSW            | TL    | √   | 661               | 221                | 6.5          |
|            | 215/70R15C | 109/107    | R            | 8PR  | BSW            | TL    | √   | 683               | 221                | 6.5          |
| 16         | 225/70R15C | 112/110    | R            | 8PR  | BSW            | TL    | √   | 697               | 228                | 6.5          |
|            | 185/75R16C | 104/102    | R            | 8PR  | BSW            | TL    | √   | 684               | 184                | 5.0          |
|            | 195/60R16C | 99/97      | H            | 6PR  | BSW            | TL    | √   | 640               | 201                | 6.0          |
|            | 195/65R16C | 104/102    | T            | 8PR  | BSW            | TL    | √   | 660               | 201                | 6.0          |
| 16         | 195/75R16C | 107/105    | R            | 8PR  | BSW            | TL    | √   | 698               | 196                | 5.5          |
|            | 205/65R16C | 107/105    | T            | 8PR  | BSW            | TL    | √   | 672               | 209                | 6.0          |
|            | 205/75R16C | 110/108    | Q            | 8PR  | BSW            | TL    | √   | 714               | 203                | 5.5          |
|            | 215/60R16C | 108/106    | T            | 8PR  | BSW            | TL    | √   | 686               | 221                | 6.5          |
| 16         | 215/65R16C | 109/107    | T            | 8PR  | BSW            | TL    | √   | 686               | 221                | 6.5          |
|            | 215/75R16C | 113/111    | Q            | 8PR  | BSW            | TL    | √   | 728               | 216                | 6.0          |
|            | 225/65R16C | 112/110    | T            | 8PR  | BSW            | TL    | √   | 698               | 228                | 6.5          |
|            | 225/75R16C | 118/116    | R            | 10PR | BSW            | TL    | √   | 744               | 223                | 6.0          |
| 16         | 235/65R16C | 115/113    | R            | 8PR  | BSW            | TL    | √   | 712               | 240                | 7.0          |

|               |           |
|---------------|-----------|
| RANGE         | 14-16     |
| SPEED RATE    | H/Q/R/S/T |
| ASPECT RATIO  | 60-80     |
| SECTION WIDTH | 175-235   |

# ADVANFORS VAN

The ADVANFORS VAN, the finest van/light truck commercial tire for Europe, is engineered to meet the multi-purpose needs of safety, durability, comfort and efficiency.



## Features & benefits

- Strong design, extra-durable construction offers durability and excellent wear resistance.
- Greatly enhanced tread design delivers confident and reliable handling across a variety of road and weather conditions.
- High mileage combined with fuel economy, low operating costs over the long term, boosting your profitability.



|               |         |
|---------------|---------|
| RANGE         | 14-17   |
| SPEED RATE    | R/S/T   |
| ASPECT RATIO  | 60-80   |
| SECTION WIDTH | 175-235 |

### ADVANFORS VAN

| Rim (inch) | Tire Size  | Load Index | Speed Symbol | PR   | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|------------|------------|--------------|------|----------------|-------|-----|-------------------|--------------------|--------------|
| 14         | 175/65R14C | 90/88      | T            | 6PR  | BSW            | TL    | √   | 584               | 177                | 5.0          |
|            | 175/70R14C | 95/93      | T            | 6PR  | BSW            | TL    | √   | 602               | 177                | 5.0          |
|            | 185R14C    | 102/100    | S            | 8PR  | BSW            | TL    | √   | 650               | 188                | 5.5          |
|            | 195R14C    | 106/104    | S            | 8PR  | BSW            | TL    | √   | 666               | 198                | 5.5          |
| 15         | 195/70R15C | 104/102    | S            | 8PR  | BSW            | TL    | √   | 655               | 201                | 6.0          |
|            | 205/70R15C | 106/104    | S            | 8PR  | BSW            | TL    | √   | 669               | 209                | 6.0          |
|            | 215/65R15C | 104/102    | T            | 6PR  | BSW            | TL    | √   | 661               | 221                | 6.5          |
|            | 215/70R15C | 109/107    | S            | 8PR  | BSW            | TL    | √   | 683               | 221                | 6.5          |
|            | 225/70R15C | 112/110    | S            | 8PR  | BSW            | TL    | √   | 697               | 228                | 6.5          |
|            | 185/75R16C | 104/102    | S            | 8PR  | BSW            | TL    | √   | 684               | 184                | 5.0          |
| 16         | 195/65R16C | 104/102    | T            | 8PR  | BSW            | TL    | √   | 660               | 201                | 6.0          |
|            | 195/75R16C | 107/105    | S            | 8PR  | BSW            | TL    | √   | 698               | 196                | 5.5          |
|            | 195/75R16C | 110/108    | R            | 10PR | BSW            | TL    | √   | 698               | 196                | 5.5          |
|            | 205/65R16C | 107/105    | T            | 8PR  | BSW            | TL    | √   | 672               | 209                | 6.0          |
|            | 205/75R16C | 110/108    | S            | 8PR  | BSW            | TL    | √   | 714               | 203                | 5.5          |
|            | 205/75R16C | 113/111    | R            | 10PR | BSW            | TL    | √   | 714               | 203                | 5.5          |
|            | 215/60R16C | 103/101    | T            | 6PR  | BSW            | TL    | √   | 686               | 221                | 6.5          |
|            | 215/65R16C | 109/107    | T            | 8PR  | BSW            | TL    | √   | 686               | 221                | 6.5          |
|            | 215/75R16C | 113/111    | S            | 8PR  | BSW            | TL    | √   | 728               | 216                | 6.0          |
|            | 225/65R16C | 112/110    | T            | 8PR  | BSW            | TL    | √   | 698               | 228                | 6.5          |
| 17         | 225/75R16C | 121/120    | R            | 10PR | BSW            | TL    | √   | 744               | 223                | 6.0          |
|            | 235/65R16C | 115/113    | T            | 8PR  | BSW            | TL    | √   | 712               | 240                | 7.0          |
|            | 235/65R16C | 121/119    | R            | 10PR | BSW            | TL    | √   | 712               | 240                | 7.0          |
|            | 215/60R17C | 109/107    | T            | 8PR  | BSW            | TL    | √   | 690               | 221                | 6.5          |
|            |            |            |              |      |                |       |     |                   |                    |              |



## SUV/4x4 TYRE FAMILY

Designed for SUV/4x4 tyres, they are a native engineering innovation for the heavier weight, greater power, variable center of gravity, and complex all - terrain driving environments of SUVs and four - wheel - drive vehicles. The core design philosophy balances on - road driving comfort and refinement with the rugged resilience for off - road adventures.



ADVANFORS SUV

ADVANFORS A/T

ADVANFORS A/TII

# ADVANFORS SUV

UTQG: 460 A A

Thanks to the new generation of year-round compounding technologies, ADVANFORS SUV delivering excellent wet braking performance, integrated within the tread pattern design evacuates water effectively for enhanced wet grip.



## Features & benefits

- Stylish and strong shoulder design to form enough ground contact in the outsider area for crisp cornering.
- Wide longitudinal grooves and shoulder lateral opening provide optimum drainage when driving straight ahead.
- The whole 3-D edges design for smooth tread block entry in footprint to improve acoustic comfort.
- Specifically for high performance electric and plug-in vehicles.

M+S

Wet Traction

Control

Mileage

Efficiency

|               |         |
|---------------|---------|
| RANGE         | 15-20   |
| SPEED RATE    | T/H/V   |
| ASPECT RATIO  | 45-75   |
| SECTION WIDTH | 215-285 |

### ADVANFORS SUV

| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 15         | 215/75R15 | 100        | T            |    | BSW            | TL    | √   | 703               | 216                | 6.0          |
|            | 235/75R15 | 109        | T            | XL | BSW            | TL    | √   | 733               | 235                | 6.5          |
|            | 215/70R16 | 100        | H            |    | BSW            | TL    | √   | 708               | 221                | 6.5          |
| 16         | 225/70R16 | 107        | H            | XL | BSW            | TL    | √   | 722               | 228                | 6.5          |
|            | 235/70R16 | 106        | H            |    | BSW            | TL    | √   | 736               | 240                | 7.0          |
|            | 245/70R16 | 111        | H            | XL | BSW            | TL    | √   | 750               | 248                | 7.0          |
|            | 255/65R16 | 109        | H            |    | BSW            | TL    | √   | 738               | 260                | 7.5          |
|            | 255/70R16 | 111        | H            |    | BSW            | TL    | √   | 764               | 260                | 7.5          |
|            | 265/70R16 | 112        | H            |    | BSW            | TL    | √   | 778               | 272                | 8.0          |
|            | 275/70R16 | 114        | H            |    | BSW            | TL    | √   | 792               | 279                | 8.0          |
| 17         | 215/60R17 | 100        | V            | XL | BSW            | TL    | √   | 690               | 221                | 6.5          |
|            | 215/65R17 | 99         | H            |    | BSW            | TL    | √   | 712               | 221                | 6.5          |
|            | 225/60R17 | 103        | V            | XL | BSW            | TL    | √   | 702               | 228                | 6.5          |
|            | 225/65R17 | 102        | H            |    | BSW            | TL    | √   | 724               | 228                | 6.5          |
|            | 235/60R17 | 106        | V            | XL | BSW            | TL    | √   | 714               | 240                | 7.0          |
|            | 235/65R17 | 108        | H            | XL | BSW            | TL    | √   | 738               | 240                | 7.0          |
|            | 245/65R17 | 111        | H            | XL | BSW            | TL    | √   | 750               | 248                | 7.0          |
|            | 255/65R17 | 110        | H            |    | BSW            | TL    | √   | 764               | 260                | 7.5          |
|            | 265/65R17 | 112        | H            |    | BSW            | TL    | √   | 776               | 272                | 8.0          |
|            | 265/70R17 | 115        | H            |    | BSW            | TL    | √   | 804               | 272                | 8.0          |
| 18         | 275/65R17 | 115        | H            |    | BSW            | TL    | √   | 790               | 279                | 8.0          |
|            | 285/65R17 | 116        | H            |    | BSW            | TL    | √   | 802               | 292                | 8.5          |
|            | 215/50R18 | 92         | V            |    | BSW            | TL    | √   | 673               | 226                | 7.0          |
|            | 215/55R18 | 99         | V            | XL | BSW            | TL    | √   | 693               | 226                | 7.0          |
|            | 225/50R18 | 95         | V            |    | BSW            | TL    | √   | 683               | 233                | 7.0          |
|            | 225/55R18 | 98         | V            |    | BSW            | TL    | √   | 705               | 233                | 7.0          |
|            | 225/60R18 | 104        | V            | XL | BSW            | TL    | √   | 727               | 228                | 6.5          |
|            | 235/50R18 | 101        | V            | XL | BSW            | TL    | √   | 693               | 245                | 7.5          |
|            | 235/55R18 | 100        | V            |    | BSW            | TL    | √   | 715               | 245                | 7.5          |
|            | 235/60R18 | 107        | V            | XL | BSW            | TL    | √   | 739               | 240                | 7.0          |
|            | 235/65R18 | 110        | H            | XL | BSW            | TL    | √   | 763               | 240                | 7.0          |
|            | 245/60R18 | 105        | H            |    | BSW            | TL    | √   | 751               | 248                | 7.0          |
|            | 255/55R18 | 109        | V            | XL | BSW            | TL    | √   | 737               | 265                | 8.0          |
|            | 255/60R18 | 112        | V            | XL | BSW            | TL    | √   | 763               | 260                | 7.5          |
|            | 255/70R18 | 113        | H            |    | BSW            | TL    | √   | 815               | 260                | 7.5          |
| 19         | 265/60R18 | 114        | V            | XL | BSW            | TL    | √   | 775               | 272                | 8.0          |
|            | 265/65R18 | 114        | H            |    | BSW            | TL    | √   | 801               | 272                | 8.0          |
|            | 265/70R18 | 116        | H            |    | BSW            | TL    | √   | 829               | 272                | 8.0          |
|            | 275/65R18 | 116        | H            |    | BSW            | TL    | √   | 815               | 279                | 8.0          |
|            | 285/60R18 | 116        | H            |    | BSW            | TL    | √   | 799               | 292                | 8.5          |
|            | 225/55R19 | 103        | V            | XL | BSW            | TL    | √   | 731               | 233                | 7.0          |
|            | 235/50R19 | 103        | V            | XL | BSW            | TL    | √   | 719               | 245                | 7.5          |
|            | 235/55R19 | 105        | V            | XL | BSW            | TL    | √   | 741               | 245                | 7.5          |
|            | 245/55R19 | 107        | V            | XL | BSW            | TL    | √   | 753               | 253                | 7.5          |
|            | 255/45R19 | 104        | V            | XL | BSW            | TL    | √   | 713               | 255                | 8.5          |
|            | 255/50R19 | 107        | V            | XL | BSW            | TL    | √   | 739               | 265                | 8.0          |
|            | 255/55R19 | 111        | V            | XL | BSW            | TL    | √   | 763               | 265                | 8.0          |
|            | 265/55R19 | 109        | V            |    | BSW            | TL    | √   | 775               | 277                | 8.5          |

# ADVANFORS SUV



| Rim<br>(inch) | Tire Size | Load<br>Index | Speed<br>Symbol | XL | Sidewall<br>Style | TL/TT | ECE | Overall<br>Diam<br>(mm) | Section<br>Width<br>(mm) | Standard<br>Rim |
|---------------|-----------|---------------|-----------------|----|-------------------|-------|-----|-------------------------|--------------------------|-----------------|
| 20            | 235/55R20 | 105           | V               | XL | BSW               | TL    | √   | 766                     | 245                      | 7.5             |
|               | 245/45R20 | 103           | V               | XL | BSW               | TL    | √   | 728                     | 243                      | 8.0             |
|               | 245/50R20 | 102           | V               |    | BSW               | TL    | √   | 754                     | 253                      | 7.5             |
|               | 255/45R20 | 105           | V               | XL | BSW               | TL    | √   | 738                     | 255                      | 8.5             |
|               | 255/50R20 | 109           | V               | XL | BSW               | TL    | √   | 764                     | 265                      | 8.0             |
|               | 255/55R20 | 110           | V               | XL | BSW               | TL    | √   | 788                     | 265                      | 8.0             |
|               | 265/50R20 | 111           | V               | XL | BSW               | TL    | √   | 774                     | 277                      | 8.5             |
|               | 265/55R20 | 113           | V               | XL | BSW               | TL    | √   | 800                     | 277                      | 8.5             |
|               | 275/45R20 | 110           | V               | XL | BSW               | TL    | √   | 756                     | 273                      | 9.0             |
|               | 275/55R20 | 117           | V               | XL | BSW               | TL    | √   | 810                     | 284                      | 8.5             |
|               | 275/60R20 | 116           | V               | XL | BSW               | TL    | √   | 838                     | 279                      | 8.0             |
|               | 285/50R20 | 116           | V               | XL | BSW               | TL    | √   | 794                     | 297                      | 9.0             |



# ADVANFORS A/T

UTQG: 460 A A

The ADVANFORS A/T is an all-season tyre for SUV and CUV owners, and is an all terrain tyre specifically designed for road and off-road use.



ADVANFORS A/T

| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 16         | 245/70R16 | 111        | T            | XL | BSW            | TL    | √   | 750               | 248                | 7.0          |
|            | 245/75R16 | 111        | T            |    | BSW            | TL    | √   | 774               | 248                | 7.0          |
|            | 265/70R16 | 112        | T            |    | BSW            | TL    | √   | 778               | 272                | 8.0          |
|            | 275/70R16 | 114        | T            |    | BSW            | TL    | √   | 792               | 279                | 8.0          |
| 17         | 245/65R17 | 111        | H            | XL | BSW            | TL    | √   | 750               | 248                | 7.0          |
|            | 265/65R17 | 112        | H            |    | BSW            | TL    | √   | 776               | 272                | 8.0          |
|            | 265/70R17 | 115        | T            |    | BSW            | TL    | √   | 804               | 272                | 8.0          |
|            | 275/65R17 | 115        | H            |    | BSW            | TL    | √   | 790               | 279                | 8.0          |
|            | 285/65R17 | 116        | H            |    | BSW            | TL    | √   | 802               | 292                | 8.5          |
| 18         | 265/60R18 | 110        | H            |    | BSW            | TL    | √   | 775               | 272                | 8.0          |
|            | 265/65R18 | 114        | H            |    | BSW            | TL    | √   | 801               | 272                | 8.0          |
|            | 265/70R18 | 116        | T            |    | BSW            | TL    | √   | 829               | 272                | 8.0          |
|            | 275/65R18 | 116        | H            |    | BSW            | TL    | √   | 815               | 279                | 8.0          |
|            | 285/60R18 | 116        | V            |    | BSW            | TL    | √   | 799               | 292                | 8.5          |

| Rim (inch) | Tire Size  | Load Index | Speed Symbol | PR   | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|------------|------------|--------------|------|----------------|-------|-----|-------------------|--------------------|--------------|
| 15         | 255/70R15C | 112/110    | S            | 8PR  | BSW            | TL    | √   | 739               | 260                | 7.5          |
| 16         | 205/75R16C | 110/108    | R            | 10PR | BSW            | TL    | √   | 714               | 203                | 5.5          |
|            | 205R16C    | 110/108    | S            | 10PR | BSW            | TL    | √   | 736               | 208                | 6.0          |
| 17         | 225/70R17C | 112/110    | S            | 8PR  | BSW            | TL    | √   | 748               | 228                | 6.5          |

## Features & benefits

- The unique symmetrical tread pattern design provides smooth driving performance on highways and urban roads, improving ride comfort.
- The anti abrasion layer design on the sidewall provides additional protection against many common dangers in harsh off-road condition.
- The irregular distribution of sipes and various pitch alignment significantly reduces tire noise.

M+S

Control

Stronger

Mileage

ON&OFF

|               |           |
|---------------|-----------|
| RANGE         | 15-18     |
| SPEED RATE    | H/R/S/T/V |
| ASPECT RATIO  | 60-80     |
| SECTION WIDTH | 205-285   |

# ADVANFORS A/T II

UTQG: 500 A A

Robust all-terrain adaptability and anti-tear tread design, balancing off-road escape capability and highway comfort, is a versatile and durable choice for core SUVs and pickups.



## Features & benefits

- Four main zigzag grooves and rough lateral blocks provide excellent traction on all kinds of road conditions.
- The open shoulder grooves prevent aquaplaning with enhanced wet grip performance and provide excellent water evacuation. The white letter styling provide a artistic image.
- The block tread design with multiple sipes provide outstanding off-road traction and reduce tread damage on off-road condition.

M+S



Stronger



ON&OFF



Control



Mileage

|               |         |
|---------------|---------|
| RANGE         | 15-20   |
| SPEED RATE    | S/T/Q   |
| ASPECT RATIO  | 50-80   |
| SECTION WIDTH | 205-315 |

### ADVANFORS A/T II

| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 16         | 205/80R16 | 104        | S            | XL | BSW            | TL    | √   | 734               | 203                | 5.5          |
|            | 215/70R16 | 100        | S            |    | BSW            | TL    | √   | 708               | 221                | 6.5          |
|            | 225/70R16 | 103        | S            |    | BSW            | TL    | √   | 722               | 228                | 6.5          |
|            | 235/70R16 | 106        | S            |    | BSW            | TL    | √   | 736               | 240                | 7.0          |
|            | 245/70R16 | 111        | S            | XL | BSW            | TL    | √   | 750               | 248                | 7.0          |
|            | 245/75R16 | 111        | S            |    | BSW            | TL    | √   | 774               | 248                | 7.0          |
|            | 265/70R16 | 112        | T            |    | BSW            | TL    | √   | 778               | 272                | 8.0          |
|            | 265/75R16 | 116        | T            |    | BSW            | TL    | √   | 804               | 267                | 7.5          |
| 17         | 225/65R17 | 102        | T            |    | BSW            | TL    | √   | 724               | 228                | 6.5          |
|            | 235/65R17 | 104        | S            |    | BSW            | TL    | √   | 738               | 240                | 7.0          |
|            | 245/65R17 | 107        | S            |    | BSW            | TL    | √   | 750               | 248                | 7.0          |
|            | 255/70R17 | 112        | T            |    | BSW            | TL    | √   | 790               | 260                | 7.5          |
|            | 265/65R17 | 112        | T            |    | BSW            | TL    | √   | 776               | 272                | 8.0          |
|            | 265/70R17 | 115        | T            |    | BSW            | TL    | √   | 804               | 272                | 8.0          |
| 18         | 255/60R18 | 112        | T            | XL | BSW            | TL    | √   | 763               | 260                | 7.5          |
|            | 265/60R18 | 110        | T            |    | BSW            | TL    | √   | 775               | 272                | 8.0          |
|            | 265/65R18 | 116        | T            | XL | BSW            | TL    | √   | 801               | 272                | 8.0          |
|            | 285/60R18 | 120        | T            | XL | BSW            | TL    | √   | 799               | 292                | 8.5          |
| 20         | 265/50R20 | 111        | T            | XL | BSW            | TL    | √   | 774               | 277                | 8.5          |
|            | 275/55R20 | 117        | T            | XL | BSW            | TL    | √   | 810               | 284                | 8.5          |

| Rim (inch) | Tire Size     | Load Index | Speed Symbol | PR   | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|---------------|------------|--------------|------|----------------|-------|-----|-------------------|--------------------|--------------|
| 15         | LT215/75R15   | 100/97     | Q            | 6PR  | BSW            | TL    | √   | 703               | 216                | 6.0          |
|            | LT235/75R15   | 110/107    | Q            | 8PR  | BSW            | TL    | √   | 733               | 235                | 6.5          |
|            | 31X10.50R15LT | 109        | Q            | 6PR  | BSW            | TL    | √   | 775               | 268                | 8.5          |
|            | 33X12.50R15LT | 108        | Q            | 6PR  | BSW            | TL    | √   | 826               | 318                | 10.0         |
| 16         | LT225/75R16   | 115/112    | Q            | 10PR | BSW            | TL    | √   | 722               | 228                | 6.5          |
|            | LT245/70R16   | 118/115    | Q            | 8PR  | BSW            | TL    | √   | 750               | 248                | 7.0          |
|            | LT245/75R16   | 120/116    | Q            | 10PR | BSW            | TL    | √   | 774               | 248                | 7.0          |
|            | LT265/70R16   | 121/118    | R            | 10PR | BSW            | TL    | √   | 778               | 272                | 8.0          |
|            | LT265/75R16   | 123/120    | Q            | 10PR | BSW            | TL    | √   | 804               | 267                | 7.5          |
|            | LT285/75R16   | 126/123    | Q            | 10PR | BSW            | TL    | √   | 834               | 286                | 8.0          |
| 17         | LT245/65R17   | 117/114    | Q            | 8PR  | BSW            | TL    | √   | 750               | 248                | 7.0          |
|            | LT245/70R17   | 119/116    | Q            | 10PR | BSW            | TL    | √   | 776               | 248                | 7.0          |
|            | LT265/65R17   | 120/117    | Q            | 10PR | BSW            | TL    | √   | 776               | 272                | 8.0          |
|            | LT265/70R17   | 123/120    | Q            | 10PR | BSW            | TL    | √   | 804               | 272                | 8.0          |
|            | LT285/70R17   | 126/123    | Q            | 8PR  | BSW            | TL    | √   | 832               | 292                | 8.5          |
|            | LT315/70R17   | 126/123    | Q            | 10PR | BSW            | TL    | √   | 874               | 323                | 9.5          |
| 18         | LT265/60R18   | 119/116    | Q            | 10PR | BSW            | TL    | √   | 775               | 272                | 8.0          |
|            | LT265/70R18   | 124/121    | Q            | 10PR | BSW            | TL    | √   | 829               | 272                | 8.0          |
|            | LT275/70R18   | 125/122    | Q            | 10PR | BSW            | TL    | √   | 843               | 279                | 8.0          |
|            | LT285/65R18   | 125/122    | Q            | 10PR | BSW            | TL    | √   | 827               | 292                | 8.5          |
|            | LT275/55R20   | 120/117    | Q            | 10PR | BSW            | TL    | √   | 810               | 284                | 8.5          |
| 20         | LT285/55R20   | 122/119    | Q            | 10PR | BSW            | TL    | √   | 822               | 297                | 9.0          |
|            | 33X12.50R20LT | 114        | Q            | 10PR | BSW            | TL    | √   | 826               | 318                | 10.0         |
|            | 33X12.50R20LT | 119        | Q            | 12PR | BSW            | TL    | √   | 826               | 318                | 10.0         |
|            | 35X12.50R20LT | 121        | Q            | 10PR | BSW            | TL    | √   | 877               | 318                | 10.0         |
|            | 35X12.50R20LT | 125        | Q            | 12PR | BSW            | TL    | √   | 877               | 318                | 10.0         |



## ALL SEASON TYRE FAMILY

Designed for all-season driving needs, ALL SEASON tires are a comprehensive solution engineered to adapt to various climates and road conditions. The core design philosophy balances dry road grip, stability on wet surfaces, and passability in light snow and icy conditions, while maintaining quiet comfort and long-lasting wear resistance for daily driving. Through unique tread patterns and a compound rubber formula, they aim to provide reliable and consistent performance in response to common weather changes, ensuring composed and adaptable performance for vehicles in daily travel throughout the seasons.




TERRAMASTER A/S

TRANSMASTER VAN A/S

# TERRAMASTER A/S

The TERRAMASTER A/S is designed to perform in every climate condition, with excellent wet and dry braking and maintain traction and stability whether driving in wet or dry conditions.



## Features & benefits

- Wide lateral grooves,Improved drain performance with wide and high angled grooves.
- High-density summer sipes Enhanced block stiffness provides better driving performance on dry roads.
- Pitch variation technology Optimized pitch variation technology provides more comfortable driving.

M+S



|               |           |
|---------------|-----------|
| RANGE         | 13-19     |
| SPEED RATE    | H/T/V/W/Y |
| ASPECT RATIO  | 35-80     |
| SECTION WIDTH | 155-255   |

### TERRAMASTER A/S

| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 13         | 155/65R13 | 73         | T            |    | BSW            | TL    | √   | 532               | 157                | 4.5          |
|            | 155/70R13 | 75         | T            |    | BSW            | TL    | √   | 548               | 157                | 4.5          |
|            | 155/80R13 | 79         | T            |    | BSW            | TL    | √   | 578               | 157                | 4.5          |
|            | 165/70R13 | 79         | T            |    | BSW            | TL    | √   | 562               | 170                | 5.0          |
|            | 165/70R13 | 83         | T            | XL | BSW            | TL    | √   | 562               | 170                | 5.0          |
|            | 175/70R13 | 82         | T            |    | BSW            | TL    | √   | 576               | 177                | 5.0          |
| 14         | 155/65R14 | 75         | T            |    | BSW            | TL    | √   | 558               | 157                | 4.5          |
|            | 165/60R14 | 79         | H            | XL | BSW            | TL    | √   | 554               | 170                | 5.0          |
|            | 165/65R14 | 79         | T            |    | BSW            | TL    | √   | 570               | 170                | 5.0          |
|            | 165/70R14 | 81         | T            |    | BSW            | TL    | √   | 588               | 170                | 5.0          |
|            | 175/65R14 | 82         | T            |    | BSW            | TL    | √   | 584               | 177                | 5.0          |
|            | 175/65R14 | 86         | T            | XL | BSW            | TL    | √   | 584               | 177                | 5.0          |
|            | 175/70R14 | 84         | T            |    | BSW            | TL    | √   | 602               | 177                | 5.0          |
|            | 175/70R14 | 88         | T            | XL | BSW            | TL    | √   | 602               | 177                | 5.0          |
|            | 185/60R14 | 82         | H            |    | BSW            | TL    | √   | 578               | 189                | 5.5          |
|            | 185/65R14 | 86         | H            |    | BSW            | TL    | √   | 596               | 189                | 5.5          |
| 15         | 185/70R14 | 88         | T            |    | BSW            | TL    | √   | 616               | 189                | 5.5          |
|            | 195/70R14 | 91         | T            |    | BSW            | TL    | √   | 630               | 201                | 6.0          |
|            | 165/65R15 | 81         | H            |    | BSW            | TL    | √   | 595               | 170                | 5.0          |
|            | 175/65R15 | 84         | H            |    | BSW            | TL    | √   | 609               | 177                | 5.0          |
|            | 185/55R15 | 82         | H            |    | BSW            | TL    | √   | 585               | 194                | 6.0          |
|            | 185/60R15 | 88         | H            | XL | BSW            | TL    | √   | 603               | 189                | 5.5          |
|            | 185/65R15 | 88         | H            |    | BSW            | TL    | √   | 621               | 189                | 5.5          |
|            | 185/65R15 | 92         | H            | XL | BSW            | TL    | √   | 621               | 189                | 5.5          |
|            | 195/50R15 | 82         | V            |    | BSW            | TL    | √   | 577               | 201                | 6.0          |
|            | 195/55R15 | 85         | V            |    | BSW            | TL    | √   | 595               | 201                | 6.0          |
|            | 195/60R15 | 88         | V            |    | BSW            | TL    | √   | 615               | 201                | 6.0          |
|            | 195/65R15 | 91         | H            |    | BSW            | TL    | √   | 635               | 201                | 6.0          |
|            | 195/65R15 | 95         | H            | XL | BSW            | TL    | √   | 635               | 201                | 6.0          |
|            | 205/65R15 | 94         | V            |    | BSW            | TL    | √   | 627               | 209                | 6.0          |
|            | 215/65R15 | 96         | H            |    | BSW            | TL    | √   | 661               | 221                | 6.5          |

# TERRAMASTER A/S



| Rim (inch) | Tire Size  | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|------------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 16         | 195/45R16  | 84         | V            | XL | BSW            | TL    | ✓   | 582               | 195                | 6.5          |
|            | 195/50R16  | 88         | V            | XL | BSW            | TL    | ✓   | 602               | 201                | 6.0          |
|            | 195/55R16  | 91         | V            | XL | BSW            | TL    | ✓   | 620               | 201                | 6.0          |
|            | 195/60R16  | 89         | V            |    | BSW            | TL    | ✓   | 640               | 201                | 6.0          |
|            | 205/45ZR16 | 87         | W            | XL | BSW            | TL    | ✓   | 590               | 206                | 7.0          |
|            | 205/50ZR16 | 91         | W            | XL | BSW            | TL    | ✓   | 612               | 214                | 6.5          |
|            | 205/55R16  | 91         | V            |    | BSW            | TL    | ✓   | 632               | 214                | 6.5          |
|            | 205/55R16  | 94         | V            | XL | BSW            | TL    | ✓   | 632               | 214                | 6.5          |
|            | 205/60R16  | 96         | V            | XL | BSW            | TL    | ✓   | 652               | 209                | 6.0          |
|            | 215/45R16  | 90         | V            | XL | BSW            | TL    | ✓   | 600               | 213                | 7.0          |
|            | 215/55ZR16 | 97         | W            | XL | BSW            | TL    | ✓   | 642               | 226                | 7.0          |
|            | 215/60R16  | 99         | V            | XL | BSW            | TL    | ✓   | 664               | 221                | 6.5          |
|            | 215/65R16  | 98         | V            |    | BSW            | TL    | ✓   | 686               | 221                | 6.5          |
|            | 225/55ZR16 | 99         | W            | XL | BSW            | TL    | ✓   | 654               | 233                | 7.0          |
|            | 225/60R16  | 102        | V            | XL | BSW            | TL    | ✓   | 676               | 228                | 6.5          |
| 17         | 205/45ZR17 | 88         | W            | XL | BSW            | TL    | ✓   | 616               | 206                | 7.0          |
|            | 205/50ZR17 | 93         | W            | XL | BSW            | TL    | ✓   | 638               | 214                | 6.5          |
|            | 205/55ZR17 | 95         | W            | XL | BSW            | TL    | ✓   | 658               | 214                | 6.5          |
|            | 215/40ZR17 | 87         | W            | XL | BSW            | TL    | ✓   | 604               | 218                | 7.5          |
|            | 215/45ZR17 | 91         | W            | XL | BSW            | TL    | ✓   | 626               | 213                | 7.0          |
|            | 215/50ZR17 | 95         | W            | XL | BSW            | TL    | ✓   | 648               | 226                | 7.0          |
|            | 215/55ZR17 | 98         | W            | XL | BSW            | TL    | ✓   | 668               | 226                | 7.0          |
|            | 215/60R17  | 100        | V            | XL | BSW            | TL    | ✓   | 690               | 221                | 6.5          |
|            | 215/65R17  | 99         | V            |    | BSW            | TL    | ✓   | 712               | 221                | 6.5          |
|            | 225/45ZR17 | 94         | Y            | XL | BSW            | TL    | ✓   | 634               | 225                | 7.5          |
|            | 225/50ZR17 | 98         | Y            | XL | BSW            | TL    | ✓   | 658               | 233                | 7.0          |
|            | 225/55ZR17 | 101        | W            | XL | BSW            | TL    | ✓   | 680               | 233                | 7.0          |
|            | 225/60R17  | 103        | V            | XL | BSW            | TL    | ✓   | 702               | 228                | 6.5          |
|            | 225/65R17  | 106        | V            | XL | BSW            | TL    | ✓   | 724               | 228                | 6.5          |
|            | 235/45ZR17 | 97         | W            | XL | BSW            | TL    | ✓   | 644               | 236                | 8.0          |
|            | 235/55ZR17 | 103        | W            | XL | BSW            | TL    | ✓   | 690               | 245                | 7.5          |
|            | 235/65ZR17 | 108        | W            | XL | BSW            | TL    | ✓   | 738               | 240                | 7.0          |


# TERRAMASTER A/S



| Rim (inch) | Tire Size  | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|------------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 18         | 215/55R18  | 99         | V            | XL | BSW            | TL    | ✓   | 693               | 226                | 7.0          |
|            | 225/40ZR18 | 92         | Y            | XL | BSW            | TL    | ✓   | 637               | 230                | 8.0          |
|            | 225/45ZR18 | 95         | W            | XL | BSW            | TL    | ✓   | 659               | 225                | 7.5          |
|            | 225/55R18  | 98         | V            |    | BSW            | TL    | ✓   | 705               | 233                | 7.0          |
|            | 235/45ZR18 | 98         | Y            | XL | BSW            | TL    | ✓   | 669               | 236                | 8.0          |
|            | 235/50ZR18 | 101        | W            | XL | BSW            | TL    | ✓   | 693               | 245                | 7.5          |
|            | 235/55R18  | 104        | V            | XL | BSW            | TL    | ✓   | 715               | 245                | 7.5          |
|            | 235/60ZR18 | 107        | W            | XL | BSW            | TL    | ✓   | 739               | 240                | 7.0          |
|            | 245/40ZR18 | 97         | Y            | XL | BSW            | TL    | ✓   | 653               | 248                | 8.5          |
|            | 245/45ZR18 | 100        | Y            | XL | BSW            | TL    | ✓   | 677               | 243                | 8.0          |
| 19         | 225/40ZR19 | 93         | Y            | XL | BSW            | TL    | ✓   | 663               | 230                | 8.0          |
|            | 225/45ZR19 | 96         | Y            | XL | BSW            | TL    | ✓   | 685               | 225                | 7.5          |
|            | 225/55ZR19 | 99         | W            |    | BSW            | TL    | ✓   | 731               | 233                | 7.0          |
|            | 235/55ZR19 | 105        | W            | XL | BSW            | TL    | ✓   | 741               | 245                | 7.5          |
|            | 245/45ZR19 | 102        | Y            | XL | BSW            | TL    | ✓   | 703               | 243                | 8.0          |
|            | 255/35ZR19 | 96         | Y            | XL | BSW            | TL    | ✓   | 661               | 260                | 9.0          |
|            | 255/40ZR19 | 100        | Y            | XL | BSW            | TL    | ✓   | 687               | 260                | 9.0          |

# TRANSMASTER VAN A/S

The TRANSMASTER VAN A/S is a durable all-weather touring tire for sedans and crossovers. It features fuel savings and optimized mileage shorter braking distances in the wet, and extended tread life.



## Features & benefits

- Straight 3-channel waterway Resists hydroplaning for a safer drive in wet road conditions.
- Wide shoulder blocks are applied for a better grip and maximum road contact. Groove width is optimized for all-season performance.
- The product's construction with 3D sipes, provides outstanding grip performance on dry in all season conditions.

M+S

  
Wet Traction

  
Control

  
Mileage

  
Efficiency

### TRANSMASTER VAN A/S

| Rim (inch) | Tire Size  | Load Index | Speed Symbol | PR   | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|------------|------------|--------------|------|----------------|-------|-----|-------------------|--------------------|--------------|
| 14         | 175/65R14C | 90/88      | T            | 6PR  | BSW            | TL    | √   | 584               | 177                | 5.0          |
|            | 175/70R14C | 95/93      | T            | 6PR  | BSW            | TL    | √   | 602               | 177                | 5.0          |
| 15         | 195/70R15C | 104/102    | S            | 8PR  | BSW            | TL    | √   | 655               | 201                | 6.0          |
|            | 215/70R15C | 109/107    | S            | 8PR  | BSW            | TL    | √   | 683               | 221                | 6.5          |
|            | 225/70R15C | 112/110    | S            | 8PR  | BSW            | TL    | √   | 697               | 228                | 6.5          |
|            | 185/75R16C | 104/102    | S            | 8PR  | BSW            | TL    | √   | 684               | 184                | 5.0          |
|            | 195/60R16C | 99/97      | H            | 6PR  | BSW            | TL    | √   | 640               | 201                | 6.0          |
| 16         | 195/65R16C | 104/102    | S            | 8PR  | BSW            | TL    | √   | 660               | 201                | 6.0          |
|            | 195/75R16C | 107/105    | S            | 8PR  | BSW            | TL    | √   | 698               | 196                | 5.5          |
|            | 195/75R16C | 110/108T   | T            | 8PR  | BSW            | TL    | √   | 698               | 196                | 5.5          |
|            | 205/65R16C | 107/105    | T            | 8PR  | BSW            | TL    | √   | 672               | 209                | 6.0          |
|            | 205/75R16C | 113/111    | S            | 10PR | BSW            | TL    | √   | 714               | 203                | 5.5          |
|            | 215/60R16C | 103/101    | T            | 6PR  | BSW            | TL    | √   | 664               | 221                | 6.5          |
|            | 215/65R16C | 109/107    | T            | 8PR  | BSW            | TL    | √   | 686               | 221                | 6.5          |
|            | 215/75R16C | 113/111    | S            | 8PR  | BSW            | TL    | √   | 728               | 216                | 6.0          |
|            | 225/65R16C | 112/110    | S            | 8PR  | BSW            | TL    | √   | 698               | 228                | 6.5          |
|            | 235/65R16C | 115/113    | S            | 8PR  | BSW            | TL    | √   | 712               | 240                | 7.0          |
|            | 235/65R16C | 121/119    | R            | 10PR | BSW            | TL    | √   | 712               | 240                | 7.0          |



## COMMERCIAL TYRE FAMILY

These tyres are a native innovation built for high load capacity, relentless urban stop-and-go cycles, and extended mileage requirements. The core design philosophy masterfully balances durable, fuel-efficient performance on paved roads with the robust resilience to withstand job site hazards and uneven surfaces, ensuring maximum uptime and cost-effectiveness.



ADVANFORS MAX

CATCHFORS MAX

# ADVANFORS MAX

ADVANFORS MAX features an optimized tread design, reinforced shoulder blocks, and continuous circumferential ribs, providing stable grip, mileage, and load-carrying, and uses a dedicated truck tread compound to achieve high mileage and fuel efficiency.



## Features & benefits

- Strong shoulder blocks and continous cirfumferential large ribs for stable gripping, mileage and heavy duty.
- Combination construction of 2-ply polyesters and wide steel belts provide outstanding durability, with high safety factors.
- Zig-zag grooves offers enhanced traction in wet conditions.
- Specialized van tread compound for high-mileage and fuel efficiency.

M+S

  
Efficiency

  
Mileage

  
Control

  
Load

### ADVANFORS MAX


| Rim (inch) | Tire Size  | Load Index | Speed Symbol | PR   | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|------------|------------|--------------|------|----------------|-------|-----|-------------------|--------------------|--------------|
| 12         | 145R12C    | 86/84      | Q            | 8PR  | BSW            | TL    | √   | 237               | 145                | 4.0          |
|            | 155R12C    | 88/86      | Q            | 8PR  | BSW            | TL    | √   | 550               | 157                | 4.5          |
| 13         | 155R13C    | 90/88      | Q            | 8PR  | BSW            | TL    | √   | 578               | 157                | 4.5          |
|            | 165R13C    | 91/89      | R            | 8PR  | BSW            | TL    | √   | 596               | 167                | 4.5          |
| 14         | 165/70R14C | 89/87      | R            | 6PR  | BSW            | TL    | √   | 588               | 170                | 5.0          |
|            | 175/65R14C | 90/88      | T            | 6PR  | BSW            | TL    | √   | 584               | 177                | 5.0          |
|            | 175/70R14C | 95/93      | R            | 6PR  | BSW            | TL    | √   | 602               | 177                | 5.0          |
|            | 185R14C    | 102/100    | R            | 8PR  | BSW            | TL    | √   | 650               | 188                | 5.5          |
|            | 195R14C    | 106/104    | R            | 8PR  | BSW            | TL    | √   | 666               | 198                | 5.5          |
|            | 195/70R15C | 104/102    | R            | 8PR  | BSW            | TL    | √   | 655               | 201                | 6.0          |
| 15         | 195R15C    | 106/104    | R            | 8PR  | BSW            | TL    | √   | 690               | 198                | 5.5          |
|            | 205/65R15C | 102/100    | T            | 6PR  | BSW            | TL    | √   | 647               | 209                | 6.0          |
|            | 205/70R15C | 106 /104   | R            | 8PR  | BSW            | TL    | √   | 669               | 209                | 6.0          |
|            | 215/65R15C | 104/102    | T            | 6PR  | BSW            | TL    | √   | 661               | 221                | 6.5          |
|            | 215/70R15C | 109/107    | R            | 8PR  | BSW            | TL    | √   | 683               | 221                | 6.5          |
|            | 225/70R15C | 112/110    | R            | 8PR  | BSW            | TL    | √   | 697               | 228                | 6.5          |
| 16         | 185/75R16C | 104/102    | R            | 8PR  | BSW            | TL    | √   | 684               | 184                | 5.0          |
|            | 195/65R16C | 104/102    | T            | 8PR  | BSW            | TL    | √   | 660               | 201                | 6.0          |
|            | 195/75R16C | 107/105    | R            | 8PR  | BSW            | TL    | √   | 698               | 196                | 5.5          |
|            | 205/65R16C | 107/105    | T            | 8PR  | BSW            | TL    | √   | 672               | 209                | 6.0          |
|            | 205/75R16C | 110/108    | R            | 8PR  | BSW            | TL    | √   | 714               | 203                | 5.5          |
|            | 215/65R16C | 109/107    | T            | 8PR  | BSW            | TL    | √   | 686               | 221                | 6.5          |
|            | 215/75R16C | 113/111    | R            | 8PR  | BSW            | TL    | √   | 728               | 216                | 6.0          |
|            | 225/65R16C | 112/110    | T            | 8PR  | BSW            | TL    | √   | 698               | 228                | 6.5          |
|            | 225/75R16C | 121/120    | R            | 12PR | BSW            | TL    | √   | 744               | 223                | 6.0          |
|            | 235/65R16C | 121/119    | R            | 12PR | BSW            | TL    | √   | 712               | 240                | 7.0          |

CATCHFORS MAX

| Rim (inch) | Tire Size  | Load Index | Speed Symbol | PR  | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|------------|------------|--------------|-----|----------------|-------|-----|-------------------|--------------------|--------------|
| 16         | 185/75R16C | 104/102    | R            | 8PR | BSW            | TL    | √   | 684               | 184                | 5.0          |
|            | 195/75R16C | 107/105    | R            | 8PR | BSW            | TL    | √   | 698               | 196                | 5.5          |

# CATCHFORS MAX

CATCHFORS MAX is a premium pattern for light trucks and commercial vans, unique pattern design and compound provides ahiger load carrying capacity, superior handling, durability and ride comfort.



## Features & benefits

- | Zigzag main grooves increased tread rigidity, good prevention of irregular wear under high-load operation.
- | 3D shoulder design provide good traction and braking performance on tough road conditions.
- | Multi-sipe design provide good handling and braking performance.
- | Tread block design improves grip performance.

M+S



|               |         |
|---------------|---------|
| RANGE         | 16      |
| SPEED RATE    | R       |
| ASPECT RATIO  | 75      |
| SECTION WIDTH | 185-195 |





## WINTER TYRE FAMILY

These tyres are a dedicated innovation to combat the unique challenges of ice, snow, and freezing temperatures. The core design philosophy prioritizes maximum safety and control, delivering exceptional traction and shortened braking distances on slippery surfaces, without compromising on stable and confident handling on cold, dry roads.



SNOWMASTER


ARCTICBLAZER

ARCTICBLAZER SUV

ARCTIC POWER

# SNOWMASTER

SNOWMASTER is a non-pitted winter tyre specifically designed for SUVs and CUVs. It offers reliable grip and control, performing well in snowy, icy conditions and cold weather. With advanced winter formula and tread technology, it excels in harsh environments.



## Features & benefits

- The fine grooves on the tyre tread instantly absorb the thin water film between the tyre and the snow through capillary action, enabling the vehicle to drive freely on the snowy surface.
- The special tyre tread low-temperature formula can still maintain physical properties such as elasticity even at low temperatures.
- The centrifugal pump effect produced by the V-shaped pattern results in excellent drainage performance.

M+S



|               |         |
|---------------|---------|
| RANGE         | 13-20   |
| SPEED RATE    | H/T/V   |
| ASPECT RATIO  | 35-80   |
| SECTION WIDTH | 155-275 |

### SNOWMASTER

| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 13         | 155/70R13 | 75         | T            |    | BSW            | TL    | √   | 548               | 157                | 4.5          |
|            | 155/80R13 | 79         | T            |    | BSW            | TL    | √   | 578               | 157                | 4.5          |
|            | 175/70R13 | 82         | T            |    | BSW            | TL    | √   | 576               | 177                | 5.0          |
| 14         | 155/65R14 | 75         | T            |    | BSW            | TL    | √   | 558               | 157                | 4.5          |
|            | 165/65R14 | 79         | T            |    | BSW            | TL    | √   | 570               | 170                | 5.0          |
|            | 165/70R14 | 81         | T            |    | BSW            | TL    | √   | 588               | 170                | 5.0          |
|            | 165/70R14 | 85         | T            | XL | BSW            | TL    | √   | 588               | 170                | 5.0          |
|            | 175/65R14 | 82         | T            |    | BSW            | TL    | √   | 584               | 170                | 5.0          |
|            | 175/65R14 | 86         | T            | XL | BSW            | TL    | √   | 584               | 170                | 5.0          |
|            | 175/70R14 | 84         | T            |    | BSW            | TL    | √   | 602               | 177                | 5.0          |
|            | 185/60R14 | 82         | T            |    | BSW            | TL    | √   | 578               | 189                | 5.5          |
|            | 185/65R14 | 86         | T            |    | BSW            | TL    | √   | 596               | 189                | 5.5          |
| 15         | 165/60R15 | 81         | T            | XL | BSW            | TL    | √   | 579               | 170                | 5.0          |
|            | 165/65R15 | 81         | T            |    | BSW            | TL    | √   | 595               | 170                | 5.0          |
|            | 175/65R15 | 88         | H            | XL | BSW            | TL    | √   | 609               | 170                | 5.0          |
|            | 185/55R15 | 86         | V            | XL | BSW            | TL    | √   | 585               | 194                | 6.0          |
|            | 185/60R15 | 84         | T            |    | BSW            | TL    | √   | 603               | 189                | 5.5          |
|            | 185/60R15 | 88         | T            | XL | BSW            | TL    | √   | 603               | 189                | 5.5          |
|            | 185/65R15 | 88         | H            |    | BSW            | TL    | √   | 621               | 189                | 5.5          |
|            | 185/65R15 | 92         | T            | XL | BSW            | TL    | √   | 621               | 189                | 5.5          |
|            | 195/50R15 | 86         | H            | XL | BSW            | TL    | √   | 577               | 201                | 6.0          |
|            | 195/55R15 | 85         | H            |    | BSW            | TL    | √   | 595               | 201                | 6.0          |
|            | 195/60R15 | 92         | H            | XL | BSW            | TL    | √   | 615               | 201                | 6.0          |
|            | 195/65R15 | 91         | H            |    | BSW            | TL    | √   | 635               | 201                | 6.0          |
|            | 195/65R15 | 95         | T            | XL | BSW            | TL    | √   | 635               | 201                | 6.0          |
|            | 205/65R15 | 94         | H            |    | BSW            | TL    | √   | 647               | 209                | 6.0          |
|            | 205/70R15 | 96         | T            |    | BSW            | TL    | √   | 669               | 209                | 6.0          |
| 16         | 195/45R16 | 84         | V            | XL | BSW            | TL    | √   | 582               | 195                | 6.5          |
|            | 195/55R16 | 91         | V            | XL | BSW            | TL    | √   | 620               | 201                | 6.0          |
|            | 205/55R16 | 91         | H            |    | BSW            | TL    | √   | 632               | 214                | 6.5          |
|            | 205/55R16 | 94         | H            | XL | BSW            | TL    | √   | 632               | 214                | 6.5          |
|            | 205/60R16 | 92         | H            |    | BSW            | TL    | √   | 652               | 209                | 6.0          |
|            | 205/60R16 | 96         | H            | XL | BSW            | TL    | √   | 652               | 209                | 6.0          |
|            | 205/65R16 | 99         | H            | XL | BSW            | TL    | √   | 672               | 209                | 6.0          |
|            | 215/55R16 | 97         | H            | XL | BSW            | TL    | √   | 642               | 226                | 7.0          |
|            | 215/60R16 | 99         | H            | XL | BSW            | TL    | √   | 664               | 221                | 6.5          |
|            | 215/65R16 | 98         | H            |    | BSW            | TL    | √   | 686               | 221                | 6.5          |
|            | 215/70R16 | 104        | H            | XL | BSW            | TL    | √   | 708               | 221                | 6.5          |
|            | 225/55R16 | 99         | H            | XL | BSW            | TL    | √   | 654               | 233                | 7.0          |

# SNOWMASTER



| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 17         | 205/45R17 | 88         | V            | XL | BSW            | TL    | √   | 616               | 206                | 7.0          |
|            | 205/50R17 | 93         | V            | XL | BSW            | TL    | √   | 638               | 214                | 6.5          |
|            | 205/55R17 | 95         | V            | XL | BSW            | TL    | √   | 658               | 214                | 6.5          |
|            | 205/60R17 | 93         | H            |    | BSW            | TL    | √   | 678               | 209                | 6.0          |
|            | 215/40R17 | 87         | V            | XL | BSW            | TL    | √   | 604               | 218                | 7.5          |
|            | 215/45R17 | 91         | V            | XL | BSW            | TL    | √   | 626               | 213                | 7.0          |
|            | 215/50R17 | 95         | V            | XL | BSW            | TL    | √   | 648               | 226                | 7.0          |
|            | 215/55R17 | 98         | V            | XL | BSW            | TL    | √   | 668               | 226                | 7.0          |
|            | 215/60R17 | 96         | H            |    | BSW            | TL    | √   | 690               | 221                | 6.5          |
|            | 215/65R17 | 103        | V            | XL | BSW            | TL    | √   | 712               | 221                | 6.5          |
|            | 225/45R17 | 94         | V            | XL | BSW            | TL    | √   | 634               | 225                | 7.5          |
|            | 225/50R17 | 98         | V            | XL | BSW            | TL    | √   | 658               | 233                | 7.0          |
|            | 225/55R17 | 101        | V            | XL | BSW            | TL    | √   | 680               | 233                | 7.0          |
|            | 225/60R17 | 99         | H            |    | BSW            | TL    | √   | 702               | 228                | 6.5          |
|            | 225/65R17 | 102        | H            |    | BSW            | TL    | √   | 724               | 228                | 6.5          |
|            | 235/45R17 | 97         | V            | XL | BSW            | TL    | √   | 644               | 236                | 8.0          |
|            | 235/55R17 | 103        | V            | XL | BSW            | TL    | √   | 690               | 245                | 7.5          |
|            | 235/65R17 | 108        | H            | XL | BSW            | TL    | √   | 738               | 240                | 7.0          |
|            | 245/45R17 | 99         | V            | XL | BSW            | TL    | √   | 652               | 243                | 8.0          |
|            | 245/65R17 | 111        | H            | XL | BSW            | TL    | √   | 750               | 248                | 7.0          |
|            | 265/65R17 | 112        | T            |    | BSW            | TL    | √   | 776               | 272                | 8.0          |
| 18         | 215/55R18 | 99         | V            | XL | BSW            | TL    | √   | 693               | 226                | 7.0          |
|            | 225/40R18 | 92         | V            | XL | BSW            | TL    | √   | 637               | 230                | 8.0          |
|            | 225/45R18 | 95         | V            | XL | BSW            | TL    | √   | 695               | 225                | 7.5          |
|            | 225/50R18 | 99         | V            | XL | BSW            | TL    | √   | 683               | 233                | 7.0          |
|            | 225/55R18 | 102        | V            | XL | BSW            | TL    | √   | 705               | 233                | 7.0          |
|            | 225/60R18 | 104        | H            | XL | BSW            | TL    | √   | 727               | 228                | 6.5          |
|            | 235/40R18 | 95         | V            | XL | BSW            | TL    | √   | 645               | 241                | 8.5          |
|            | 235/45R18 | 98         | V            | XL | BSW            | TL    | √   | 669               | 236                | 8.0          |
|            | 235/50R18 | 101        | V            | XL | BSW            | TL    | √   | 693               | 245                | 7.5          |
|            | 235/55R18 | 104        | V            | XL | BSW            | TL    | √   | 715               | 245                | 7.5          |
|            | 235/60R18 | 107        | H            | XL | BSW            | TL    | √   | 739               | 240                | 7.0          |
|            | 245/40R18 | 97         | V            | XL | BSW            | TL    | √   | 653               | 248                | 8.5          |
|            | 245/45R18 | 100        | V            | XL | BSW            | TL    | √   | 677               | 243                | 8.0          |
|            | 255/55R18 | 109        | V            | XL | BSW            | TL    | √   | 737               | 265                | 8.0          |
|            | 265/60R18 | 114        | H            | XL | BSW            | TL    | √   | 775               | 272                | 8.0          |


# SNOWMASTER



| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 19         | 225/40R19 | 93         | V            | XL | BSW            | TL    | √   | 663               | 230                | 8.0          |
|            | 225/45R19 | 96         | V            | XL | BSW            | TL    | √   | 685               | 225                | 7.5          |
|            | 225/55R19 | 103        | V            | XL | BSW            | TL    | √   | 731               | 233                | 7.0          |
|            | 235/35R19 | 91         | V            | XL | BSW            | TL    | √   | 647               | 241                | 8.5          |
|            | 235/50R19 | 103        | V            | XL | BSW            | TL    | √   | 719               | 245                | 7.5          |
|            | 235/55R19 | 105        | V            | XL | BSW            | TL    | √   | 741               | 245                | 7.5          |
|            | 245/40R19 | 98         | V            | XL | BSW            | TL    | √   | 679               | 248                | 8.5          |
|            | 245/45R19 | 102        | V            | XL | BSW            | TL    | √   | 703               | 243                | 8.0          |
|            | 255/35R19 | 96         | V            | XL | BSW            | TL    | √   | 661               | 260                | 9.0          |
|            | 255/40R19 | 100        | V            | XL | BSW            | TL    | √   | 687               | 260                | 9.0          |
|            | 255/50R19 | 107        | V            | XL | BSW            | TL    | √   | 739               | 265                | 8.0          |
|            | 245/45R20 | 103        | V            | XL | BSW            | TL    | √   | 728               | 243                | 8.0          |
| 20         | 255/45R20 | 105        | V            | XL | BSW            | TL    | √   | 738               | 255                | 8.5          |
|            | 255/50R20 | 109        | V            | XL | BSW            | TL    | √   | 764               | 265                | 8.0          |
|            | 275/40R20 | 106        | V            | XL | BSW            | TL    | √   | 728               | 278                | 9.5          |

# ARCTICBLAZER


ARCTICBLAZER is an asymmetrical modern snow tire featuring superior handling and traction under winter conditions.



## Features & benefits

- High-density 3D ripple sipes improve overall wear pattern and traction on snow and icy surfaces.
- Silica-infused tread compound widens operational temperature range and increases traction on snow and ice.
- Pattern design offers superior handling and traction on snowy surfaces.

M+S



|               |         |
|---------------|---------|
| RANGE         | 13-20   |
| SPEED RATE    | H/T/V   |
| ASPECT RATIO  | 40-70   |
| SECTION WIDTH | 175-265 |

### ARCTICBLAZER

| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 13         | 175/70R13 | 82         | T            |    | BSW            | TL    | √   | 576               | 177                | 5.0          |
|            | 175/65R14 | 82         | T            |    | BSW            | TL    | √   | 584               | 177                | 5.0          |
|            | 175/70R14 | 88         | T            | XL | BSW            | TL    | √   | 602               | 177                | 5.0          |
| 14         | 185/60R14 | 82         | T            |    | BSW            | TL    | √   | 578               | 189                | 5.5          |
|            | 185/65R14 | 90         | T            | XL | BSW            | TL    | √   | 596               | 189                | 5.5          |
|            | 185/70R14 | 92         | T            | XL | BSW            | TL    | √   | 616               | 189                | 5.5          |
|            | 195/70R14 | 91         | T            |    | BSW            | TL    | √   | 630               | 201                | 6.0          |
|            | 185/55R15 | 82         | H            |    | BSW            | TL    | √   | 585               | 194                | 6.0          |
| 15         | 185/60R15 | 88         | T            | XL | BSW            | TL    | √   | 603               | 189                | 5.5          |
|            | 185/65R15 | 92         | T            | XL | BSW            | TL    | √   | 621               | 189                | 5.5          |
|            | 195/55R15 | 89         | H            | XL | BSW            | TL    | √   | 595               | 201                | 6.0          |
|            | 195/60R15 | 92         | T            | XL | BSW            | TL    | √   | 615               | 201                | 6.0          |
|            | 195/65R15 | 95         | T            | XL | BSW            | TL    | √   | 635               | 201                | 6.0          |
|            | 205/65R15 | 99         | T            | XL | BSW            | TL    | √   | 647               | 209                | 6.0          |
|            | 205/70R15 | 100        | T            | XL | BSW            | TL    | √   | 669               | 209                | 6.0          |
|            | 195/45R16 | 84         | H            | XL | BSW            | TL    | √   | 582               | 195                | 6.5          |
| 16         | 195/55R16 | 91         | H            | XL | BSW            | TL    | √   | 620               | 201                | 6.0          |
|            | 205/55R16 | 94         | H            | XL | BSW            | TL    | √   | 632               | 214                | 6.5          |
|            | 205/60R16 | 96         | T            | XL | BSW            | TL    | √   | 652               | 209                | 6.0          |
|            | 205/65R16 | 99         | T            | XL | BSW            | TL    | √   | 672               | 209                | 6.0          |
|            | 215/55R16 | 97         | T            | XL | BSW            | TL    | √   | 642               | 226                | 7.0          |
|            | 215/60R16 | 99         | T            | XL | BSW            | TL    | √   | 664               | 221                | 6.5          |
|            | 215/65R16 | 102        | T            | XL | BSW            | TL    | √   | 686               | 221                | 6.5          |
|            | 215/70R16 | 100        | T            |    | BSW            | TL    | √   | 708               | 221                | 6.5          |
| 17         | 205/50R17 | 93         | V            | XL | BSW            | TL    | √   | 638               | 214                | 6.5          |
|            | 215/45R17 | 91         | V            | XL | BSW            | TL    | √   | 626               | 213                | 7.0          |
|            | 215/50R17 | 95         | V            | XL | BSW            | TL    | √   | 648               | 226                | 7.0          |
|            | 215/55R17 | 98         | V            | XL | BSW            | TL    | √   | 668               | 226                | 7.0          |
|            | 225/45R17 | 94         | V            | XL | BSW            | TL    | √   | 634               | 225                | 7.5          |
|            | 225/50R17 | 98         | V            | XL | BSW            | TL    | √   | 658               | 233                | 7.0          |
|            | 225/55R17 | 101        | V            | XL | BSW            | TL    | √   | 680               | 233                | 7.0          |
|            | 235/45R17 | 97         | V            | XL | BSW            | TL    | √   | 644               | 236                | 8.0          |
|            | 235/55R17 | 103        | V            | XL | BSW            | TL    | √   | 690               | 245                | 7.5          |

# ARCTICBLAZER




| Rim<br>(inch) | Tire Size | Load<br>Index | Speed<br>Symbol | XL | Sidewall<br>Style | TL/TT | ECE | Overall<br>Diam<br>(mm) | Section<br>Width<br>(mm) | Standard<br>Rim |
|---------------|-----------|---------------|-----------------|----|-------------------|-------|-----|-------------------------|--------------------------|-----------------|
| 18            | 215/55R18 | 99            | V               | XL | BSW               | TL    | √   | 693                     | 226                      | 7.0             |
|               | 225/40R18 | 92            | V               | XL | BSW               | TL    | √   | 653                     | 248                      | 8.5             |
|               | 225/45R18 | 95            | V               | XL | BSW               | TL    | √   | 659                     | 225                      | 7.5             |
|               | 225/50R18 | 95            | V               |    | BSW               | TL    | √   | 683                     | 233                      | 7.0             |
|               | 225/55R18 | 98            | V               |    | BSW               | TL    | √   | 705                     | 233                      | 7.0             |
|               | 235/45R18 | 98            | V               | XL | BSW               | TL    | √   | 669                     | 236                      | 8.0             |
|               | 245/40R18 | 97            | V               | XL | BSW               | TL    | √   | 653                     | 248                      | 8.5             |
|               | 245/45R18 | 100           | V               | XL | BSW               | TL    | √   | 677                     | 243                      | 8.0             |
| 19            | 235/40R19 | 96            | V               | XL | BSW               | TL    | √   | 671                     | 241                      | 8.5             |
|               | 235/45R19 | 99            | V               | XL | BSW               | TL    | √   | 695                     | 236                      | 8.0             |
|               | 245/40R19 | 98            | V               | XL | BSW               | TL    | √   | 679                     | 248                      | 8.5             |
|               | 245/45R19 | 102           | V               | XL | BSW               | TL    | √   | 703                     | 243                      | 8.0             |
|               | 265/55R19 | 113           | T               | XL | BSW               | TL    | √   | 775                     | 277                      | 8.5             |
| 20            | 235/55R20 | 102           | V               |    | BSW               | TL    | √   | 766                     | 245                      | 7.5             |
|               | 245/45R20 | 103           | V               | XL | BSW               | TL    | √   | 728                     | 243                      | 8.0             |
|               | 245/50R20 | 105           | V               | XL | BSW               | TL    | √   | 754                     | 253                      | 7.5             |
|               | 255/45R20 | 105           | V               | XL | BSW               | TL    | √   | 738                     | 255                      | 8.5             |
|               | 255/50R20 | 109           | V               | XL | BSW               | TL    | √   | 764                     | 265                      | 8.0             |



# ARCTICBLAZER SUV


ARCTICBLAZER SUV is a contemporary ice tire for SUVs, boasting a saw-tooth tread design for exceptional handling and traction.



## Features & benefits

- Large block tread design for increased traction and handling under snowy conditions.
- Unidirectional pattern provides improved snow clearing performance and consistent traction.
- Saw-toothed block and high-density sipe arrangement for improved grip on snow and ice.

M+S




|               |         |
|---------------|---------|
| RANGE         | 16-22   |
| SPEED RATE    | H/T     |
| ASPECT RATIO  | 40-70   |
| SECTION WIDTH | 215-285 |

### ARCTICBLAZER SUV

| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 16         | 235/70R16 | 106        | T            |    | BSW            | TL    | √   | 736               | 240                | 7.0          |
|            | 255/70R16 | 111        | T            |    | BSW            | TL    | √   | 764               | 260                | 7.5          |
| 17         | 215/60R17 | 96         | T            |    | BSW            | TL    | √   | 690               | 221                | 6.5          |
|            | 225/60R17 | 103        | T            | XL | BSW            | TL    | √   | 702               | 228                | 6.5          |
|            | 225/65R17 | 102        | T            |    | BSW            | TL    | √   | 724               | 228                | 6.5          |
|            | 235/65R17 | 108        | T            | XL | BSW            | TL    | √   | 738               | 240                | 7.0          |
|            | 245/65R17 | 111        | T            | XL | BSW            | TL    | √   | 750               | 248                | 7.0          |
|            | 245/70R17 | 110        | T            |    | BSW            | TL    | √   | 776               | 248                | 7.0          |
|            | 255/65R17 | 110        | T            |    | BSW            | TL    | √   | 764               | 260                | 7.5          |
|            | 265/65R17 | 112        | T            |    | BSW            | TL    | √   | 776               | 272                | 8.0          |
| 18         | 265/70R17 | 115        | T            |    | BSW            | TL    | √   | 804               | 272                | 8.0          |
|            | 225/60R18 | 100        | T            |    | BSW            | TL    | √   | 727               | 228                | 6.5          |
|            | 235/55R18 | 100        | T            |    | BSW            | TL    | √   | 715               | 245                | 7.5          |
|            | 235/60R18 | 107        | T            | XL | BSW            | TL    | √   | 739               | 240                | 7.0          |
|            | 235/65R18 | 106        | T            |    | BSW            | TL    | √   | 763               | 240                | 7.0          |
|            | 245/50R18 | 104        | H            | XL | BSW            | TL    | √   | 703               | 253                | 7.5          |
|            | 245/60R18 | 105        | T            |    | BSW            | TL    | √   | 751               | 248                | 7.0          |
|            | 265/60R18 | 110        | T            |    | BSW            | TL    | √   | 775               | 272                | 8.0          |
| 19         | 265/65R18 | 114        | T            |    | BSW            | TL    | √   | 801               | 272                | 8.0          |
|            | 225/45R19 | 96         | H            | XL | BSW            | TL    | √   | 685               | 225                | 7.5          |
|            | 225/55R19 | 99         | H            |    | BSW            | TL    | √   | 731               | 233                | 7.0          |
|            | 235/50R19 | 103        | H            | XL | BSW            | TL    | √   | 719               | 245                | 7.5          |
|            | 235/55R19 | 101        | T            |    | BSW            | TL    | √   | 741               | 245                | 7.5          |
|            | 235/60R19 | 107        | T            | XL | BSW            | TL    | √   | 765               | 240                | 7.0          |
|            | 245/55R19 | 103        | T            |    | BSW            | TL    | √   | 753               | 253                | 7.5          |
|            | 255/45R19 | 104        | H            | XL | BSW            | TL    | √   | 713               | 255                | 8.5          |
| 20         | 255/55R19 | 111        | H            | XL | BSW            | TL    | √   | 763               | 265                | 8.0          |
|            | 255/60R19 | 113        | T            | XL | BSW            | TL    | √   | 789               | 260                | 7.5          |
|            | 265/55R19 | 109        | T            |    | BSW            | TL    | √   | 775               | 277                | 8.5          |
|            | 255/55R20 | 110        | H            | XL | BSW            | TL    | √   | 788               | 265                | 8.0          |
|            | 265/50R20 | 111        | T            | XL | BSW            | TL    | √   | 774               | 277                | 8.5          |
|            | 265/55R20 | 113        | T            | XL | BSW            | TL    | √   | 800               | 277                | 8.5          |
|            | 275/50R20 | 113        | H            | XL | BSW            | TL    | √   | 784               | 284                | 8.5          |
|            | 275/60R20 | 115        | T            |    | BSW            | TL    | √   | 838               | 279                | 8.0          |
| 21         | 265/45R21 | 108        | T            | XL | BSW            | TL    | √   | 771               | 266                | 9.0          |
|            | 275/50R21 | 113        | H            | XL | BSW            | TL    | √   | 809               | 284                | 8.5          |
|            | 285/45R21 | 113        | T            | XL | BSW            | TL    | √   | 789               | 285                | 9.5          |
| 22         | 265/40R22 | 106        | H            | XL | BSW            | TL    | √   | 771               | 271                | 9.5          |

# ARCTIC POWER


ARCTIC POWER is a set of winter tyres suitable for various terrains, suitable for northern winter, with excellent grip. Able to achieve absolute stability and balance under any weather conditions.



## Features & benefits

- Dedicated, special designed studs for the middle tread and independent studs for shoulder areas, providing excellent longitudinal grip, the grip and handling performance on icy and snowy surfaces are strengthened greatly.
- The wide lateral grooves provide more sharp edges that can improve the traction and grip on snow, shorten the braking distance with power.
- Specialized minigrooves on the surface to improve the roughness for safer grip on ice/snow road.

M+S



|               |         |
|---------------|---------|
| RANGE         | 13-21   |
| SPEED RATE    | H/T/V   |
| ASPECT RATIO  | 35-70   |
| SECTION WIDTH | 175-285 |

### ARCTIC POWER

| Rim (inch) | Tire Size | Load Index | Speed Symbol | XL | Sidewall Style | TL/TT | ECE | Overall Diam (mm) | Section Width (mm) | Standard Rim |
|------------|-----------|------------|--------------|----|----------------|-------|-----|-------------------|--------------------|--------------|
| 13         | 175/70R13 | 82         | T            |    | BSW            | TL    | √   | 576               | 177                | 5.0          |
|            | 175/65R14 | 86         | T            | XL | BSW            | TL    | √   | 584               | 177                | 5.0          |
|            | 175/70R14 | 88         | T            | XL | BSW            | TL    | √   | 602               | 177                | 5.0          |
| 14         | 185/60R14 | 82         | T            |    | BSW            | TL    | √   | 578               | 189                | 5.5          |
|            | 185/65R14 | 90         | T            | XL | BSW            | TL    | √   | 596               | 189                | 5.5          |
|            | 185/70R14 | 92         | T            | XL | BSW            | TL    | √   | 630               | 201                | 6.0          |
| 15         | 185/60R15 | 88         | T            | XL | BSW            | TL    | √   | 603               | 189                | 5.5          |
|            | 185/65R15 | 92         | T            | XL | BSW            | TL    | √   | 621               | 189                | 5.5          |
|            | 195/60R15 | 92         | T            | XL | BSW            | TL    | √   | 615               | 201                | 6.0          |
|            | 195/65R15 | 95         | T            | XL | BSW            | TL    | √   | 635               | 201                | 6.0          |
|            | 205/65R15 | 99         | T            | XL | BSW            | TL    | √   | 647               | 209                | 6.0          |
|            | 205/70R15 | 96         | T            |    | BSW            | TL    | √   | 669               | 209                | 6.0          |
| 16         | 205/55R16 | 94         | T            | XL | BSW            | TL    | √   | 632               | 214                | 6.5          |
|            | 205/60R16 | 96         | T            | XL | BSW            | TL    | √   | 652               | 209                | 6.0          |
|            | 205/65R16 | 99         | T            | XL | BSW            | TL    | √   | 672               | 209                | 6.0          |
|            | 215/55R16 | 97         | T            | XL | BSW            | TL    | √   | 642               | 226                | 7.0          |
|            | 215/60R16 | 99         | T            | XL | BSW            | TL    | √   | 664               | 221                | 6.5          |
|            | 215/65R16 | 102        | T            | XL | BSW            | TL    | √   | 686               | 221                | 6.5          |
|            | 215/70R16 | 100        | T            |    | BSW            | TL    | √   | 708               | 221                | 6.5          |
|            | 235/70R16 | 106        | T            |    | BSW            | TL    | √   | 736               | 240                | 7.0          |
|            | 245/70R16 | 111        | T            | XL | BSW            | TL    | √   | 750               | 248                | 7.0          |
| 17         | 215/50R17 | 95         | T            | XL | BSW            | TL    | √   | 648               | 226                | 7.0          |
|            | 215/55R17 | 98         | T            | XL | BSW            | TL    | √   | 668               | 226                | 7.0          |
|            | 215/60R17 | 100        | T            | XL | BSW            | TL    | √   | 690               | 221                | 6.5          |
|            | 225/45R17 | 94         | T            | XL | BSW            | TL    | √   | 634               | 225                | 7.5          |
|            | 225/50R17 | 98         | T            | XL | BSW            | TL    | √   | 658               | 233                | 7.0          |
|            | 225/55R17 | 101        | T            | XL | BSW            | TL    | √   | 680               | 233                | 7.0          |
|            | 225/60R17 | 103        | T            | XL | BSW            | TL    | √   | 702               | 228                | 6.5          |
|            | 225/65R17 | 106        | T            | XL | BSW            | TL    | √   | 724               | 228                | 6.5          |
|            | 235/55R17 | 103        | T            | XL | BSW            | TL    | √   | 690               | 245                | 7.5          |
|            | 235/65R17 | 108        | T            | XL | BSW            | TL    | √   | 738               | 240                | 7.0          |
| 18         | 265/65R17 | 112        | T            |    | BSW            | TL    | √   | 776               | 272                | 8.0          |
|            | 215/55R18 | 99         | T            | XL | BSW            | TL    | √   | 693               | 226                | 7.0          |
|            | 225/45R18 | 95         | T            | XL | BSW            | TL    | √   | 659               | 225                | 7.5          |
|            | 225/55R18 | 102        | T            | XL | BSW            | TL    | √   | 705               | 233                | 7.0          |
|            | 225/60R18 | 104        | T            | XL | BSW            | TL    | √   | 727               | 228                | 6.5          |
|            | 235/45R18 | 98         | T            | XL | BSW            | TL    | √   | 669               | 236                | 8.0          |
|            | 235/55R18 | 104        | T            | XL | BSW            | TL    | √   | 715               | 245                | 7.5          |
|            | 235/60R18 | 107        | T            | XL | BSW            | TL    | √   | 739               | 240                | 7.0          |
|            | 245/45R18 | 100        | T            | XL | BSW            | TL    | √   | 677               | 243                | 8.0          |
|            | 255/55R18 | 109        | T            | XL | BSW            | TL    | √   | 737               | 265                | 8.0          |
|            | 265/60R18 | 114        | T            | XL | BSW            | TL    | √   | 775               | 272                | 8.0          |
|            | 265/65R18 | 116        | T            | XL | BSW            | TL    | √   | 801               | 272                | 8.0          |
|            | 285/60R18 | 120        | T            | XL | BSW            | TL    | √   | 799               | 292                | 8.5          |

# ARCTIC POWER

| Rim<br>(inch) | Tire Size | Load<br>Index | Speed<br>Symbol | XL | Sidewall<br>Style | TL/TT | ECE | Overall<br>Diam<br>(mm) | Section<br>Width<br>(mm) | Standard<br>Rim |
|---------------|-----------|---------------|-----------------|----|-------------------|-------|-----|-------------------------|--------------------------|-----------------|
| 19            | 225/45R19 | 96            | T               | XL | BSW               | TL    | √   | 685                     | 225                      | 7.5             |
|               | 225/55R19 | 103           | T               | XL | BSW               | TL    | √   | 731                     | 233                      | 7.0             |
|               | 235/50R19 | 103           | T               | XL | BSW               | TL    | √   | 719                     | 245                      | 7.5             |
|               | 235/55R19 | 105           | T               | XL | BSW               | TL    | √   | 741                     | 245                      | 7.5             |
|               | 245/40R19 | 98            | T               | XL | BSW               | TL    | √   | 679                     | 248                      | 8.5             |
|               | 245/45R19 | 102           | H               | XL | BSW               | TL    | √   | 703                     | 243                      | 8.0             |
|               | 255/45R19 | 104           | V               | XL | BSW               | TL    | √   | 713                     | 255                      | 8.5             |
|               | 255/50R19 | 107           | T               | XL | BSW               | TL    | √   | 739                     | 265                      | 8.0             |
|               | 255/55R19 | 111           | T               | XL | BSW               | TL    | √   | 763                     | 265                      | 8.0             |
|               | 265/55R19 | 113           | T               | XL | BSW               | TL    | √   | 775                     | 277                      | 8.5             |
|               | 275/35R19 | 100           | V               | XL | BSW               | TL    | √   | 675                     | 278                      | 9.5             |
| 20            | 245/45R20 | 103           | T               | XL | BSW               | TL    | √   | 728                     | 243                      | 8.0             |
|               | 245/50R20 | 105           | T               | XL | BSW               | TL    | √   | 754                     | 253                      | 7.5             |
|               | 255/40R20 | 101           | T               | XL | BSW               | TL    | √   | 712                     | 260                      | 9.0             |
|               | 255/45R20 | 105           | H               | XL | BSW               | TL    | √   | 738                     | 255                      | 8.5             |
|               | 265/50R20 | 111           | T               | XL | BSW               | TL    | √   | 774                     | 277                      | 8.5             |
|               | 265/55R20 | 114           | T               | XL | BSW               | TL    | √   | 800                     | 277                      | 8.5             |
|               | 275/50R20 | 113           | T               | XL | BSW               | TL    | √   | 784                     | 284                      | 8.5             |
|               | 275/60R20 | 116           | T               | XL | BSW               | TL    | √   | 838                     | 279                      | 8.0             |
| 21            | 285/50R20 | 116           | T               | XL | BSW               | TL    | √   | 794                     | 297                      | 9.0             |
|               | 235/50R21 | 104           | T               | XL | BSW               | TL    | √   | 769                     | 245                      | 7.5             |
|               | 255/45R21 | 106           | T               | XL | BSW               | TL    | √   | 763                     | 255                      | 8.5             |
|               | 265/45R21 | 108           | T               | XL | BSW               | TL    | √   | 771                     | 266                      | 9.0             |
|               | 275/45R21 | 110           | T               | XL | BSW               | TL    | √   | 781                     | 273                      | 9.0             |





ENJOY YOUR TRIPS WITH WINDFORCE TYRES

[WWW.LANDSPIDERTIRE.COM](http://WWW.LANDSPIDERTIRE.COM)