WINDFORCE

ENJOY YOUR TRIPS WITH WINDFORCE TYRES

2027· CATALOGUE UPGRADE

HP/UHP/SUV/LTR/ALL-SEASON/WINTER



PASSENGER CAR TYRE PRODUCT MANUAL

EU

Fearless Progress, Steering into a New Era

No adventure without risk, no driving without safeguarding. On the way to the future, WINDFORCE is always upgrading and around you.

WINDFORCE brand, since 2012, unremitting team efforts and innovation, has developed 1200 tyre sizes covering PCR, UHP, SUV, 4 × 4, VAN, WINTER, ALL SEASON, etc.

WINDFORCE provides safety and value for the global customers, is constantly striving to create the best solutions for each application.

WINDFORCE provides a wide variety of PCR/TBR to customers, based on the demand from local market.

WINDFORCE persists on green tyres to protect the environment in a concept of low carbon development and lowers the rolling resistance of tyres.

WINDFORCE supplied by global TOP 10 manufacturer, has perfect quality supervision system, after-sales system and quality certification system to guarantee the product quality and improve the customer satisfaction.



Sustainable Ecdsystem

We are steadfast in our commitment to sustainable development, seamlessly integrating environmental, social, and governance (ESG) considerations into our strategic and operational frameworks.





Circular Technology

Recycling of waste tyre resources

- Recycling, repairing, renovating and reusing old tyres.
- Recycling and recycling of waste tyre resources.

Rubber raw materials

Every drop of our rubber is taken from the optimal temperature at 4-7 a.m. Strictly conforming to the latest regulations in EU.

Rubber Factory


Build an industrial ET brain smart factory

- Land utilization rate increases by 15%-25%.
- Reduce labor costs by 20%-30%.
- Increase molding efficiency by 20%-30%.
- Overall system production efficiency is improved by 15%-20% .

TABLES OF CONTENTS

MADE IN THAILAND


SUMMER


3 ADVANFORS H/P


7 ADVANFORS UHP


11 TERRAMASTER H/P


15 ADVANFORS VAN


17 TRANSMASTER VAN

ALL SEASON


21 TERRAMASTER A/S


25 TRANSMASTER VAN A/S

WINTER


29 SNOWMASTER

MADE IN CHINA

SUMMER


35 ADVANFORS H/P


39 ADVANFORS UHP II

SUV & VAN


45 ADVANFORS A/T


47 CATCHFORS MAX

WINTER


51 ARCTICBLAZER SUV


53 ARCTICBLAZER


57 ARCTIC POWER

SUMMER


63 ADVANFORS TOURING


67 ADVANFORS SUV


71 ADVANFORS MAX


73 ADVANFORS A/T II

MADE IN THAILAND

SUMMER



ADVANFORS H/P

ADVANFORS UHP

TERRAMASTER H/P

ADVANFORS VAN

TRANSMASTER VAN

WINDFORCE MADE IN THAILAND

ADVANFORS H/P



RANGE:
13-18

SPEED RATE:
H/T/V/W/Y

ASPECT RATIO:
35-80


SECTION WIDTH:
145-255

SW	Series	Number of groove
≤ 175	all	3
185	≥ 70	3
	≤ 65	4
≥ 195	all	4

ECO COMFORT PCR

The summer tyre ADVANFORS H/P , is designed to provide you safety all the while and to offer the best longevity in its category.

DRY
WET
COMFORT
MILEAGE
EFFICIENCY



Non-symmetric from outside to inside for high-class performance. With close stiffness of two shoulders design, more freedom is allowed .



High performance compound and optimal block/voild ratio ensures for great dry braking and handling.



The calculation of circumferetial grooves for the series can efficiently avoid aquaplaning and delivering a strong brake performance.



Anti-closing design to improve road grip, especiall in wet conditions.

Rim	Size	LI / SR	XL				
13	145/70R13	71T		C	B	70	B
	145/80R13	75T		C	B	70	B
	155/65R13	73T		C	B	70	B
	155/70R13	75T		C	B	70	B
	155/80R13	79T		C	B	70	B
	165/70R13	79T		C	B	70	B
	175/65R13	80T		C	B	70	B
	175/70R13	82T		C	B	70	B
14	155/65R14	75T		C	B	70	B
	165/60R14	75H		C	B	70	B
	165/65R14	79T		C	B	70	B
	165/70R14	81T		C	B	70	B
	165/70R14	85T	XL	C	B	70	B
	175/65R14	82H		C	B	70	B
	175/65R14	86T	XL	C	B	70	B
	175/70R14	84T		C	B	70	B
	175/70R14	88T	XL	C	B	70	B
	185/55R14	80V		C	B	70	B
	185/60R14	82H		C	B	70	B
	185/65R14	86H		C	B	70	B
	185/70R14	88T		C	B	70	B
15	155/60R15	74T		C	B	70	B
	165/60R15	81T	XL	C	B	70	B
	165/65R15	81T		C	B	70	B
	175/55R15	77H		C	B	70	B
	175/60R15	81H		C	B	70	B
	175/65R15	84H		C	B	70	B
	185/55R15	82V		C	B	70	B
	185/60R15	84H		C	B	70	B
	185/60R15	88H	XL	C	B	70	B
	185/65R15	88H		C	B	70	B
	185/65R15	92T	XL	C	B	70	B
	195/50R15	82V		C	B	70	B

Rim	Size	LI / SR	XL				
15	195/55R15	85V		C	B	70	B
	195/60R15	88H		C	B	70	B
	195/60R15	88V		C	B	70	B
	195/65R15	91V		C	B	70	B
	195/65R15	95H	XL	C	B	70	B
	205/60R15	91V		C	B	70	B
	205/65R15	94V		C	B	70	B
	215/65R15	96H		C	B	70	B
16	185/55R16	87V	XL	C	B	70	B
	195/50R16	84V		C	B	70	B
	195/55R16	87V		C	B	70	B
	195/55R16	91V	XL	C	B	70	B
	195/60R16	89H		C	B	70	B
	205/55R16	91V		C	B	70	B
	205/55R16	91W		C	B	70	B
	205/60R16	92V		C	B	70	B
	205/60R16	96V	XL	C	B	70	B
	215/55R16	97W	XL	C	B	70	B
	215/60R16	95V		C	B	70	B
	215/60R16	99V	XL	C	B	70	B
	215/65R16	98H		C	B	70	B
	215/70R16	100H		C	B	70	B
	225/50R16	96W	XL	C	B	70	B
	225/55R16	99W	XL	C	B	70	B
	225/60R16	98H		C	B	70	B
	225/60R16	102V	XL	C	B	70	B
	235/60R16	100H		C	B	70	B
17	*205/40R17	84W	XL	C	B	70	B
	*205/45R17	88W	XL	C	B	70	B
	*205/50R17	93W	XL	C	B	70	B
	*205/55R17	95W	XL	C	B	70	B
	*215/40R17	87W	XL	C	B	70	B
	*215/45R17	91W	XL	C	B	70	B
	*215/50R17	95W	XL	C	B	70	B
	*215/55R17	98W	XL	C	B	70	B
	*215/60R17	100V	XL	C	B	70	B
	*215/65R17	99V		C	B	70	B
	*225/45ZR17	94Y	XL	C	B	70	B
	*225/50ZR17	98Y	XL	C	B	70	B
	*225/55R17	101W	XL	C	B	70	B
	*225/60R17	103V	XL	C	B	70	B
	*225/65R17	106V	XL	C	B	70	B
	*235/45R17	97W	XL	C	B	70	B
	*235/55R17	103W	XL	C	B	70	B
	*235/60R17	106V	XL	C	B	70	B
	*235/65R17	108V	XL	C	B	70	B
	*245/45R17	99W	XL	C	B	70	B
18	*215/40ZR18	89Y	XL	C	B	70	B
	*215/45ZR18	93Y	XL	C	B	70	B
	*215/50R18	92W		C	B	70	B
	*215/55R18	99V	XL	C	B	70	B
	*225/40ZR18	92Y	XL	C	B	70	B
	*225/45ZR18	95Y	XL	C	B	70	B

ADVANFORS H/P SUMMER

Rim	Size	LI / SR	XL				
18	*225/50R18	99W	XL	C	B	70	B
	*225/55R18	102V	XL	C	B	70	B
	*225/60R18	104V	XL	C	B	70	B
	*235/40ZR18	95Y	XL	C	B	70	B
	*235/45ZR18	98Y	XL	C	B	70	B
	*235/50ZR18	101Y	XL	C	B	70	B
	*235/55R18	104W	XL	C	B	70	B
	*235/60R18	107V	XL	C	B	70	B
	*245/40ZR18	97Y	XL	C	B	70	B
	*245/45ZR18	100Y	XL	C	B	70	B
	*255/35ZR18	94Y	XL	C	B	70	B
	*255/45ZR18	103Y	XL	C	B	70	B
	*255/55R18	109W	XL	C	B	70	B

*UNDER DEVELOPMENT



WINDFORCE MADE IN THAILAND

ADVANFORS UHP





RANGE:	SPEED RATE:
15-20	V/W/Y

ASPECT RATIO:	SECTION WIDTH:
30-65	195-315

SPORTY PERFORMANCE PCR

The ADVANFORS UHP aims to maximize road performance and driving pleasure of their newest sport car, super SUVs and electrified vehicles.





The adaptive tread design specially for sporty Ultra-High-Performance ensures greater stability and ride comfort on both wet and dry roads.



Stylish and strong shoulder design to form enough ground contact in the outer area for crisp cornering.



Wide longitudinal grooves and shoulder lateral openings provide optimum drainage when driving straight ahead.



The whole 3-D edges design for smooth tread block entry into the footprint to improve acoustic comfort.

Rim	Size	LI / SR	XL			dB	
15	195/45R15	78V		C	B	71	B
16	195/45R16	84V	XL	C	B	72	B
	205/45R16	87W	XL	C	B	72	B
	205/50R16	87W		C	B	71	B
	205/50R16	91W	XL	C	B	72	B
	205/55R16	94W	XL	C	B	72	B
	215/45R16	90W	XL	C	B	72	B
17	195/40R17	81W	XL	C	B	72	B
	205/40R17	84W	XL	C	B	72	B
	205/45R17	88W	XL	C	B	72	B
	205/50R17	93W	XL	C	B	72	B
	205/55R17	95W	XL	C	B	72	B
	215/40R17	87W	XL	C	B	72	B
	215/45R17	91W	XL	C	B	72	B
	215/50R17	95W	XL	C	B	72	B
	215/55R17	98W	XL	C	B	72	B
	215/60R17	100V	XL	C	B	72	B
	225/45ZR17	94Y	XL	C	B	72	B
	225/50ZR17	98Y	XL	C	B	72	B
	225/55R17	101W	XL	C	B	72	B
	225/60R17	103V	XL	C	B	72	B
	225/65R17	106V	XL	C	B	72	B
	235/45R17	97W	XL	C	B	72	B
	235/55R17	103W	XL	C	B	72	B
	235/60R17	106V	XL	C	B	72	B
	235/65R17	108V	XL	C	B	72	B
	245/45R17	99W	XL	C	B	72	B
18	205/40ZR18	86Y	XL	C	B	72	B
	215/40ZR18	89Y	XL	C	B	72	B
	215/45ZR18	93Y	XL	C	B	72	B
	215/50R18	92W		C	B	71	B
	215/55R18	99W	XL	C	B	72	B
	225/40ZR18	92Y	XL	C	B	72	B

Rim	Size	LI / SR	XL				
18	225/45ZR18	95Y	XL	C	B	72	B
	225/50R18	99W	XL	C	B	72	B
	225/55R18	102W	XL	C	B	72	B
	225/60R18	104V	XL	C	B	72	B
	235/40ZR18	95Y	XL	C	B	72	B
	235/45ZR18	98Y	XL	C	B	72	B
	235/50ZR18	101Y	XL	C	B	72	B
	235/55R18	104W	XL	C	B	72	B
	235/60R18	107V	XL	C	B	72	B
	245/40ZR18	97Y	XL	C	B	72	B
	245/45ZR18	100Y	XL	C	B	72	B
	245/50R18	104W	XL	C	B	72	B
	255/35ZR18	94Y	XL	C	B	73	B
	255/40ZR18	99Y	XL	C	B	73	B
	255/45ZR18	103Y	XL	C	B	73	B
	265/35ZR18	97Y	XL	C	B	73	B
19	225/35ZR19	88Y	XL	C	B	72	B
	225/40ZR19	93Y	XL	C	B	72	B
	225/45ZR19	96Y	XL	C	B	72	B
	225/55R19	103W	XL	C	B	72	B
	235/35ZR19	91Y	XL	C	B	72	B
	235/40ZR19	96Y	XL	C	B	72	B
	235/45ZR19	99Y	XL	C	B	72	B
	235/50ZR19	103Y	XL	C	B	72	B
	235/55ZR19	105Y	XL	C	B	72	B
	245/35ZR19	93Y	XL	C	B	72	B
	245/40ZR19	98Y	XL	C	B	72	B
	245/45ZR19	102Y	XL	C	B	72	B
	255/30ZR19	91Y	XL	C	B	73	B
	255/35ZR19	96Y	XL	C	B	73	B
	255/40ZR19	100Y	XL	C	B	73	B
	255/50ZR19	107Y	XL	C	B	73	B
	255/55R19	111W	XL	C	B	73	B
	275/30ZR19	96Y	XL	C	B	73	B
	275/35ZR19	100Y	XL	C	B	73	B
20	245/30ZR20	90Y	XL	C	B	72	B
	245/35ZR20	95Y	XL	C	B	72	B
	245/40ZR20	99Y	XL	C	B	72	B
	245/45ZR20	103Y	XL	C	B	72	B
	255/30ZR20	92Y	XL	C	B	73	B
	255/35ZR20	97Y	XL	C	B	73	B
	255/40ZR20	101Y	XL	C	B	73	B
	255/45ZR20	105Y	XL	C	B	73	B
	265/45ZR20	108Y	XL	C	B	73	B
	265/50R20	111W	XL	C	B	73	B
	275/30ZR20	97Y	XL	C	B	73	B
	275/35ZR20	102Y	XL	C	B	73	B
	275/40ZR20	106Y	XL	C	B	73	B
	275/45ZR20	110Y	XL	C	B	73	B
	315/35ZR20	110Y	XL	C	B	74	B



WINDFORCE MADE IN THAILAND

TERRAMASTER H/P

RANGE: 13-21

SPEED RATE: H/T/V/W/Y

ASPECT RATIO: 30-80

SECTION WIDTH: 155-315



SW	Series	Number of groove
≤ 185	all	3
≥ 195	all	4


PREMIUM TOURING PCR

The TERRAMASTER H/P offers the broadest size range for passengers vehicles, ensures comfort through improved construction, enhances wet grip and reduces rolling resistance with an optimized compound, and delivers exceptional dry/wet handling performance.

- DRY
- WET
- COMFORT
- MILEAGE
- EFFICIENCY



Covering a most wide range of sizes for eco, HP/UHP vehicles.



Matrix body ply structure, which enhances steering stability, improves precision in steering without compromising comfort and contributes to excellent performance in the dry by conveying power to the road's surface.



The "3+1" wider main grooves in variable width circumferential grooves offer exceptional water-evacuation performance for wet driving safety.



High performance compouding and optimized block/ratio ensures for great road grips and lower rolling resistance.

Rim	Size	LI / SR	XL			dB	
13	155/65R13	73T		D	B	70	B
	155/70R13	75T		D	B	70	B
	155/80R13	79T		D	B	70	B
	165/70R13	79T		D	B	70	B
	165/80R13	83T		D	B	70	B
	175/70R13	82T		D	B	70	B
	185/70R13	86T		D	B	70	B
14	155/65R14	75T		D	B	70	B
	165/60R14	75H		D	B	70	B
	165/65R14	79T		D	B	70	B
	165/70R14	81T		D	B	70	B
	175/60R14	79H		D	B	70	B
	175/65R14	82H		D	B	70	B
	175/70R14	84T		D	B	70	B
	175/70R14	88T	XL	D	B	70	B
	185/55R14	80V		D	B	70	B
	185/60R14	82H		D	B	70	B
	185/65R14	86H		D	B	70	B
	185/70R14	88T		D	B	70	B
	195/65R14	89H		D	B	71	B
	195/70R14	91T		C	B	71	B
15	155/60R15	74H		D	B	70	B
	165/60R15	81T	XL	D	B	70	B
	165/65R15	81H		D	B	70	B
	175/55R15	77H		D	B	70	B
	175/60R15	81H		D	B	70	B
	175/65R15	84H		D	B	70	B
	185/55R15	82V		D	B	70	B
	185/55R15	86V	XL	D	B	70	B
	185/60R15	84H		D	B	70	B
	185/60R15	88H	XL	D	B	70	B
	185/65R15	88H		D	B	70	B
	195/45R15	78V		D	B	71	B
	195/50R15	82V		D	B	71	B
	195/55R15	85V		D	B	71	B
	195/60R15	88H		D	B	71	B

Rim	Size	LI / SR	XL			dB	
15	195/60R15	88V		D	B	71	B
	195/65R15	91V		C	B	71	B
	195/65R15	91H		C	B	71	B
	195/65R15	95H	XL	C	B	71	B
	205/60R15	91H		C	B	71	B
	205/65R15	94V		C	B	71	B
	205/70R15	96H		C	B	71	B
	215/65R15	96H		C	B	71	B
	215/70R15	98H		C	B	71	B
16	185/55R16	83V		D	B	70	B
	195/45R16	84V	XL	D	B	71	B
	195/50R16	84V		D	B	71	B
	195/50R16	88V	XL	D	B	71	B
	195/55R16	87V		D	B	71	B
	195/55R16	91V	XL	C	B	71	B
	195/60R16	89V		D	B	71	B
	205/45R16	87W	XL	D	B	71	B
	205/50R16	87V		D	B	71	B
	205/50R16	91V	XL	C	B	71	B
	205/55R16	91V		C	B	71	B
	205/55R16	94W	XL	C	B	71	B
	205/60R16	92V		C	B	71	B
	205/60R16	96V	XL	C	B	71	B
	205/65R16	95H		C	B	71	B
	215/40R16	86W	XL	D	B	71	B
	215/45R16	90W	XL	D	B	71	B
	215/55R16	97W	XL	C	B	71	B
	215/60R16	99V	XL	C	B	71	B
	215/65R16	98V		C	B	71	B
	215/70R16	100H		C	B	71	B
	225/55R16	99W	XL	C	B	71	B
	225/60R16	98H		C	B	71	B
	235/60R16	100H		C	B	71	B
17	195/45R17	85W	XL	D	B	71	B
	205/40R17	84W	XL	D	B	71	B
	205/45R17	88W	XL	D	B	71	B
	205/50R17	93W	XL	C	B	71	B
	205/55R17	95W	XL	C	B	71	B
	215/40R17	87W	XL	D	B	71	B
	215/45R17	91W	XL	C	B	71	B
	215/50R17	95W	XL	C	B	71	B
	215/55R17	98W	XL	C	B	71	B
	215/60R17	96V		C	B	71	B
	225/45R17	94W	XL	C	B	71	B
	225/50R17	98W	XL	C	B	71	B
	225/55R17	101W	XL	C	B	71	B
	225/60R17	103V	XL	C	B	71	B
	225/65R17	106V	XL	C	B	71	B
	235/45R17	97W	XL	C	B	71	B
	235/50R17	100W	XL	C	B	71	B
	235/55R17	103W	XL	C	B	71	B
	235/65R17	108V	XL	C	B	71	B
	245/40R17	95W	XL	C	B	71	B
	245/45R17	99W	XL	C	B	71	B
	255/40R17	94V		C	B	72	B
18	205/40R18	86W	XL	D	B	71	B
	215/40R18	89W	XL	D	B	71	B
	215/45R18	93W	XL	C	B	71	B

Rim	Size	LI / SR	XL			dB	
18	215/50R18	92W		C	B	71	B
	215/55R18	99V	XL	C	B	71	B
	225/40R18	92W	XL	C	B	71	B
	225/45R18	95W	XL	C	B	71	B
	225/50R18	99W	XL	C	B	71	B
	225/55R18	98V		C	B	71	B
	225/60R18	100H		C	B	71	B
	235/40R18	95W	XL	C	B	71	B
	235/45R18	98W	XL	C	B	71	B
	235/50R18	101W	XL	C	B	71	B
	235/55R18	104W	XL	C	B	71	B
	235/60R18	107V	XL	C	B	71	B
	245/40R18	97W	XL	C	B	71	B
	245/45R18	100W	XL	C	B	71	B
	255/35R18	94W	XL	C	B	72	B
	255/40R18	99W	XL	C	B	72	B
	255/45R18	103W	XL	C	B	72	B
	255/55R18	109W	XL	C	B	72	B
	255/60R18	112V	XL	C	B	72	B
	265/35R18	97W	XL	C	B	72	B
19	205/55R19	97V	XL	C	B	71	B
	225/35R19	88W	XL	D	B	71	B
	225/40R19	93W	XL	C	B	71	B
	225/45R19	96W	XL	C	B	71	B
	225/55R19	103V		C	B	71	B
	235/35R19	91W	XL	C	B	71	B
	235/40R19	96W	XL	C	B	71	B
	235/45R19	99W	XL	C	B	71	B
	235/50R19	103W	XL	C	B	71	B
	235/55R19	105V	XL	C	B	71	B
	245/35R19	93W	XL	C	B	71	B
	245/40R19	98W	XL	C	B	71	B
	245/45R19	102W	XL	C	B	71	B
	255/35R19	96W	XL	C	B	72	B
	255/40R19	100W	XL	C	B	72	B
	255/45R19	104W	XL	C	B	72	B
	255/50R19	107W	XL	C	B	72	B
	255/55R19	111W	XL	C	B	72	B
	265/35R19	98W	XL	C	B	72	B
	275/35R19	100W	XL	C	B	72	B
	275/40R19	105W	XL	C	B	72	B
20	195/50R20	93H	XL	C	B	71	B
	195/55R20	95H	XL	C	B	71	B
	245/35R20	95W	XL	C	B	71	B
	245/40R20	99W	XL	C	B	71	B
	245/45R20	103W	XL	C	B	71	B
	255/35R20	97W	XL	C	B	72	B
	255/40R20	101Y	XL	C	B	72	B
	255/45R20	105W	XL	C	B	72	B
	255/50R20	109W	XL	C	B	72	B
	275/30R20	97W	XL	C	B	72	B
	275/35R20	102W	XL	C	B	72	B
	275/40R20	106Y	XL	C	B	72	B
	275/45R20	110Y	XL	C	B	72	B
	315/35R20	110Y	XL	C	B	74	B
21	275/40R21	107Y	XL	C	B	72	B
	315/35R21	111Y	XL	C	B	74	B

WINDFORCE MADE IN THAILAND

ADVANFORS VAN

RANGE: **14-17**

SPEED RATE: **R/S/T**


ASPECT RATIO: **60-80**

SECTION WIDTH: **175-235**




COMMERCIAL VAN

The ADVANFORS VAN, the finest van/light truck commercial tire for Europe, is engineered to meet the multi-purpose needs of safety, durability, comfort and efficiency.






Strong design, extra-durable construction offers durability and excellent wear resistance.



Greatly enhanced tread design delivers confident and reliable handling across a variety of road and weather conditions.



High mileage combined with fuel economy,low operating costs over the long term, boosting your profitability.

Rim	Size	LI / SR	PR			dB	
14	175/65R14C	90/88T	6PR	C	B	71	B
	175/70R14C	95/93T	6PR	C	B	71	B
	185R14C	102/100S	8PR	C	B	71	B
	195R14C	106/104S	8PR	C	B	71	B
15	195/70R15C	104/102S	8PR	C	B	71	B
	205/70R15C	106/104S	8PR	C	B	71	B
	215/65R15C	104/102T	6PR	C	B	71	B
	215/70R15C	109/107S	8PR	C	B	71	B
	225/70R15C	112/110S	8PR	C	B	71	B
16	185/75R16C	104/102S	8PR	C	B	71	B
	195/65R16C	104/102T	8PR	C	B	71	B
	195/75R16C	107/105S	8PR	C	B	71	B
	195/75R16C	110/108R	10PR	C	B	71	B
	205/65R16C	107/105T	8PR	C	B	71	B
	205/75R16C	110/108S	8PR	C	B	71	B
	205/75R16C	113/111R	10PR	C	B	71	B
	215/60R16C	103/101T	6PR	C	B	71	B
	215/65R16C	109/107T	8PR	C	B	71	B
	215/75R16C	113/111S	8PR	C	B	71	B
	225/65R16C	112/110T	8PR	C	B	71	B
	225/75R16C	121/120R	10PR	C	B	71	B
	235/65R16C	115/113T	8PR	C	B	71	B
	235/65R16C	121/119R	10PR	C	B	71	B
17	215/60R17C	109/107T	8PR	C	B	71	B

WINDFORCE MADE IN THAILAND

TRANSMASTER VAN

RANGE: **14-16**

SPEED RATE: **H/Q/R/S/T**


ASPECT RATIO: **60-80**

SECTION WIDTH: **175-235**




COMMERCIAL VAN

TRANSMASTER VAN, with significant developmental advances in sustainability, has an increased mileage/durability, and lower rolling resistance.





With a higher block/void ratio optimised pattern, the specilized van tyre tread compound enhanced mileage greatly.



The innovative groove design improves the noise level comfort.While keeping a consistently high wet performance.



The new design, with optimized pitch-alignment, ensures better noise absorption and less sound creation for a van tyre.



Strong shoulder design and ex-durable construction, with 2-body plies and wide steel belts engineering for more sustainable service.

Rim	Size	LI / SR	PR			dB	
14	175/65R14C	90/88T	6PR	D	B	71	B
	175/70R14C	95/93S	6PR	D	B	71	B
	185R14C	102/100R	8PR	C	B	71	B
	195R14C	106/104Q	8PR	C	B	71	B
15	195/70R15C	104/102R	8PR	C	B	71	B
	205/70R15C	106 /104R	8PR	C	B	71	B
	215/65R15C	104/102T	6PR	C	B	71	B
	215/70R15C	109/107R	8PR	C	B	71	B
	225/70R15C	112/110R	8PR	C	B	71	B
16	185/75R16C	104/102R	8PR	C	B	71	B
	195/60R16C	99/97H	6PR	C	B	71	B
	195/65R16C	104/102T	8PR	C	B	71	B
	195/75R16C	107/105R	8PR	C	B	71	B
	205/65R16C	107/105T	8PR	C	B	71	B
	205/75R16C	110/108Q	8PR	C	B	71	B
	215/60R16C	108/106T	8PR	C	B	71	B
	215/65R16C	109/107T	8PR	C	B	71	B
	215/75R16C	113/111Q	8PR	C	B	71	B
	225/65R16C	112/110T	8PR	C	B	71	B
	225/75R16C	118/116R	10PR	C	B	71	B
	235/65R16C	115/113R	8PR	C	B	71	B

MADE IN THAILAND

ALL SEASON



TERRAMASTER A/S

TRANSMASTER VAN A/S

WINDFORCE

WINDFORCE MADE IN THAILAND

3PMSF
Officially approved for winter use

TERRAMASTER A/S



RANGE: **13-19**

SPEED RATE: **H/T/V/W/Y**

ASPECT RATIO: **35-80**

SECTION WIDTH: **155-255**

ALL-SEASON PCR

The TERRAMASTER A/S is designed to perform in every climate condition, with excellent wet and dry braking and maintain traction and stability whether driving in wet or dry conditions.

DRY
WET
WINTER
COMFORT
MILEAGE




Wide lateral grooves,Improved drain performance with wide and high angled grooves.



High-density summer sipes Enhanced block stiffness provides better driving performance on dry roads.



Pitch variation technology Optimized pitch variation technology provides more comfortable driving.



The product's construction with 3D sipes,provides outstanding grip performance on dry in all season conditions.

Rim	Size	LI / SR	XL			dB		M+S	3PMSF
13	155/65R13	73T		D	B	71	B	√	√
	155/70R13	75T		D	B	71	B	√	√
	155/80R13	79T		D	B	71	B	√	√
	165/70R13	79T		D	B	71	B	√	√
	165/70R13	83T	XL	D	B	71	B	√	√
	175/70R13	82T		D	B	71	B	√	√
14	155/65R14	75T		D	B	71	B	√	√
	165/60R14	79H	XL	D	B	71	B	√	√
	165/65R14	79T		D	B	71	B	√	√
	165/70R14	81T		D	B	71	B	√	√
	175/65R14	82T		D	B	71	B	√	√
	175/65R14	86T	XL	D	B	71	B	√	√
	175/70R14	84T		D	B	71	B	√	√
	175/70R14	88T	XL	D	B	71	B	√	√
	185/60R14	82H		D	B	71	B	√	√
	185/65R14	86H		D	B	71	B	√	√
	185/70R14	88T		D	B	71	B	√	√
	195/70R14	91T		C	B	72	B	√	√
15	165/65R15	81H		D	B	71	B	√	√
	175/65R15	84H		D	B	71	B	√	√
	185/55R15	82H		D	B	71	B	√	√
	185/60R15	88H	XL	D	B	71	B	√	√
	185/65R15	88H		D	B	71	B	√	√
	185/65R15	92H	XL	C	B	71	B	√	√
	195/50R15	82V		D	B	72	B	√	√
	195/55R15	85V		D	B	72	B	√	√
	195/60R15	88V		D	B	72	B	√	√
	195/65R15	91H		C	B	72	B	√	√
	195/65R15	95H	XL	C	B	72	B	√	√
	205/65R15	94V		C	B	72	B	√	√
	215/65R15	96H		C	B	72	B	√	√
16	195/45R16	84V	XL	D	B	72	B	√	√
	195/50R16	88V	XL	D	B	72	B	√	√

Rim	Size	LI / SR	XL					M+S	3PMSF
16	195/55R16	87V		D	B	72	B	√	√
	195/55R16	91V	XL	C	B	72	B	√	√
	195/60R16	89V		D	B	72	B	√	√
	205/45ZR16	87W	XL	D	B	72	B	√	√
	205/50ZR16	91W	XL	C	B	72	B	√	√
	205/55R16	91V		C	B	72	B	√	√
	205/55R16	94V	XL	C	B	72	B	√	√
	205/60R16	96V	XL	C	B	72	B	√	√
	215/45R16	90V	XL	D	B	72	B	√	√
	215/55ZR16	97W	XL	C	B	72	B	√	√
	215/60R16	99V	XL	C	B	72	B	√	√
	215/65R16	98V		C	B	72	B	√	√
	225/55ZR16	99W	XL	C	B	72	B	√	√
	225/60R16	102V	XL	C	B	72	B	√	√
17	205/45ZR17	88W	XL	D	B	72	B	√	√
	205/50ZR17	93W	XL	C	B	72	B	√	√
	205/55ZR17	95W	XL	C	B	72	B	√	√
	215/40ZR17	87W	XL	D	B	72	B	√	√
	215/45ZR17	91W	XL	C	B	72	B	√	√
	215/50ZR17	95W	XL	C	B	72	B	√	√
	215/55ZR17	98W	XL	C	B	72	B	√	√
	215/60R17	100V	XL	C	B	72	B	√	√
	215/65R17	99V		C	B	72	B	√	√
	225/45ZR17	94Y	XL	C	B	72	B	√	√
	225/50ZR17	98Y	XL	C	B	72	B	√	√
	225/55ZR17	101W	XL	C	B	72	B	√	√
	225/60R17	103V	XL	C	B	72	B	√	√
	225/65R17	106V	XL	C	B	72	B	√	√
	235/45ZR17	97W	XL	C	B	72	B	√	√
	235/55ZR17	103W	XL	C	B	72	B	√	√
	235/65ZR17	108W	XL	C	B	72	B	√	√
18	215/55R18	99V	XL	C	B	72	B	√	√
	225/40ZR18	92Y	XL	C	B	72	B	√	√
	225/45ZR18	95W	XL	C	B	72	B	√	√
	225/55R18	98V		C	B	72	B	√	√
	235/45ZR18	98Y	XL	C	B	72	B	√	√
	235/50ZR18	101W	XL	C	B	72	B	√	√
	235/55R18	104V	XL	C	B	72	B	√	√
	235/60ZR18	107W	XL	C	B	72	B	√	√
	245/40ZR18	97Y	XL	C	B	72	B	√	√
	245/45ZR18	100Y	XL	C	B	72	B	√	√
19	225/40ZR19	93Y	XL	C	B	72	B	√	√
	225/45ZR19	96Y	XL	C	B	72	B	√	√
	225/55ZR19	99W		C	B	72	B	√	√
	235/55ZR19	105W	XL	C	B	72	B	√	√
	245/45ZR19	102Y	XL	C	B	72	B	√	√
	255/35ZR19	96Y	XL	C	B	73	B	√	√
	255/40ZR19	100Y	XL	C	B	73	B	√	√



WINDFORCE MADE IN THAILAND

3PMSF®
Officially approved for winter use

TRANSMASTER VAN A/S

RANGE: 14-16

SPEED RATE: H/R/S/T

ASPECT RATIO: 60-75

SECTION WIDTH: 175-235




ALL-SEASON COMMERCIAL VAN

The TRANSMASTER VAN A/S is a durable all-weather touring tire for sedans and crossovers. It features fuel savings and optimized mileage shorter braking distances in the wet, and extended tread life.


DRY
WET
WINTER
COMFORT
MILEAGE




Straight 3-channel waterway Resists hydroplaning for a safer drive in wet road conditions.



Wide shoulder blocks are applied for a better grip and maximum road contact. Groove width is optimized for all-season performance.



All Season Performance Compound Features a new compound developed with highly concentrated silica to maximize grip performance in wet, dry, and light snow.



The product's construction with 3D sipes,provides outstanding grip performance on dry in all season conditions.

Rim	Size	LI / SR	PR			dB		M+S	3PMSF
14	175/65R14C	90/88T	6PR	D	B	73	B	√	√
	175/70R14C	95/93T	6PR	D	B	73	B	√	√
15	195/70R15C	104/102S	8PR	C	B	73	B	√	√
	215/70R15C	109/107S	8PR	C	B	73	B	√	√
	225/70R15C	112/110S	8PR	C	B	73	B	√	√
16	185/75R16C	104/102S	8PR	C	B	73	B	√	√
	195/60R16C	99/97H	6PR	D	B	73	B	√	√
	195/65R16C	104/102S	8PR	C	B	73	B	√	√
	195/75R16C	107/105S	8PR	C	B	73	B	√	√
	195/75R16C	110/108T	10PR	C	B	73	B	√	√
	205/65R16C	107/105T	8PR	C	B	73	B	√	√
	205/75R16C	113/111S	10PR	C	B	73	B	√	√
	215/60R16C	103/101T	6PR	C	B	73	B	√	√
	215/65R16C	109/107T	8PR	C	B	73	B	√	√
	215/75R16C	113/111S	8PR	C	B	73	B	√	√
	225/65R16C	112/110S	8PR	C	B	73	B	√	√
	235/65R16C	115/113S	8PR	C	B	73	B	√	√
	235/65R16C	121/119R	10PR	C	B	73	B	√	√

MADE IN THAILAND

WINTER



SNOWMASTER

WINDFORCE

WINDFORCE MADE IN THAILAND

3PMSF
Officially approved for winter use

SNOWMASTER

RANGE:	SPEED RATE:
13-20	H/T/V
ASPECT RATIO:	**SECTION WIDTH:**
35-80	155-275



STUDLESS SNOW TYRE

SNOWMASTER is a non-pitted winter tyre specifically designed for SUVs and CUVs. It offers reliable grip and control, performing well in snowy, icy conditions and cold weather. With advanced winter formula and tread technology, it excels in harsh environments.


- DRY
- WET
- WINTER
- COMFORT
- MILEAGE



The fine grooves on the tyre tread instantly absorb the thin water film between the tyre and the snow through capillary action, enabling the vehicle to drive freely on the snowy surface.



The centrifugal pump effect produced by the V-shaped pattern results in excellent drainage performance.



The special tyre tread low-temperature formula can still maintain physical properties such as elasticity even at low temperatures.



The design of the tyre shoulder with an outwardly expanded trumpet-shaped opening (similar to the structure of a snow shovel) effectively enhances the snow-discharging performance.

Rim	Size	LI / SR	XL			dB		M+S	3PMSF
13	155/70R13	75T		D	B	71	B	√	√
	155/80R13	79T		D	B	71	B	√	√
	175/70R13	82T		D	B	71	B	√	√
14	155/65R14	75T		D	B	71	B	√	√
	165/65R14	79T		D	B	71	B	√	√
	165/70R14	81T		D	B	71	B	√	√
	165/70R14	85T	XL	D	B	71	B	√	√
	175/65R14	82T		D	B	71	B	√	√
	175/65R14	86T	XL	D	B	71	B	√	√
	175/70R14	84T		D	B	71	B	√	√
	185/60R14	82T		D	B	71	B	√	√
	185/65R14	86T		D	B	71	B	√	√
15	165/60R15	81T	XL	D	B	71	B	√	√
	165/65R15	81T		D	B	71	B	√	√
	175/65R15	88H	XL	D	B	71	B	√	√
	185/55R15	86V	XL	D	B	71	B	√	√
	185/60R15	84T		D	B	71	B	√	√
	185/60R15	88T	XL	D	B	71	B	√	√
	185/65R15	88H		D	B	71	B	√	√
	185/65R15	92T	XL	D	B	71	B	√	√
	195/50R15	86H	XL	D	B	72	B	√	√
	195/55R15	85H		D	B	72	B	√	√
	195/60R15	92H	XL	D	B	72	B	√	√
	195/65R15	91H		D	B	72	B	√	√
	195/65R15	95T	XL	D	B	72	B	√	√
	205/65R15	94H		D	B	72	B	√	√
	205/70R15	96T		D	B	72	B	√	√
16	195/45R16	84V	XL	D	B	72	B	√	√
	195/55R16	91V	XL	D	B	72	B	√	√
	205/55R16	91H		D	B	72	B	√	√
	205/55R16	94H	XL	D	B	72	B	√	√
	205/60R16	92H		D	B	72	B	√	√
	205/60R16	96H	XL	D	B	72	B	√	√

Rim	Size	LI / SR	XL					M+S	3PMSF
16	205/65R16	99H	XL	D	B	72	B	√	√
	215/55R16	97H	XL	D	B	72	B	√	√
	215/60R16	99H	XL	D	B	72	B	√	√
	215/65R16	98H		D	B	72	B	√	√
	215/70R16	104H	XL	D	B	72	B	√	√
	225/55R16	99H	XL	D	B	72	B	√	√
17	205/45R17	88V	XL	D	B	72	B	√	√
	205/50R17	93V	XL	D	B	72	B	√	√
	205/55R17	95V	XL	D	B	72	B	√	√
	205/60R17	93H		D	B	72	B	√	√
	215/40R17	87V	XL	D	B	72	B	√	√
	215/45R17	91V	XL	D	B	72	B	√	√
	215/50R17	95V	XL	D	B	72	B	√	√
	215/55R17	98V	XL	D	B	72	B	√	√
	215/60R17	96H		D	B	72	B	√	√
	215/65R17	103V	XL	D	B	72	B	√	√
	225/45R17	94V	XL	D	B	72	B	√	√
	225/50R17	98V	XL	D	B	72	B	√	√
	225/55R17	101V	XL	D	B	72	B	√	√
	225/60R17	99H		D	B	72	B	√	√
	225/65R17	102H		D	B	72	B	√	√
	235/45R17	97V	XL	D	B	72	B	√	√
	235/55R17	103V	XL	D	B	72	B	√	√
	235/65R17	108H	XL	D	B	72	B	√	√
	245/45R17	99V	XL	D	B	72	B	√	√
	245/65R17	111H	XL	D	B	72	B	√	√
	265/65R17	112T		D	B	73	B	√	√
18	215/55R18	99V	XL	D	B	72	B	√	√
	225/40R18	92V	XL	D	B	72	B	√	√
	225/45R18	95V	XL	D	B	72	B	√	√
	225/50R18	99V	XL	D	B	72	B	√	√
	225/55R18	102V	XL	D	B	72	B	√	√
	225/60R18	104H	XL	D	B	72	B	√	√
	235/40R18	95V	XL	D	B	72	B	√	√
	235/45R18	98V	XL	D	B	72	B	√	√
	235/50R18	101V	XL	D	B	72	B	√	√
	235/55R18	104V	XL	D	B	72	B	√	√
	235/60R18	107H	XL	D	B	72	B	√	√
	245/40R18	97V	XL	D	B	72	B	√	√
	245/45R18	100V	XL	D	B	72	B	√	√
	255/55R18	109V	XL	D	B	73	B	√	√
	265/60R18	114H	XL	D	B	73	B	√	√
19	225/40R19	93V	XL	D	B	72	B	√	√
	225/45R19	96V	XL	D	B	72	B	√	√
	225/55R19	103V	XL	D	B	72	B	√	√
	235/35R19	91V	XL	D	B	72	B	√	√
	235/50R19	103V	XL	D	B	72	B	√	√
	235/55R19	105V	XL	D	B	72	B	√	√
	245/40R19	98V	XL	D	B	72	B	√	√
	245/45R19	102V	XL	D	B	72	B	√	√
	255/35R19	96V	XL	D	B	73	B	√	√
	255/40R19	100V	XL	D	B	73	B	√	√
	255/50R19	107V	XL	D	B	73	B	√	√

Rim	Size	LI / SR	XL					M+S	3PMSF
20	245/45R20	103V	XL	D	B	72	B	√	√
	255/45R20	105V	XL	D	B	73	B	√	√
	255/50R20	109V	XL	D	B	73	B	√	√
	275/40R20	106V	XL	D	B	73	B	√	√



MADE IN CHINA

summer



ADVANFORS H/P

ADVANFORS UHP II

WINDFORCE

WINDFORCE MADE IN CHINA

ADVANFORS H/P



RANGE: **13-16**

SPEED RATE: **H/T/V/W**

ASPECT RATIO: **50-80**


SECTION WIDTH: **145-235**

SW	Series	Number of groove
≤ 175	all	3
185	≥ 70	3
	≤ 65	4
≥ 195	all	4

ECO COMFORT PCR

The summer tyre ADVANFORS H/P , is designed to provide you safety all the while and to offer the best longevity in its category.

DRY
WET
COMFORT
MILEAGE
EFFICIENCY



Non-symmetric from outside to inside for high-class performance. With close stiffness of two shoulders design, more freedom is allowed .



High performance compound and optimal block/voild ratio ensures for great dry braking and handling.



The calculation of circumferetial grooves for the series can efficiently avoid aquaplaning and delivering a strong brake performance.



Anti-closing design to improve road grip, especiall in wet conditions.

Rim	Size	LI / SR	XL			dB	
13	145/70R13	71T		C	B	70	B
	145/80R13	75T		C	B	70	B
	155/65R13	73T		C	B	70	B
	155/70R13	75T		C	B	70	B
	155/80R13	79T		C	B	70	B
	165/65R13	77T		C	B	70	B
	165/70R13	79T		C	B	70	B
	175/70R13	82T		C	B	70	B
	175/75R13	85T		C	B	70	B
14	155/65R14	75T		C	B	70	B
	165/60R14	75H		C	B	70	B
	165/65R14	79T		C	B	70	B
	165/70R14	81T		C	B	70	B
	165/70R14	85T	XL	C	B	70	B
	175/65R14	82H		C	B	70	B
	175/65R14	86T	XL	C	B	70	B
	175/70R14	84T		C	B	70	B
	175/70R14	88T	XL	C	B	70	B
	175/75R14	87T		C	B	70	B
	185/60R14	82H		C	B	70	B
	185/65R14	86H		C	B	70	B
	185/70R14	88T		C	B	70	B
	195/70R14	91T		C	B	70	B
15	155/60R15	74T		C	B	70	B
	165/60R15	81T	XL	C	B	70	B
	165/65R15	81T		C	B	70	B
	175/55R15	77H		C	B	70	B
	175/60R15	81H		C	B	70	B
	175/65R15	84H		C	B	70	B
	185/55R15	82V		C	B	70	B
	185/60R15	84H		C	B	70	B
	185/60R15	88H	XL	C	B	70	B
	185/65R15	88H		C	B	70	B

Rim	Size	LI / SR	XL				
15	185/65R15	92T	XL	C	B	70	B
	195/50R15	82V		C	B	70	B
	195/55R15	85V		C	B	70	B
	195/60R15	88H		C	B	70	B
	195/60R15	88V		C	B	70	B
	195/65R15	91V		C	B	70	B
	195/65R15	95H	XL	C	B	70	B
	205/60R15	91V		C	B	70	B
	205/65R15	94V		C	B	70	B
	215/65R15	96H		C	B	70	B
16	185/55R16	87V	XL	C	B	70	B
	195/50R16	84V		C	B	70	B
	195/55R16	87V		C	B	70	B
	195/55R16	91V	XL	C	B	70	B
	195/60R16	89H		C	B	70	B
	205/55R16	91V		C	B	70	B
	205/55R16	91W		C	B	70	B
	205/60R16	92V		C	B	70	B
	205/60R16	96V	XL	C	B	70	B
	215/55R16	97W	XL	C	B	70	B
	215/60R16	95V		C	B	70	B
	215/60R16	99V	XL	C	B	70	B
	215/65R16	98H		C	B	70	B
	215/70R16	100H		C	B	70	B
	225/55R16	99W	XL	C	B	70	B
	225/60R16	98H		C	B	70	B
	225/60R16	102V	XL	C	B	70	B
	225/70R16	107H	XL	C	B	70	B
	235/60R16	100H		C	B	70	B



WINDFORCE MADE IN CHINA

ADVANFORS UHP II

RANGE: 16-22

SPEED RATE: V/W

ASPECT RATIO: 30-65

SECTION WIDTH: 195-315



SPORTY PERFORMANCE PCR

Highly stylishly designed and engineered specially for various luxury sedans and EVs.

- DRY
- WET
- SPORT
- COMFORT
- MILEAGE



Sporty and stylish HP/UHP non-symmetric tread pattern design. Logical control of transition from inside to outside for excellent wet/ dry performance.



Continuous ribs and reinforced two-shoulder design for high-speed stability and uniform treadwear.



"Golf theory" application to the walls of 4-wide circumferential grooves increases water evacuation and decreases noise level.



Different-size pitches design and alignment effectively lower rolling noise and improve driving comfort.

Rim	Size	LI / SR	XL					M+S
16	*195/45R16	84V	XL	D	B	72	B	√
	195/55R16	91V	XL	C	B	72	B	√
	*205/45ZR16	87W	XL	C	B	72	B	√
	205/55ZR16	94W	XL	C	B	72	B	√
	205/60R16	96V	XL	C	B	72	B	√
	*215/45R16	90V	XL	C	B	72	B	√
	215/55ZR16	97W	XL	C	B	72	B	√
	225/55ZR16	99W	XL	C	B	72	B	√
17	*205/40ZR17	84W	XL	D	B	72	B	√
	205/45ZR17	88W	XL	C	B	72	B	√
	205/50ZR17	93W	XL	C	B	72	B	√
	205/55ZR17	95W	XL	C	B	72	B	√
	*215/40ZR17	87W	XL	C	B	72	B	√
	215/45ZR17	91W	XL	C	B	72	B	√
	215/50ZR17	95W	XL	C	B	72	B	√
	215/55ZR17	98W	XL	C	B	72	B	√
	215/60R17	100V	XL	C	B	72	B	√
	*215/65R17	103V	XL	C	B	72	B	√
	225/45ZR17	94W	XL	C	B	72	B	√
	225/50ZR17	98W	XL	C	B	72	B	√
	225/55ZR17	101W	XL	C	B	72	B	√
	225/60R17	103V	XL	C	B	72	B	√
	225/65R17	102V		C	B	72	B	√
	235/45ZR17	97W	XL	C	B	72	B	√
	235/50ZR17	100W	XL	C	B	72	B	√
	235/55ZR17	103W	XL	C	B	72	B	√
	*235/60R17	102V		C	B	72	B	√
	*235/65R17	108V	XL	C	B	72	B	√
	245/40ZR17	95W	XL	C	B	72	B	√
	245/45ZR17	99W	XL	C	B	72	B	√
18	215/40ZR18	89W	XL	C	B	72	B	√
	215/45ZR18	93W	XL	C	B	72	B	√
	215/50ZR18	96W	XL	C	B	72	B	√

Rim	Size	LI / SR	XL			dB		M+S
18	215/55ZR18	99W	XL	C	B	72	B	√
	225/40ZR18	92W	XL	C	B	72	B	√
	225/45ZR18	95W	XL	C	B	72	B	√
	225/50ZR18	99W	XL	C	B	72	B	√
	225/55ZR18	102W	XL	C	B	72	B	√
	225/60R18	104V	XL	C	B	72	B	√
	235/40ZR18	95W	XL	C	B	72	B	√
	235/45ZR18	98W	XL	C	B	72	B	√
	235/50ZR18	101W	XL	C	B	72	B	√
	235/55ZR18	104W	XL	C	B	72	B	√
	235/60R18	107V	XL	C	B	72	B	√
	245/35ZR18	92W	XL	C	B	72	B	√
	245/40ZR18	97W	XL	C	B	72	B	√
	245/45ZR18	100W	XL	C	B	72	B	√
	245/50ZR18	104W	XL	C	B	72	B	√
	255/35ZR18	94W	XL	C	B	73	B	√
	255/40ZR18	99W	XL	C	B	73	B	√
	255/45ZR18	103W	XL	C	B	73	B	√
	255/55ZR18	109W	XL	C	B	73	B	√
	*265/35ZR18	97W	XL	C	B	73	B	√
	275/40ZR18	103W	XL	C	B	73	B	√
19	225/40ZR19	93W	XL	C	B	72	B	√
	225/45ZR19	96W	XL	C	B	72	B	√
	225/55ZR19	103W	XL	C	B	72	B	√
	235/35ZR19	91W	XL	C	B	72	B	√
	235/40ZR19	96W	XL	C	B	72	B	√
	235/45ZR19	99W	XL	C	B	72	B	√
	235/50ZR19	103W	XL	C	B	72	B	√
	235/55ZR19	105W	XL	C	B	72	B	√
	245/35ZR19	93W	XL	C	B	72	B	√
	245/40ZR19	98W	XL	C	B	72	B	√
	245/45ZR19	102W	XL	C	B	72	B	√
	245/50ZR19	105W	XL	C	B	72	B	√
	245/55ZR19	107W	XL	C	B	72	B	√
	255/35ZR19	96W	XL	C	B	73	B	√
	255/40ZR19	100W	XL	C	B	73	B	√
	255/45ZR19	104W	XL	C	B	73	B	√
	255/50ZR19	107W	XL	C	B	73	B	√
	255/55ZR19	111W	XL	C	B	73	B	√
	255/60R19	113V	XL	C	B	73	B	√
	265/50ZR19	110W	XL	C	B	73	B	√
	275/35ZR19	100W	XL	C	B	73	B	√
	275/40ZR19	105W	XL	C	B	73	B	√
	275/45ZR19	108W	XL	C	B	73	B	√
	285/45ZR19	111W	XL	C	B	74	B	√
20	235/50ZR20	104W	XL	C	B	72	B	√
	*235/55ZR20	105W	XL	C	B	72	B	√
	245/35ZR20	95W	XL	C	B	72	B	√
	245/40ZR20	99W	XL	C	B	72	B	√
	245/45ZR20	103W	XL	C	B	72	B	√
	245/50ZR20	102W	XL	C	B	72	B	√
	*255/35ZR20	97W	XL	C	B	73	B	√
	255/40ZR20	101W	XL	C	B	73	B	√

Rim	Size	LI / SR	XL			dB		M+S
20	255/45ZR20	105W	XL	C	B	73	B	√
	255/50ZR20	109W	XL	C	B	73	B	√
	255/55ZR20	110W	XL	C	B	73	B	√
	265/40ZR20	104W	XL	C	B	73	B	√
	265/45ZR20	108W	XL	C	B	73	B	√
	265/50ZR20	111W	XL	C	B	73	B	√
	275/30ZR20	97W	XL	C	B	73	B	√
	275/35ZR20	102W	XL	C	B	73	B	√
	275/40ZR20	106W	XL	C	B	73	B	√
	275/45ZR20	110W	XL	C	B	73	B	√
	275/50ZR20	113W	XL	C	B	73	B	√
	275/55ZR20	117W	XL	C	B	73	B	√
	285/45ZR20	112W	XL	C	B	74	B	√
	285/50ZR20	116W	XL	C	B	74	B	√
	305/40ZR20	112W	XL	C	B	74	B	√
	315/35ZR20	110W	XL	C	B	74	B	√
21	255/45ZR21	106W	XL	C	B	73	B	√
	265/45ZR21	108W	XL	C	B	73	B	√
	275/40ZR21	107W	XL	C	B	73	B	√
	275/45ZR21	110W	XL	C	B	73	B	√
	285/35ZR21	105W	XL	C	B	74	B	√
	*285/40ZR21	109W	XL	C	B	74	B	√
	285/45ZR21	113W	XL	C	B	74	B	√
	*295/35ZR21	107W	XL	C	B	74	B	√
	*295/40ZR21	111W	XL	C	B	74	B	√
	315/35ZR21	111W	XL	C	B	74	B	√
22	275/40ZR22	107W	XL	C	B	73	B	√
	315/35ZR22	111W	XL	C	B	74	B	√

*UNDER DEVELOPMENT



MADE IN CHINA

SUV&VAN



ADVANFORS A/T

CATCHFORS MAX

WINDFORCE

WINDFORCE MADE IN CHINA

ADVANFORS A/T

RANGE: 15-18

SPEED RATE: H/R/S/T/V

ASPECT RATIO: 60-80


SECTION WIDTH: 205-285



SUV & 4X4

The ADVANFORS A/T is an all-season, all-terrain tire designed for SUV and CUV drivers, built to perform reliably both on-road and off-road.


DRY
WET
LOADING
COMFORT
DURABILITY



The unique symmetrical tread pattern design provides smooth driving performance on highways and urban roads, improving ride comfort.The ultra wide grounding surface greatly enhances the driving range in harsh road conditions.



The anti abrasion layer design on the sidewall provides additional protection against many common dangers in harsh off-road conditions.



The irregular distribution of sipes and various pitch alignment significantly reduces tyre noise.



The special silicon dioxide tread composite material not only greatly improves the performance of braking, turning, and handling. It also reduces rolling resistance, thereby improving fuel economy.

Rim	Size	LI / SR	XL					M+S
16	245/70R16	111T	XL	B	A	72	B	√
	245/75R16	111T		B	A	71	B	√
	265/70R16	112T		B	A	72	B	√
	275/70R16	114T		B	A	72	B	√
17	245/65R17	111H	XL	B	A	72	B	√
	265/65R17	112H		B	A	72	B	√
	265/70R17	115T		B	A	72	B	√
	275/65R17	115H		B	A	72	B	√
	285/65R17	116H		B	A	74	B	√
18	265/60R18	110H		B	A	72	B	√
	265/65R18	114H		B	A	72	B	√
	265/70R18	116T		B	A	72	B	√
	275/65R18	116H		B	A	72	B	√
	285/60R18	116V		B	A	74	B	√

Rim	Size	LI / SR	PR					M+S
15	255/70R15C	112/110S	8PR	B	A	72	B	√
16	205R16C	110/108S	10PR	B	A	72	B	√
	205/75R16C	110/108R	10PR	B	A	72	B	√
17	225/70R17C	112/110S	8PR	B	A	72	B	√

WINDFORCE MADE IN CHINA

3PMSF
Officially approved for winter use

CATCHFORS MAX

RANGE: 16

SPEED RATE: R

ASPECT RATIO: 75

SECTION WIDTH: 185-195



COMMERCIAL VAN

CATCHFORS MAX is a premium all-terrain tire engineered for light trucks and commercial vans. Its unique tread pattern and advanced compound deliver enhanced load capacity, superior handling, increased durability, and a comfortable ride.

DRY
WET
WINTER
COMFORT
DURABILITY



Multi-sipe design provide good handling and braking performance.



Tread block design improves grip performance.



Zigzag main grooves increased tread rigidness, good prevention of irregular wear under high-load operation.



3D shoulder design provide good traction and braking performance on tough road conditions.

Rim	Size	LI / SR	PR			dB		M+S	3PMSF
16	185/75R16C	104/102R	8PR	C	A	72	B	√	√
	195/75R16C	107/105R	8PR	C	A	72	B	√	√

MADE IN CHINA

WINTER



ARCTICBLAZER SUV

ARCTICBLAZER

ARCTIC POWER

WINDFORCE

WINDFORCE MADE IN CHINA

3PMSF
Officially approved for winter use

ARCTICBLAZER SUV

RANGE: 16-22

SPEED RATE: H/T

ASPECT RATIO: 40-70

SECTION WIDTH: 215-285



STUDLESS SNOW TIRE

ARCTICBLAZER SUV is a contemporary snow tire for SUV, boasting a saw-tooth tread design for exceptional handling and traction.

DRY
WET
WINTER
COMFORT
MILEAGE



Large block tread design for increased traction and handling under snowy conditions.



Unidirectional pattern provides improved snow clearing performance and consistent traction.



Multi-pitch tread design minimizes pattern noise for excellent ride refinement.



Specially formulated compound for excellent traction on snow and ice.

Rim	Size	LI / SR	XL			dB		M+S	3PMSF
16	235/70R16	106T		D	B	72	B	√	√
	255/70R16	111T		D	B	73	B	√	√
17	215/60R17	96T		D	B	72	B	√	√
	225/60R17	103T	XL	D	B	72	B	√	√
	225/65R17	102T		D	B	72	B	√	√
	235/65R17	108T	XL	D	B	72	B	√	√
	245/65R17	111T	XL	D	B	72	B	√	√
	245/70R17	110T		D	B	72	B	√	√
	255/65R17	110T		D	B	73	B	√	√
	265/65R17	112T		D	B	73	B	√	√
	265/70R17	115T		D	B	73	B	√	√
18	225/60R18	100T		D	B	72	B	√	√
	235/55R18	100T		D	B	72	B	√	√
	235/60R18	107T	XL	D	B	72	B	√	√
	235/65R18	106T		D	B	72	B	√	√
	245/50R18	104H	XL	D	B	72	B	√	√
	245/60R18	105T		D	B	72	B	√	√
	265/60R18	110T		D	B	73	B	√	√
	265/65R18	114T		D	B	73	B	√	√
19	225/45R19	96H	XL	D	B	72	B	√	√
	225/55R19	99H		D	B	72	B	√	√
	235/50R19	103H	XL	D	B	72	B	√	√
	235/55R19	101T		D	B	72	B	√	√
	235/60R19	107T	XL	D	B	72	B	√	√
	245/55R19	103T		D	B	72	B	√	√
	255/45R19	104H	XL	D	B	73	B	√	√
	255/55R19	111H	XL	D	B	73	B	√	√
	255/60R19	113T	XL	D	B	73	B	√	√
	265/55R19	109T		D	B	73	B	√	√
20	255/55R20	110H	XL	D	B	73	B	√	√
	265/50R20	111T	XL	D	B	73	B	√	√
	265/55R20	113T	XL	D	B	73	B	√	√
	275/50R20	113H	XL	D	B	73	B	√	√
	275/60R20	115T		D	B	73	B	√	√
21	265/45R21	108T	XL	D	B	73	B	√	√
	275/50R21	113H	XL	D	B	73	B	√	√
	285/45R21	113T	XL	D	B	74	B	√	√
22	265/40R22	106H	XL	D	B	73	B	√	√

WINDFORCE MADE IN CHINA

3PMSF
Officially approved for winter use

ARCTICBLAZER

RANGE: 13-20

SPEED RATE: H/T/V

ASPECT RATIO: 40-70


SECTION WIDTH: 175-265




STUDLESS WINTER TIRE

ARCTICBLAZER is an asymmetrical modern snow tire featuring superior handling and traction under winter conditions.

DRY
WET
WINTER
COMFORT
MILEAGE




Asymmetrical winter tire designed for snowy conditions.



High-density 3D ripple sipes improve overall wear pattern and traction on snowy and icy surfaces.



Pattern design offers superior handling and traction on snowy surfaces.



Silica-infused tread compound widens operational temperature range and increases traction on snow and ice.

Rim	Size	LI / SR	XL			dB		M+S	3PMSF
13	175/70R13	82T		C	B	70	B	√	√
14	175/65R14	82T		C	B	70	B	√	√
	175/70R14	88T	XL	C	B	70	B	√	√
	185/60R14	82T		C	B	70	B	√	√
	185/65R14	90T	XL	C	B	70	B	√	√
	185/70R14	92T	XL	C	B	70	B	√	√
	195/70R14	91T		C	B	71	B	√	√
15	185/55R15	82H		C	B	70	B	√	√
	185/60R15	88T	XL	C	B	70	B	√	√
	185/65R15	92T	XL	C	B	70	B	√	√
	195/55R15	89H	XL	C	B	71	B	√	√
	195/60R15	92T	XL	C	B	71	B	√	√
	195/65R15	95T	XL	C	B	71	B	√	√
	205/65R15	99T	XL	C	B	71	B	√	√
	205/70R15	100T	XL	C	B	71	B	√	√
16	195/45R16	84H	XL	C	B	71	B	√	√
	195/55R16	91H	XL	C	B	71	B	√	√
	205/55R16	94H	XL	C	B	71	B	√	√
	205/60R16	96T	XL	C	B	71	B	√	√
	205/65R16	99T	XL	C	B	71	B	√	√
	215/55R16	97T	XL	C	B	71	B	√	√
	215/60R16	99T	XL	C	B	71	B	√	√
	215/65R16	102T	XL	C	B	71	B	√	√
	215/70R16	100T		C	B	71	B	√	√
17	205/50R17	93V	XL	C	B	71	B	√	√
	215/45R17	91V	XL	C	B	71	B	√	√
	215/50R17	95V	XL	C	B	71	B	√	√
	215/55R17	98V	XL	C	B	71	B	√	√
	225/45R17	94V	XL	C	B	71	B	√	√
	225/50R17	98V	XL	C	B	71	B	√	√
	225/55R17	101V	XL	C	B	71	B	√	√
	235/45R17	97V	XL	C	B	71	B	√	√

Rim	Size	LI / SR	XL			dB		M+S	3PMSF
17	235/55R17	103V	XL	C	B	71	B	√	√
18	215/55R18	99V	XL	C	B	71	B	√	√
	225/40R18	92V	XL	C	B	71	B	√	√
	225/45R18	95V	XL	C	B	71	B	√	√
	225/50R18	95V		C	B	71	B	√	√
	225/55R18	98V		C	B	71	B	√	√
	235/45R18	98V	XL	C	B	71	B	√	√
	245/40R18	97V	XL	C	B	71	B	√	√
	245/45R18	100V	XL	C	B	71	B	√	√
19	235/40R19	96V	XL	C	B	71	B	√	√
	235/45R19	99V	XL	C	B	71	B	√	√
	245/40R19	98V	XL	C	B	71	B	√	√
	245/45R19	102V	XL	C	B	71	B	√	√
	265/55R19	113T	XL	C	B	71	B	√	√
20	235/55R20	102V		C	B	71	B	√	√
	245/45R20	103V	XL	C	B	71	B	√	√
	245/50R20	105V	XL	C	B	71	B	√	√
	255/45R20	105V	XL	C	B	72	B	√	√
	255/50R20	109V	XL	C	B	72	B	√	√

WINDFORCE



WINDFORCE MADE IN CHINA

3PMSF
Officially approved for winter use

ARCTIC POWER

RANGE: 13-21

SPEED RATE: H/T/V

ASPECT RATIO: 35-70

SECTION WIDTH: 175-285



STUDDABLE SNOW TYRE

ARCTIC POWER is a set of winter tyres suitable for various terrains, suitable for northern winter, with excellent grip. Able to achieve absolute stability and balance under any weather conditions.

DRY
WET
WINTER
COMFORT
MILEAGE



Dedicated, specially designed studs for the middle tread and independent studs for shoulder areas, providing excellent longitudinal grip, the grip and handling performance on icy and snowy surfaces are strengthened greatly.



The wide lateral grooves provide sharper edges that can improve the traction and grip on snow, shorten the braking distance with power.



Zig-zag 3D sipes improve performance on snow and ice surface with its maximized actual contact area under deflection and edge effect without losing block stiffness.



Specialized minigrooves on the surface to improve the roughness for safer grip on icy/snowy road.

Rim	Size	LI / SR	XL			dB		M+S	3PMSF
13	175/70R13	82T		D	C	71	B	√	√
14	175/65R14	86T	XL	D	C	71	B	√	√
	175/70R14	88T	XL	D	C	71	B	√	√
	185/60R14	82T		D	C	71	B	√	√
	185/65R14	90T	XL	D	C	71	B	√	√
	185/70R14	92T	XL	D	C	71	B	√	√
15	185/60R15	88T	XL	D	C	71	B	√	√
	185/65R15	92T	XL	D	C	71	B	√	√
	195/60R15	92T	XL	D	C	72	B	√	√
	195/65R15	95T	XL	D	C	72	B	√	√
	205/65R15	99T	XL	D	C	72	B	√	√
	205/70R15	96T		D	C	72	B	√	√
16	205/55R16	94T	XL	D	C	72	B	√	√
	205/60R16	96T	XL	D	C	72	B	√	√
	205/65R16	99T	XL	D	C	72	B	√	√
	215/55R16	97T	XL	D	C	72	B	√	√
	215/60R16	99T	XL	D	C	72	B	√	√
	215/65R16	102T	XL	D	C	72	B	√	√
	215/70R16	100T		D	C	72	B	√	√
	235/70R16	106T		D	C	72	B	√	√
	245/70R16	111T	XL	D	C	72	B	√	√
17	215/50R17	95T	XL	D	C	72	B	√	√
	215/55R17	98T	XL	D	C	72	B	√	√
	215/60R17	100T	XL	D	C	72	B	√	√
	225/45R17	94T	XL	D	C	72	B	√	√
	225/50R17	98T	XL	D	C	72	B	√	√
	225/55R17	101T	XL	D	C	72	B	√	√
	225/60R17	103T	XL	D	C	72	B	√	√
	225/65R17	106T	XL	D	C	72	B	√	√
	235/55R17	103T	XL	D	C	72	B	√	√
	235/65R17	108T	XL	D	C	72	B	√	√
	265/65R17	112T		D	C	73	B	√	√

Rim	Size	LI / SR	XL			dB		M+S	3PMSF
18	215/55R18	99T	XL	D	C	72	B	√	√
	225/45R18	95T	XL	D	C	72	B	√	√
	225/55R18	102T	XL	D	C	72	B	√	√
	225/60R18	104T	XL	D	C	72	B	√	√
	235/45R18	98T	XL	D	C	72	B	√	√
	235/55R18	104T	XL	D	C	72	B	√	√
	235/60R18	107T	XL	D	C	72	B	√	√
	245/45R18	100T	XL	D	C	72	B	√	√
	255/55R18	109T	XL	D	C	73	B	√	√
	265/60R18	114T	XL	D	C	73	B	√	√
	265/65R18	116T	XL	D	C	73	B	√	√
	285/60R18	120T	XL	D	C	75	B	√	√
19	225/45R19	96T	XL	D	C	72	B	√	√
	225/55R19	103T	XL	D	C	72	B	√	√
	235/50R19	103T	XL	D	C	72	B	√	√
	235/55R19	105T	XL	D	C	72	B	√	√
	245/40R19	98T	XL	D	C	72	B	√	√
	245/45R19	102H	XL	D	C	72	B	√	√
	255/45R19	104V	XL	D	C	73	B	√	√
	255/50R19	107T	XL	D	C	73	B	√	√
	255/55R19	111T	XL	D	C	73	B	√	√
	265/55R19	113T	XL	D	C	73	B	√	√
	275/35R19	100V	XL	D	C	73	B	√	√
20	245/45R20	103T	XL	D	C	72	B	√	√
	245/50R20	105T	XL	D	C	72	B	√	√
	255/40R20	101T	XL	D	C	73	B	√	√
	255/45R20	105H	XL	D	C	73	B	√	√
	265/50R20	111T	XL	D	C	73	B	√	√
	265/55R20	114T	XL	D	C	73	B	√	√
	275/50R20	113T	XL	D	C	73	B	√	√
	275/60R20	116T	XL	D	C	73	B	√	√
	285/50R20	116T	XL	D	C	75	B	√	√
21	235/50R21	104T	XL	D	C	72	B	√	√
	255/45R21	106T	XL	D	C	73	B	√	√
	265/45R21	108T	XL	D	C	73	B	√	√
	275/45R21	110T	XL	D	C	73	B	√	√



MADE IN CHINA

summer



ADVANFORS TOURING

ADVANFORS SUV

ADVANFORS MAX

ADVANFORS A/T II

WINDFORCE

WINDFORCE MADE IN CHINA

ADVANFORS TOURING

RANGE: 13-18

SPEED RATE: H/T/V/W

ASPECT RATIO: 40-80

SECTION WIDTH: 155-255



All-season touring tire for sedans, coupes, and minivans

Classical symmetric tread & advanced compound tech balance handling, treadwear, and ride comfort, suitable for all-around touring tyre drivers.


- DRY
- WET
- LOADING
- COMFORT
- DURABILITY



The tire's casing is constructed with two steel belts reinforced by spirally wrapped nylon for enhanced strength and durability. This construction helps maintain the tire's shape and provides a smooth, comfortable ride while also improving high-speed stability and handling precision.



Symmetric tread design with multiple grooves and sipes for wet.



TRI-PLEX TREAD COMPOUND, silica-enhanced all-season formulation, for lower rolling resistance for good fuel efficiency.



The tire's sidewall design incorporates stylish and modern elements.

Rim	Size	LI / SR	XL					M+S
13	155/65R13	73T		D	C	70	B	√
	155/70R13	75T		D	C	70	B	√
	155/80R13	79T		D	C	70	B	√
	165/65R13	77T		D	C	70	B	√
	165/70R13	79T		D	C	70	B	√
	165/80R13	83T		D	C	70	B	√
	175/60R13	77T		D	C	70	B	√
	175/70R13	82T		D	C	70	B	√
	175/75R13	85T		D	C	70	B	√
	185/70R13	86T		D	C	70	B	√
14	165/55R14	72T		D	C	70	B	√
	165/60R14	75H		D	C	70	B	√
	165/65R14	79H		D	C	70	B	√
	165/70R14	81T		D	C	70	B	√
	175/65R14	82H		D	C	70	B	√
	175/70R14	84T		D	C	70	B	√
	175/75R14	87T		D	C	70	B	√
	185/60R14	82H		D	C	70	B	√
	185/65R14	86H		D	C	70	B	√
	185/70R14	88T		D	C	70	B	√
	195/60R14	86H		D	C	71	B	√
	195/70R14	91T		D	C	71	B	√
	205/60R14	88H		D	C	71	B	√
	205/70R14	95T		D	C	71	B	√
15	175/50R15	75H		D	C	70	B	√
	175/60R15	81H		D	C	70	B	√
	175/65R15	84H		D	C	70	B	√
	185/55R15	82V		D	C	70	B	√
	185/60R15	84H		D	C	70	B	√
	185/65R15	88H		D	C	70	B	√
	195/50R15	82V		D	C	71	B	√
	195/55R15	85V		D	C	71	B	√

Rim	Size	LI / SR	XL			dB		M+S
15	195/60R15	88V		D	C	71	B	√
	195/65R15	91V		D	C	71	B	√
	205/60R15	91H		D	C	71	B	√
	205/65R15	94V		D	C	71	B	√
	205/70R15	96H		D	C	71	B	√
	215/70R15	98H		C	C	71	B	√
16	185/55R16	83V		D	C	70	B	√
	195/50R16	84V		D	C	71	B	√
	195/55R16	87V		D	C	71	B	√
	195/60R16	89H		D	C	71	B	√
	205/45ZR16	87W	XL	D	C	72	B	√
	205/50R16	91V	XL	D	C	72	B	√
	205/55R16	91V		D	C	71	B	√
	205/55ZR16	94W	XL	D	C	72	B	√
	205/60R16	92V		D	C	71	B	√
	205/65R16	95H		D	C	71	B	√
	215/45ZR16	90W	XL	D	C	72	B	√
	215/55R16	97V	XL	C	C	72	B	√
	215/60R16	99V	XL	C	C	72	B	√
	215/65R16	98V		C	C	71	B	√
	225/55R16	99V	XL	C	C	72	B	√
	225/60R16	98H		C	C	71	B	√
	235/60R16	100H		C	C	71	B	√
17	195/40ZR17	81W	XL	D	C	72	B	√
	195/45ZR17	85W	XL	D	C	72	B	√
	205/40ZR17	84W	XL	D	C	72	B	√
	205/45ZR17	88W	XL	D	C	72	B	√
	205/50ZR17	93W	XL	D	C	72	B	√
	205/55ZR17	95W	XL	D	C	72	B	√
	215/45ZR17	91W	XL	D	C	72	B	√
	215/50ZR17	95W	XL	D	C	72	B	√
	215/55ZR17	98W	XL	C	C	72	B	√
	225/45ZR17	94W	XL	D	C	72	B	√
	225/50ZR17	98W	XL	C	C	72	B	√
	225/55ZR17	101W	XL	C	C	72	B	√
	235/45ZR17	97W	XL	C	C	72	B	√
	235/55ZR17	103W	XL	C	C	72	B	√
18	215/40ZR18	89W	XL	D	C	72	B	√
	215/45ZR18	93W	XL	D	C	72	B	√
	225/40ZR18	92W	XL	D	C	72	B	√
	225/45ZR18	95W	XL	D	C	72	B	√
	235/40ZR18	95W	XL	D	C	72	B	√
	235/45ZR18	98W	XL	C	C	72	B	√
	245/40ZR18	97W	XL	C	C	72	B	√
	245/45ZR18	100W	XL	C	C	72	B	√
	255/40ZR18	99W	XL	C	C	72	B	√
	255/45ZR18	103W	XL	C	C	72	B	√



WINDFORCE MADE IN CHINA

ADVANFORS SUV

RANGE: 15-20

SPEED RATE: H/T/V

ASPECT RATIO: 45-75

SECTION WIDTH: 215-285



Comfortable high-performance tires,handling sports suv

Thanks to the new generation of year-round compounding technologies, ADVANFORS SUV delivering excellent wet braking performance, integrated within the tread pattern design evacuates water effectively for enhanced wet grip.


DRY
WET
LOADING
COMFORT
DURABILITY



Wide longitudinal grooves and shoulder lateral opening provideoptimum drainage when driving straight ahead.



ADVANFORS SUV gives you driving confidence with outstanding dry braking performance. The chamfer blocks and high-dense sipes stablize tread blocks and ensure full contact between tire/road.



On a long adventure,ADVANFORS's c onstruction features the latest tread compound for more even power distribution, resulting in a flat tread and improved longevity, reaching the perfect match for your ride.



Streamline arc and delicated pattern design for higher comfort and low noise levels.

Rim	Size	LI / SR	XL			dB		M+S
15	215/75R15	100T		C	B	71	B	√
	235/75R15	109T	XL	C	B	72	B	√
16	215/70R16	100H		C	B	71	B	√
	225/70R16	107H	XL	C	B	72	B	√
	235/70R16	106H		C	B	71	B	√
	245/70R16	111H	XL	C	B	72	B	√
	255/65R16	109H		C	B	72	B	√
	255/70R16	111H		C	B	72	B	√
	265/70R16	112H		C	B	72	B	√
	275/70R16	114H		C	B	72	B	√
17	215/60R17	100V	XL	C	B	72	B	√
	215/65R17	99H		C	B	71	B	√
	225/60R17	103V	XL	C	B	72	B	√
	225/65R17	102H		C	B	71	B	√
	235/60R17	106V	XL	C	B	72	B	√
	235/65R17	108H	XL	C	B	72	B	√
	245/65R17	111H	XL	C	B	72	B	√
	255/65R17	110H		C	B	72	B	√
	265/65R17	112H		C	B	72	B	√
	265/70R17	115H		C	B	72	B	√
	275/65R17	115H		C	B	72	B	√
	285/65R17	116H		C	B	72	B	√
18	215/50R18	92V		D	B	71	B	√
	215/55R18	99V	XL	C	B	72	B	√
	225/50R18	95V		C	B	71	B	√
	225/55R18	98V		C	B	71	B	√
	225/60R18	104V	XL	C	B	72	B	√
	235/50R18	101V	XL	C	B	72	B	√
	235/55R18	100V		C	B	71	B	√
	235/60R18	107V	XL	C	B	72	B	√
	235/65R18	110H	XL	C	B	72	B	√
	245/60R18	105H		C	B	71	B	√

Rim	Size	LI / SR	XL			dB		M+S
18	255/55R18	109V	XL	C	B	72	B	√
	255/60R18	112V	XL	C	B	72	B	√
	255/70R18	113H		C	B	72	B	√
	265/60R18	114V	XL	C	B	72	B	√
	265/65R18	114H		C	B	72	B	√
	265/70R18	116H		C	B	72	B	√
	275/65R18	116H		C	B	72	B	√
	285/60R18	116H		C	B	72	B	√
19	225/55R19	103V	XL	C	B	72	B	√
	235/50R19	103V	XL	C	B	72	B	√
	235/55R19	105V	XL	C	B	72	B	√
	245/55R19	107V	XL	C	B	72	B	√
	255/45R19	104V	XL	C	B	72	B	√
	255/50R19	107V	XL	C	B	72	B	√
	255/55R19	111V	XL	C	B	72	B	√
	265/55R19	109V		C	B	72	B	√
20	235/55R20	105V	XL	C	B	72	B	√
	245/45R20	103V	XL	C	B	72	B	√
	245/50R20	102V		C	B	71	B	√
	255/45R20	105V	XL	C	B	72	B	√
	255/50R20	109V	XL	C	B	72	B	√
	255/55R20	110V	XL	C	B	72	B	√
	265/50R20	111V	XL	C	B	72	B	√
	265/55R20	113V	XL	C	B	72	B	√
	275/45R20	110V	XL	C	B	72	B	√
	275/55R20	117V	XL	C	B	72	B	√
	275/60R20	116V	XL	C	B	72	B	√
	285/50R20	116V	XL	C	B	72	B	√



WINDFORCE MADE IN CHINA

ADVANFORS MAX

RANGE: 12-16

SPEED RATE: Q/R/T

ASPECT RATIO: 65-80

SECTION WIDTH: 145-235



ADVANFORS MAX offers exceptional durability, mileage, and wet braking for high stress commercial applications.

ADVANFORS MAX features an optimized tread design, reinforced shoulder blocks, and continuous circumferential ribs, providing stable grip, mileage, and load-carrying, and uses a dedicated truck tread compound to achieve high mileage and fuel efficiency.

- DRY
- WET
- LOADING
- COMFORT
- DURABILITY




Strong shoulder blocks and continous cirfumferential large ribs for stable gripping, mileage and heavy duty.



Combination construction of 2-ply polyesters and wide steel belts provide outstanding durability, with high safety factors.



Zig-zag grooves offers enhanced traction in wet conditions.



Specialzed van tread compound for high-mileage and fuel efficiency.

Rim	Size	LI / SR	PR			dB		M+S
12	145R12C	86/84Q	8PR	D	B	71	B	√
	155R12C	88/86Q	8PR	D	B	71	B	√
13	155R13C	90/88Q	8PR	D	B	71	B	√
	165R13C	91/89R	6PR	D	B	71	B	√
14	165/70R14C	89/87R	6PR	D	B	71	B	√
	175/65R14C	90/88T	6PR	D	B	71	B	√
	175/70R14C	95/93R	6PR	D	B	71	B	√
	185R14C	102/100R	8PR	D	B	71	B	√
	195R14C	106/104R	8PR	D	B	71	B	√
	*205/75R14C	109/107R	8PR	D	B	71	B	√
15	195/70R15C	104/102R	8PR	D	B	71	B	√
	195R15C	106/104R	8PR	D	B	71	B	√
	205/65R15C	102/100T	6PR	D	B	71	B	√
	205/70R15C	106/104R	8PR	D	B	71	B	√
	*205/75R15C	109/107R	8PR	D	B	71	B	√
	215/65R15C	104/102T	6PR	D	B	71	B	√
	215/70R15C	109/107R	8PR	D	B	71	B	√
	225/70R15C	112/110R	8PR	D	B	71	B	√
16	185/75R16C	104/102R	8PR	D	B	71	B	√
	195/65R16C	104/102T	8PR	D	B	71	B	√
	195/75R16C	107/105R	8PR	D	B	71	B	√
	205/65R16C	107/105T	8PR	D	B	71	B	√
	205/75R16C	110/108R	8PR	D	B	71	B	√
	215/65R16C	109/107T	8PR	D	B	71	B	√
	215/75R16C	113/111R	8PR	D	B	71	B	√
	225/65R16C	112/110T	8PR	D	B	71	B	√
	225/75R16C	121/120R	12PR	D	B	71	B	√
	235/65R16C	121/119R	12PR	D	B	71	B	√

*UNDER DEVELOPMENT

WINDFORCE MADE IN CHINA

3PMSF
Officially approved for winter use

ADVANFORS A/T II

RANGE: 15-20

SPEED RATE: Q/S/T

ASPECT RATIO: 50-80

SECTION WIDTH: 205-315



ALL TERRAIN

Robust all-terrain adaptability and anti-tear tread design, balancing off-road escape capability and highway comfort, is a versatile and durable choice for core SUVs and pickups.

- OFF-ROAD
- DRY
- WET
- COMFORT
- DURABILITY



Four main zigzag grooves and rough lateral blocks provide excellent traction on all kinds of road conditions.



The open shoulder grooves prevent aquaplaning with enhanced wet grip performance and provide excellent water evacuation. The white letter styling provide a artistic image.



The block tread design with multiple sipes provide outstanding off-road traction and reduce tread damage on off-road condition.



Jointless Nylon band and strong structure design provided the strong carcass to enhance the reliability and durability. Special tread compound and wide footprint enhance tread life and deliver excellent braking on wet and dry roads.

Rim	Size	LI / SR	XL			dB		M+S	3PMSF
16	205/80R16	104S	XL	D	C	72	B	√	√
	215/70R16	100S		D	C	71	B	√	√
	225/70R16	103S		D	C	71	B	√	√
	235/70R16	106S		D	C	71	B	√	√
	245/70R16	111S	XL	D	C	73	B	√	√
	245/75R16	111S		D	C	71	B	√	√
	265/70R16	112T		D	C	72	B	√	√
	265/75R16	116T		D	C	72	B	√	√
17	225/65R17	102T		D	C	71	B	√	√
	235/65R17	104S		D	C	71	B	√	√
	245/65R17	107S		D	C	71	B	√	√
	255/70R17	112T		D	C	72	B	√	√
	265/65R17	112T		D	C	72	B	√	√
	265/70R17	115T		D	C	72	B	√	√
18	255/60R18	112T	XL	D	C	73	B	√	√
	265/60R18	110T		D	C	72	B	√	√
	265/65R18	116T	XL	D	C	73	B	√	√
	285/60R18	120T	XL	D	C	75	B	√	√
20	265/50R20	111T	XL	D	C	73	B	√	√
	275/55R20	117T	XL	D	C	73	B	√	√

Rim	Size	LI / SR	PR					M+S	3PMSF
15	LT215/75R15	100/97Q	6PR	-	-	-	-	√	√
	LT235/75R15	110/107Q	8PR	-	-	-	-	√	√
	31X10.50R15LT	109Q	6PR	-	-	-	-	√	√
	33X12.50R15LT	108Q	6PR	-	-	-	-	√	√
16	LT225/75R16	115/112Q	10PR	-	-	-	-	√	√
	LT245/70R16	118/115Q	8PR	-	-	-	-	√	√
	LT245/75R16	120/116Q	10PR	-	-	-	-	√	√
	LT265/70R16	121/118Q	10PR	-	-	-	-	√	√
	LT265/75R16	123/120Q	10PR	-	-	-	-	√	√
	LT285/75R16	126/123Q	10PR	-	-	-	-	√	√
17	LT245/65R17	117/114Q	8PR	-	-	-	-	√	√
	LT245/70R17	119/116Q	10PR	-	-	-	-	√	√
	LT265/65R17	120/117Q	10PR	-	-	-	-	√	√
	LT265/70R17	123/120Q	10PR	-	-	-	-	√	√
	LT285/70R17	126/123Q	8PR	-	-	-	-	√	√
	LT315/70R17	126/123Q	10PR	-	-	-	-	√	√
18	LT265/60R18	119/116Q	10PR	-	-	-	-	√	√
	LT265/70R18	124/121Q	10PR	-	-	-	-	√	√
	LT275/70R18	125/122Q	10PR	-	-	-	-	√	√
	LT285/65R18	125/122Q	10PR	-	-	-	-	√	√
20	LT275/55R20	120/117Q	10PR	-	-	-	-	√	√
	LT285/55R20	122/119Q	10PR	-	-	-	-	√	√
	33X12.50R20LT	114Q	10PR	-	-	-	-	√	√
	33X12.50R20LT	119Q	12PR	-	-	-	-	√	√
	35X12.50R20LT	121Q	10PR	-	-	-	-	√	√
	35X12.50R20LT	125Q	12PR	-	-	-	-	√	√



WINDFORCE

WINDFORCE

ENJOY YOUR TRIPS WITH WINDFORCE TYRES

