AUTOCRUZE



TIRE CATALOG 2027

Passenger Car, SUV and Light Truck

CONTENTS

SUMMER



CATCHFORS PCR
03 — 06



CATCHFORS UHP
07 — 12



EAGLEFORS SUV
13 — 16



EAGLEFORS VAN
17 — 20

ALL SEASONS



EAGLEFORS A/S
23 — 26



EAGLEFORS A/S VAN
27 — 30

WINTER



SNOWBLAZER H/P
33 — 36



SNOWBLAZER UHP
37 — 40

COMPANY PROFLIE

AUTOCRUZE: Where Innovation Meets the Open Road

At Autocruze, we engineer revolutions in motion - where advanced technology dances with the rhythm of the road.

Born from the fusion of biomimetic design and quantum material science, our tires are silent revolutionaries beneath every vehicle. More than rubber meeting asphalt, they're adaptive ecosystems that transform mundane drives into symphonies of precision engineering.
Within our Industry 4.0 plant:

- 40-million unit annual capacity
- AI-driven quality control with micron-level accuracy
- Closed-loop sustainable manufacturing system
- Strategic OEM partner to global automotive leaders

AUTOCRUZE: Your Journey, Perfected.





CATCHFORS PCR　CATCHFORS UHP　EAGLEFORS SUV　EAGLEFORS VAN

SUMMER

AUTOCRUZE

CATCHFORS PCR

UTQG: 480 A A

BENEFITS AND FEATURES

Comfort · High Performance · Drainage · Silence





RANGE:	13-16
SPEED RATE:	H/T/V
ASPECT RATIO:	50-80
SECTION WIDTH:	145-235

ECO PCR

Classic ECO PCR tread design with M+S rating, widely accepted in the market, featuring an overall symmetric tread pattern.

TECHNICAL FEATURE
A

Four wide and straight grooves with noise-reduction elements at the bottom, ensuring efficient water evacuation during driving and preventing lateral hydroplaning.

TECHNICAL FEATURE
B

Robust central rib design ensures excellent high-speed straight-line stability and delivers safe, superior handling performance.

TECHNICAL FEATURE
C

Closed shoulder design enhances shoulder rigidity and improves the tire's resistance to irregular wear.

TECHNICAL FEATURE
D

Random Optimized Pitch Technology endows the tire with excellent low-noise comfort performance.

TECHNICAL FEATURE
E

Tread wear life exceeds 60,000 km, with resistance to low temperatures down to -20° C.



RIM	SIZE	LI/SR	XL			dB		M+S
13	155/65R13	73T		D	C	68	B	√
	155/70R13	75T		D	C	68	B	√
	155/80R13	79T		D	C	68	B	√
	165/65R13	77T		D	C	68	B	√
	165/70R13	79T		D	C	68	B	√
	165/80R13	83T		D	C	68	B	√
	175/60R13	77H		D	C	68	B	√
	175/70R13	82T		D	C	68	B	√
	185/60R13	80H		D	C	68	B	√
	185/70R13	86T		D	C	68	B	√
14	155/65R14	75H		D	C	68	B	√
	165/60R14	75H		D	C	68	B	√
	165/65R14	79H		D	C	68	B	√
	165/70R14	81H		D	C	68	B	√
	175/65R14	82H		D	C	68	B	√
	175/70R14	84H		D	C	68	B	√
	185/50R14	77V		D	C	68	B	√
	185/55R14	80H		D	C	68	B	√
	185/60R14	82H		D	C	68	B	√
	185/65R14	86H		D	C	68	B	√
	185/70R14	88H		C	C	68	B	√
	195/60R14	86H		D	C	69	B	√
	195/65R14	89H		C	C	69	B	√
	195/70R14	91H		C	C	69	B	√
	205/60R14	88H		C	C	69	B	√
	205/70R14	95H		C	C	69	B	√
15	145/65R15	72T		D	C	68	B	√
	155/60R15	74T		D	C	68	B	√
	165/60R15	77H		D	C	68	B	√
	165/65R15	81H		D	C	68	B	√
	175/55R15	77H		D	C	68	B	√
	175/60R15	81H		D	C	68	B	√
	175/65R15	84H		D	C	68	B	√
	185/55R15	82V		D	C	68	B	√
	185/60R15	88H	XL	C	C	69	B	√
	185/65R15	88H		C	C	68	B	√
	195/60R15	88V		C	C	69	B	√
	195/65R15	91V		C	C	69	B	√
	205/60R15	91V		C	C	69	B	√
	205/65R15	94V		C	C	69	B	√
	205/70R15	96H		C	C	69	B	√
	215/65R15	100H	XL	C	C	70	B	√

RIM	SIZE	LI/SR	XL			dB		M+S
15	215/70R15	98H		C	C	69	B	√
	225/70R15	100H		C	C	69	B	√
16	175/50R16	77V		D	C	68	B	√
	185/50R16	81V		D	C	68	B	√
	185/55R16	83H		D	C	68	B	√
	195/60R16	89H		C	C	69	B	√
	205/55R16	91V		C	C	69	B	√
	205/60R16	92V		C	C	69	B	√
	205/65R16	95H		C	C	69	B	√
	215/60R16	95V		C	C	69	B	√
	215/65R16	102H	XL	C	C	70	B	√
	225/60R16	102H	XL	C	C	70	B	√
	225/65R16	100H		C	C	69	B	√
	235/60R16	100H		C	C	69	B	√

CATCHFORS UHP

UTQG: 420 A A

BENEFITS AND FEATURES

Comfort | High Performance | Drainage | Silence





RANGE:	15-21
SPEED RATE:	V/W
ASPECT RATIO:	30-60
SECTION WIDTH:	185-315

SPORTY PERFORMANCE PCR

Asymmetric tread pattern design focusing on quiet performance and high-speed handling stability.

TECHNICAL FEATURE A

Asymmetric wide main groove layout delivers dual enhancement in dry grip and wet drainage performance.

TECHNICAL FEATURE B

Highly rigid shoulder tread blocks enhance steering responsiveness.

TECHNICAL FEATURE C

High-rigidity central rib ensures excellent straight-line driving stability and high-speed tracking performance.

TECHNICAL FEATURE D

Noise-reducing ribs at the bottom of tread grooves slow down airflow velocity to minimize road noise.

TECHNICAL FEATURE E

Tread wear life exceeds 50,000 km, with excellent resistance to low temperatures down to -20° C.

RIM	SIZE	LI/SR	XL			dB		M+S
15	195/45R15	82V	XL	C	B	70	B	√
	195/50R15	82V		C	B	69	B	√
	195/55R15	85V		C	B	69	B	√
	205/50R15	86V		C	B	69	B	√
16	185/55R16	87V	XL	B	B	69	B	√
	195/45R16	84V	XL	C	B	70	B	√
	195/50R16	88V	XL	B	B	70	B	√
	195/55R16	91V	XL	B	B	70	B	√
	205/45ZR16	87W	XL	B	B	70	B	√
	205/50ZR16	91W	XL	B	B	70	B	√
	205/55ZR16	94W	XL	B	B	70	B	√
	215/40ZR16	86W	XL	C	B	70	B	√
	215/45ZR16	90W	XL	B	B	70	B	√
	215/55ZR16	97W	XL	B	B	70	B	√
	225/50ZR16	96W	XL	B	B	70	B	√
	225/55ZR16	99W	XL	B	B	70	B	√
17	195/40ZR17	81W	XL	C	B	70	B	√
	195/45ZR17	85W	XL	C	B	70	B	√
	205/40ZR17	84W	XL	C	B	70	B	√
	205/45ZR17	88W	XL	B	B	70	B	√
	205/50ZR17	93W	XL	B	B	70	B	√
	205/55ZR17	95W	XL	B	B	70	B	√
	215/45ZR17	91W	XL	B	B	70	B	√
	215/50ZR17	95W	XL	B	B	70	B	√
	215/55ZR17	98W	XL	B	B	70	B	√
	225/45ZR17	94W	XL	B	B	70	B	√
	225/50ZR17	98W	XL	B	B	70	B	√
	225/55ZR17	101W	XL	B	B	70	B	√
	235/45ZR17	97W	XL	B	B	70	B	√
	235/50ZR17	100W	XL	B	B	70	B	√
	235/55ZR17	103W	XL	B	B	70	B	√
	245/40ZR17	95W	XL	B	B	70	B	√
	245/45ZR17	99W	XL	B	B	70	B	√
	255/40ZR17	98W	XL	B	B	71	B	√
18	215/35ZR18	84W	XL	C	B	70	B	√
	215/40ZR18	89W	XL	B	B	70	B	√
	215/45ZR18	93W	XL	B	B	70	B	√
	215/55ZR18	99W	XL	B	B	70	B	√
	225/40ZR18	92W	XL	B	B	70	B	√
	225/45ZR18	95W	XL	B	B	70	B	√
	225/50ZR18	99W	XL	B	B	70	B	√
	225/55ZR18	102W	XL	B	B	70	B	√

RIM	SIZE	LI/SR	XL			dB		M+S
18	235/40ZR18	95W	XL	B	B	70	B	√
	235/45ZR18	98W	XL	B	B	70	B	√
	235/50ZR18	101W	XL	B	B	70	B	√
	235/55ZR18	104W	XL	B	B	70	B	√
	245/40ZR18	97W	XL	B	B	70	B	√
	245/45ZR18	100W	XL	B	B	70	B	√
	255/35ZR18	94W	XL	B	B	71	B	√
	255/40ZR18	99W	XL	B	B	71	B	√
	255/45ZR18	103W	XL	B	B	71	B	√
	255/55R18	109V	XL	B	B	71	B	√
	265/35ZR18	97W	XL	B	B	71	B	√
	275/35ZR18	99W	XL	B	B	71	B	√
19	215/35ZR19	85W	XL	C	B	70	B	√
	225/35ZR19	88W	XL	B	B	70	B	√
	225/40ZR19	93W	XL	B	B	70	B	√
	225/45ZR19	96W	XL	B	B	70	B	√
	225/55ZR19	103W	XL	B	B	70	B	√
	235/35ZR19	91W	XL	B	B	70	B	√
	235/40ZR19	96W	XL	B	B	70	B	√
	235/45ZR19	99W	XL	B	B	70	B	√
	235/50ZR19	103W	XL	B	B	70	B	√
	235/55ZR19	105W	XL	B	B	70	B	√
	245/35ZR19	93W	XL	B	B	70	B	√
	245/40ZR19	98W	XL	B	B	70	B	√
	245/45ZR19	102W	XL	B	B	70	B	√
	245/55ZR19	107W	XL	B	B	70	B	√
	255/30ZR19	91W	XL	B	B	71	B	√
	255/35ZR19	96W	XL	B	B	71	B	√
	255/40ZR19	100W	XL	B	B	71	B	√
	255/45ZR19	104W	XL	B	B	71	B	√
	255/50ZR19	107W	XL	B	B	71	B	√
	255/55R19	111V	XL	B	B	71	B	√
	265/30ZR19	93W	XL	B	B	71	B	√
	265/50R19	110V	XL	B	B	71	B	√
	275/30ZR19	96W	XL	B	B	71	B	√
	275/35ZR19	100W	XL	B	B	71	B	√
	275/40ZR19	105W	XL	B	B	71	B	√
	275/45ZR19	108W	XL	B	B	71	B	√
	275/55R19	111V		B	B	70	B	√
	285/45ZR19	111W	XL	B	B	73	B	√
20	225/35ZR20	90W	XL	B	B	70	B	√
	235/30ZR20	88W	XL	B	B	70	B	√

RIM	SIZE	LI/SR	XL			dB		M+S
20	235/55ZR20	105W	XL	B	B	70	B	√
	245/30ZR20	97W	XL	B	B	70	B	√
	245/35ZR20	95W	XL	B	B	70	B	√
	245/40ZR20	99W	XL	B	B	70	B	√
	245/45ZR20	103W	XL	B	B	70	B	√
	255/30ZR20	92W	XL	B	B	71	B	√
	255/35ZR20	97W	XL	B	B	71	B	√
	255/45ZR20	105W	XL	B	B	71	B	√
	255/50ZR20	109W	XL	B	B	71	B	√
	255/55R20	110V	XL	B	B	71	B	√
	265/45ZR20	108W	XL	B	B	71	B	√
	265/50R20	111V	XL	B	B	71	B	√
	275/30ZR20	97W	XL	B	B	71	B	√
	275/35ZR20	102W	XL	B	B	71	B	√
	275/40ZR20	106W	XL	B	B	71	B	√
	275/45ZR20	110W	XL	B	B	71	B	√
	275/50R20	113V	XL	B	B	71	B	√
	275/55R20	117V	XL	B	B	71	B	√
	275/60R20	115H		B	B	70	B	√
	275/60R20	115V		B	B	70	B	√
	285/50R20	116V	XL	B	B	73	B	√
	305/40ZR20	112W	XL	B	B	73	B	√
	315/35ZR20	110W	XL	B	B	73	B	√
21	245/35ZR21	96W	XL	B	B	70	B	√
	275/30ZR21	98W	XL	B	B	71	B	√
	275/40ZR21	107W	XL	B	B	71	B	√
	275/45ZR21	110W	XL	B	B	71	B	√
	295/35ZR21	107W	XL	B	B	73	B	√
	295/40ZR21	111W	XL	B	B	73	B	√
	315/35ZR21	111W	XL	B	B	73	B	√
	315/40ZR21	115W	XL	B	B	73	B	√



EAGLEFORS SUV

UTQG: 500 A A

BENEFITS AND FEATURES

Comfortable · Braking · Efficiency · Silence



RANGE:	16-18
SPEED RATE:	H/V
ASPECT RATIO:	55-70
SECTION WIDTH:	215-235

HIGHWAY TERRAIN

This is an SUV tire pattern engineered for quiet noise reduction, wet-road safety, and long-distance comfort.

TECHNICAL FEATURE A

Asymmetric compound tread layout optimizes both noise suppression and grip performance.

TECHNICAL FEATURE B

Precisely positioned sipes mitigate road impact, delivering a smooth and comfortable driving experience.

TECHNICAL FEATURE C

The three-arc tread profile and wide contact surface maximize the actual contact patch, ensuring responsive handling.

TECHNICAL FEATURE D

Optimized 5-pitch sequencing and staggered tread phasing enable ultra-quiet driving.

TECHNICAL FEATURE E

The tire tread formula is resistant to -20 degrees low temperature and can withstand more than 80,000 kilometers of wear.



RIM	SIZE	LI/SR	XL			dB		M+S
16	215/70R16	100H		C	B	71	B	
	225/70R16	107H	XL	C	B	71	B	
17	215/60R17	100V	XL	C	B	71	B	
	215/65R17	103V	XL	C	B	71	B	
	225/60R17	103V	XL	C	B	71	B	
	225/65R17	106V	XL	C	B	71	B	
	235/60R17	106V	XL	C	B	71	B	
	235/65R17	108V	XL	C	B	71	B	
18	225/55R18	102V	XL	C	B	71	B	
	225/60R18	104V	XL	C	B	71	B	
	235/55R18	104V	XL	C	B	71	B	
	235/60R18	107V	XL	C	B	71	B	



EAGLEFORS VAN

BENEFITS AND FEATURES

Comfort | Loading | Durability | Mileage



RANGE:	14-16
SPEED RATE:	R/S/T
ASPECT RATIO:	60-75
SECTION WIDTH:	175-235

COMERCIAL VAN

EAGLEFORS VAN is specifically designed for vehicles such as pickup trucks, light trucks, and commercial vans, with its core focus on "strong load-bearing capacity, long service life, and maintained comfort.

TECHNICAL FEATURE A

Three straight main grooves in the tread center enhance straight-line driving stability, preventing tread slip during heavy-load starts and eliminating steering wander at high speeds.

TECHNICAL FEATURE B

Wide, continuous tread blocks paired with a thick groove base compound ensure high load capacity and minimal deformation.

TECHNICAL FEATURE C

The zigzag structure on the sidewalls of the straight grooves on both sides reduces airflow impact, effectively lowering road noise.

TECHNICAL FEATURE D

The herringbone pattern on the tread shoulders balances load-bearing, anti-deformation performance and water drainage requirements.

TECHNICAL FEATURE E

The tread compound features excellent wear and tear resistance, withstands low temperatures down to -20° C, and provides a tread life of over 80,000 km.



RIM	SIZE	LI/SR	PLY			dB		M+S
14	175/65R14C	90/88T	6PR	C	C	72	B	
	175/70R14C	95/93T	6PR	C	C	72	B	
	185R14C	102/100S	8PR	C	C	72	B	
	195R14C	106/104S	8PR	C	C	72	B	
15	195/70R15C	104/102S	8PR	C	C	72	B	
	205/70R15C	106/104S	8PR	C	C	72	B	
	215/65R15C	104/102T	6PR	C	C	72	B	
	215/70R15C	109/107S	8PR	C	C	72	B	
	225/70R15C	112/110S	8PR	C	C	72	B	
16	185/75R16C	104/102S	8PR	C	C	72	B	
	195/65R16C	104/102T	8PR	C	C	72	B	
	195/75R16C	107/105S	8PR	C	C	72	B	
	195/75R16C	110/108T	10PR	C	C	72	B	
	205/65R16C	107/105T	8PR	C	C	72	B	
	205/75R16C	110/108S	8PR	C	C	72	B	
	205/75R16C	113/111R	10PR	C	C	72	B	
	215/60R16C	103/101T	6PR	C	C	72	B	
	215/65R16C	109/107T	8PR	C	C	72	B	
	215/75R16C	113/111S	8PR	C	C	72	B	
	225/65R16C	112/110T	8PR	C	C	72	B	
	225/75R16C	121/120R	10PR	C	C	72	B	
	235/65R16C	115/113T	8PR	C	C	72	B	







EAGLEFORS A/S



EAGLEFORS A/S VAN

ALL SEASONS

AUTOCRUZE

EAGLEFORS A/S

BENEFITS AND FEATURES

Comfortable | 4 Season | Drainage | Mileage





3PMSF*

RANGE:	13-19
SPEED RATE:	H/T/V/W/Y
ASPECT RATIO:	35-80
SECTION WIDTH:	155-255

ALL-SEASON PCR

This is an all-season tire tread designed for year-round use, delivering balanced performance and all-weather adaptability.

TECHNICAL FEATURE A

The V-shaped tread pattern, combined with optimally dense siping, ensures excellent snow traction.

TECHNICAL FEATURE B

The main V-shaped lateral grooves, paired with four thin straight grooves, create an efficient drainage network.

TECHNICAL FEATURE C

The trumpet-shaped lateral grooves function to shovel and expel snow.

TECHNICAL FEATURE D

The "serrated ice-breaking ridges" on the edges of V-shaped grooves can cut through thin snow layers on lightly snow-covered winter roads, boosting friction between the tire and the road surface.

TECHNICAL FEATURE E

The specialized rubber compound maintains elasticity and wear resistance in both winter and summer, withstands temperatures as low as -25°C in winter, and offers a service life of over 60,000 kilometers.



RIM	SIZE	LI/SR	XL			dB		M+S	3PMSF
13	155/65R13	73T		D	B	70	B	√	√
	155/70R13	75T		D	B	70	B	√	√
	155/80R13	79T		D	B	70	B	√	√
	165/70R13	79T		D	B	70	B	√	√
	165/70R13	83T	XL	D	B	70	B	√	√
	175/70R13	82T		D	B	70	B	√	√
14	155/65R14	75T		D	B	70	B	√	√
	165/60R14	79H	XL	D	B	70	B	√	√
	165/65R14	79T		D	B	70	B	√	√
	165/70R14	81T		D	B	70	B	√	√
	175/65R14	82T		D	B	70	B	√	√
	175/65R14	86T	XL	D	B	70	B	√	√
	175/70R14	84T		D	B	70	B	√	√
	175/70R14	88T	XL	C	B	70	B	√	√
	185/60R14	82H		D	B	70	B	√	√
	185/65R14	86H		D	B	70	B	√	√
	185/70R14	88T		C	B	70	B	√	√
	195/70R14	91T		C	B	71	B	√	√
15	165/65R15	81H		D	B	70	B	√	√
	175/65R15	84H		D	B	70	B	√	√
	185/55R15	82H		D	B	70	B	√	√
	185/60R15	88H	XL	C	B	70	B	√	√
	185/65R15	88H		C	B	70	B	√	√
	185/65R15	92H	XL	C	B	70	B	√	√
	195/50R15	82V		D	B	71	B	√	√
	195/55R15	85V		D	B	71	B	√	√
	195/60R15	88V		C	B	71	B	√	√
	195/65R15	91H		C	B	71	B	√	√
	195/65R15	95H	XL	C	B	71	B	√	√
	205/65R15	94V		C	B	71	B	√	√
	215/65R15	96H		C	B	71	B	√	√
16	195/45R16	84V	XL	D	B	71	B	√	√
	195/50R16	88V	XL	C	B	71	B	√	√
	195/55R16	87V		C	B	71	B	√	√
	195/55R16	91V	XL	C	B	71	B	√	√
	195/60R16	89V		C	B	71	B	√	√
	205/45R16	87W	XL	C	B	71	B	√	√
	205/50R16	91W	XL	C	B	71	B	√	√
	205/55R16	91V		C	B	71	B	√	√
	205/55R16	94V	XL	C	B	71	B	√	√
	205/60R16	96V	XL	C	B	71	B	√	√
	215/45R16	90V	XL	C	B	71	B	√	√

RIM	SIZE	LI/SR	XL			dB		M+S	3PMSF
16	215/55R16	97W	XL	C	B	71	B	√	√
	215/60R16	99V	XL	C	B	71	B	√	√
	215/65R16	98V		C	B	71	B	√	√
	225/55R16	99W	XL	C	B	71	B	√	√
	225/60R16	102V	XL	C	B	71	B	√	√
17	205/45R17	88W	XL	C	B	71	B	√	√
	205/50R17	93W	XL	C	B	71	B	√	√
	205/55R17	95W	XL	C	B	71	B	√	√
	215/40R17	87W	XL	C	B	71	B	√	√
	215/45R17	91W	XL	C	B	71	B	√	√
	215/50R17	95W	XL	C	B	71	B	√	√
	215/55R17	98W	XL	C	B	71	B	√	√
	215/60R17	100V	XL	C	B	71	B	√	√
	215/65R17	99V		C	B	71	B	√	√
	225/45R17	94Y	XL	C	B	71	B	√	√
	225/50R17	98Y	XL	C	B	71	B	√	√
	225/55R17	101W	XL	C	B	71	B	√	√
	225/60R17	103V	XL	C	B	71	B	√	√
	225/65R17	106V	XL	C	B	71	B	√	√
	235/45R17	97W	XL	C	B	71	B	√	√
	235/55R17	103W	XL	C	B	71	B	√	√
	235/65R17	108W	XL	C	B	71	B	√	√
18	215/55R18	99V	XL	C	B	71	B	√	√
	225/40R18	92Y	XL	C	B	71	B	√	√
	225/45R18	95W	XL	C	B	71	B	√	√
	225/55R18	98V		C	B	71	B	√	√
	235/45R18	98Y	XL	C	B	71	B	√	√
	235/50R18	101W	XL	C	B	71	B	√	√
	235/55R18	104V	XL	C	B	71	B	√	√
	235/60R18	107W	XL	C	B	71	B	√	√
	245/40R18	97Y	XL	C	B	71	B	√	√
	245/45R18	100Y	XL	C	B	71	B	√	√
19	225/40R19	93Y	XL	C	B	71	B	√	√
	225/45R19	96Y	XL	C	B	71	B	√	√
	225/55R19	99W		C	B	71	B	√	√
	235/55R19	105W	XL	C	B	71	B	√	√
	245/45R19	102Y	XL	C	B	71	B	√	√
	255/35R19	96Y	XL	C	B	72	B	√	√
	255/40R19	100Y	XL	C	B	72	B	√	√

EAGLEFORS A/S VAN

BENEFITS AND FEATURES

4 Season | Loading | Drainage | Efficiency



3PMSF*

RANGE:	14-16
SPEED RATE:	H/S/T
ASPECT RATIO:	60-75
SECTION WIDTH:	175-235

ALL-SEASON COMMERCIAL VAN

This is an all-season light-duty load tire specially designed for pickup trucks, light trucks, and commercial vans, with a core focus on "year-round wear resistance, high load capacity, and all-weather suitability".

TECHNICAL FEATURE A

Three straight main grooves in the center of the tread enhance straight-line driving stability, preventing tread slippage during heavy-load starts and eliminating directional drift at high speeds.

TECHNICAL FEATURE B

Wide, continuous tread blocks paired with thick groove-base rubber deliver exceptional load capacity and minimal deformation.

TECHNICAL FEATURE C

Optimally spaced zigzag sipes ensure both tread block rigidity and excellent snow traction performance.

TECHNICAL FEATURE D

The V-shaped lateral grooves + 3D pattern groove design cuts through the tread water film. Combined with a 45° inclined angle, it accelerates water drainage into the main grooves, significantly improving water evacuation performance.

TECHNICAL FEATURE E

The special rubber compound maintains elasticity and wear resistance in summer, withstands low temperatures below -25° C in winter, and provides a service life of over 80,000 kilometers.



RIM	SIZE	LI/SR	PLY			dB		M+S	3PMSF
14	175/65R14C	90/88T	6PR	C	C	72	B	√	√
	175/70R14C	95/93T	6PR	C	C	72	B	√	√
15	195/70R15C	104/102S	8PR	C	C	72	B	√	√
	215/70R15C	109/107S	8PR	C	C	72	B	√	√
	225/70R15C	112/110S	8PR	C	C	72	B	√	√
16	185/75R16C	104/102S	8PR	C	C	72	B	√	√
	195/60R16C	99/97H	6PR	C	C	72	B	√	√
	195/65R16C	104/102S	8PR	C	C	72	B	√	√
	195/75R16C	107/105S	8PR	C	C	72	B	√	√
	195/75R16C	110/108T	10PR	C	C	72	B	√	√
	205/65R16C	107/105T	8PR	C	C	72	B	√	√
	205/75R16C	113/111S	10PR	C	C	72	B	√	√
	215/60R16C	103/101T	6PR	C	C	72	B	√	√
	215/65R16C	109/107T	8PR	C	C	72	B	√	√
	215/75R16C	113/111S	8PR	C	C	72	B	√	√
	225/65R16C	112/110S	8PR	C	C	72	B	√	√
	235/65R16C	115/113S	8PR	C	C	72	B	√	√







SNOWBLAZER H/P



SNOWBLAZER UHP

WINTER

AUTOCRUZE

SNOWBLAZER H/P

BENEFITS AND FEATURES

Control · Braking · Safety · Snow





3PMSF*

RANGE:	13-17
SPEED RATE:	H/T/V
ASPECT RATIO:	50-80
SECTION WIDTH:	155-265

STUDLESS SNOW TIRE

This is a winter tire dedicated to safe and comfortable driving in winter.

TECHNICAL FEATURE
A

The dense wave-shaped sipes instantly break the ultra-thin water film on ice and snow surfaces, ensuring reliable grip on snowy roads.

TECHNICAL FEATURE
B

The unidirectional trumpet-shaped lateral grooves deliver excellent snow shoveling and evacuation performance.

TECHNICAL FEATURE
C

The leaf-inspired bionic tread pattern optimizes both grip and water drainage.

TECHNICAL FEATURE
D

Semi-rigid rubber is used in the tread base to eliminate "soft tire bounce", providing enhanced tread stability during high-speed cruising.

TECHNICAL FEATURE
E

The advanced tread compound preserves rubber physical properties in extreme cold, withstanding temperatures as low as -35°C and offering a service life of over 50,000 kilometers.



RIM	SIZE	LI/SR	XL			dB		M+S	3PMSF
13	155/70R13	75T		D	C	70	B	√	√
	155/80R13	79T		D	C	70	B	√	√
	175/70R13	82T		D	C	70	B	√	√
14	155/65R14	75T		D	C	70	B	√	√
	165/65R14	79T		D	C	70	B	√	√
	165/70R14	81T		D	C	70	B	√	√
	165/70R14	85T	XL	D	C	70	B	√	√
	175/65R14	82T		D	C	70	B	√	√
	175/65R14	86T	XL	D	C	70	B	√	√
	175/70R14	84T		D	C	70	B	√	√
	185/60R14	82T		D	C	70	B	√	√
	185/65R14	86T		D	C	70	B	√	√
15	165/60R15	81T	XL	D	C	70	B	√	√
	165/65R15	81T		D	C	70	B	√	√
	175/65R15	88H	XL	C	C	70	B	√	√
	185/55R15	86V	XL	D	C	70	B	√	√
	185/60R15	84T		D	C	70	B	√	√
	185/60R15	88T	XL	C	C	70	B	√	√
	185/65R15	88H		C	C	70	B	√	√
	185/65R15	92T	XL	C	C	70	B	√	√
	195/50R15	86H	XL	D	C	71	B	√	√
	195/55R15	85H		D	C	71	B	√	√
	195/60R15	92H	XL	C	C	71	B	√	√
	195/65R15	91H		C	C	71	B	√	√
	195/65R15	95T	XL	C	C	71	B	√	√
	205/65R15	94H		C	C	71	B	√	√
	205/70R15	96T		C	C	71	B	√	√
16	205/55R16	91H		C	C	71	B	√	√
	205/55R16	94H	XL	C	C	71	B	√	√
	205/60R16	92H		C	C	71	B	√	√
	205/60R16	96H	XL	C	C	71	B	√	√
	205/65R16	99H	XL	C	C	71	B	√	√
	215/60R16	99H	XL	C	C	71	B	√	√
	215/65R16	98H		C	C	71	B	√	√
	215/70R16	104H	XL	C	C	71	B	√	√
17	205/60R17	93H		C	C	71	B	√	√
	215/60R17	96H		C	C	71	B	√	√
	215/65R17	103V	XL	C	C	71	B	√	√
	225/60R17	99H		C	C	71	B	√	√
	225/65R17	102H		C	C	71	B	√	√
	235/65R17	108H	XL	C	C	71	B	√	√
	245/65R17	111H	XL	C	C	71	B	√	√
	265/65R17	112T		C	C	72	B	√	√



SNOWBLAZER UHP

BENEFITS AND FEATURES

Control · Braking · Safety · Snow



3PMSF*

RANGE:	16-20
SPEED RATE:	H/V
ASPECT RATIO:	35-60
SECTION WIDTH:	185-315

STUDLESS SNOW TIRE

This is a winter UHP tread pattern with enhanced sporty DNA.

TECHNICAL FEATURE
A

Asymmetric tread pattern + blade-shaped grooves + steel sheet matrix deliver exceptional grip on ice and snow to prevent slippage.

TECHNICAL FEATURE
B

All block patterns are interconnected by tread ribs, balancing high-speed performance and snow traction.

TECHNICAL FEATURE
C

Four main tread grooves ensure excellent driving stability and water evacuation performance.

TECHNICAL FEATURE
D

High-strength carcass materials and high-rigidity sidewalls resist rollover during high-speed cornering.

TECHNICAL FEATURE
E

The advanced tread compound preserves the rubber's physical properties in extreme cold, withstanding temperatures as low as -35°C and providing a service life of over 50,000 km with minimal wear.



RIM	SIZE	LI/SR	XL			dB		M+S	3PMSF
16	185/50R16	81H		D	B	70	B	√	√
	185/55R16	87H	XL	C	B	70	B	√	√
	195/45R16	84H	XL	D	B	71	B	√	√
	195/50R16	88H	XL	C	B	71	B	√	√
	195/55R16	91H	XL	C	B	71	B	√	√
	205/55R16	94H	XL	C	B	71	B	√	√
	215/55R16	97H	XL	C	B	71	B	√	√
	225/55R16	99H	XL	C	B	71	B	√	√
17	205/45R17	88V	XL	C	B	71	B	√	√
	205/50R17	93V	XL	C	B	71	B	√	√
	205/55R17	95V	XL	C	B	71	B	√	√
	215/45R17	91V	XL	C	B	71	B	√	√
	215/50R17	95V	XL	C	B	71	B	√	√
	215/55R17	98V	XL	C	B	71	B	√	√
	225/45R17	94V	XL	C	B	71	B	√	√
	225/50R17	98V	XL	C	B	71	B	√	√
	225/55R17	101V	XL	C	B	71	B	√	√
	235/45R17	97V	XL	C	B	71	B	√	√
	235/55R17	103V	XL	C	B	71	B	√	√
	245/45R17	99V	XL	C	B	71	B	√	√
18	215/45R18	93V	XL	C	B	71	B	√	√
	215/55R18	99V	XL	C	B	71	B	√	√
	225/40R18	92V	XL	C	B	71	B	√	√
	225/45R18	95V	XL	C	B	71	B	√	√
	225/55R18	102V	XL	C	B	71	B	√	√
	225/60R18	104H	XL	C	B	71	B	√	√
	235/45R18	98V	XL	C	B	71	B	√	√
	235/50R18	101V	XL	C	B	71	B	√	√
	235/55R18	104V	XL	C	B	71	B	√	√
	235/60R18	107H	XL	C	B	71	B	√	√
	245/40R18	97V	XL	C	B	71	B	√	√
	245/45R18	100V	XL	C	B	71	B	√	√
	245/60R18	105H		C	B	71	B	√	√
	255/40R18	99V	XL	C	B	72	B	√	√
	255/45R18	103V	XL	C	B	72	B	√	√
	255/55R18	109V	XL	C	B	72	B	√	√
	255/60R18	112H	XL	C	B	72	B	√	√
	265/60R18	114H	XL	C	B	72	B	√	√
19	225/40R19	93V	XL	C	B	71	B	√	√
	225/45R19	96V	XL	C	B	71	B	√	√
	225/55R19	103V	XL	C	B	71	B	√	√
	235/35R19	91V	XL	C	B	71	B	√	√

RIM	SIZE	LI/SR	XL			dB		M+S	3PMSF
19	235/45R19	99V	XL	C	B	71	B	√	√
	235/55R19	105V	XL	C	B	71	B	√	√
	245/40R19	98V	XL	C	B	71	B	√	√
	245/45R19	102V	XL	C	B	71	B	√	√
	255/35R19	96V	XL	C	B	72	B	√	√
	255/40R19	100V	XL	C	B	72	B	√	√
	255/50R19	107V	XL	C	B	72	B	√	√
	255/55R19	111V	XL	C	B	72	B	√	√
	275/35R19	100V	XL	C	B	72	B	√	√
	275/40R19	105V	XL	C	B	72	B	√	√
20	245/45R20	103V	XL	C	B	71	B	√	√
	255/45R20	105V	XL	C	B	72	B	√	√
	265/45R20	108V	XL	C	B	72	B	√	√
	275/40R20	106V	XL	C	B	72	B	√	√
	275/45R20	110V	XL	C	B	72	B	√	√
	275/55R20	117V	XL	C	B	72	B	√	√
	275/60R20	119V	XL	C	B	72	B	√	√
	315/35R20	110V	XL	C	B	74	B	√	√

AUTOCRUZE

WWW.LANDSPIDERTIRE.COM | QINGDAO LANDSPIDER TIRE CORP.,LTD